



Prescription Medication List 2024





Pharmacy Program Overview

The pharmacy program of Chorus Community Health Plans (CCHP) offers a variety of high-quality, effective generic and brand-name prescription drugs. This guide provides information that applies to most members. For information specific to your plan, please read your Schedule of Benefits.

When you need a prescription medication, you and your provider can choose from four different levels, or “tiers.” Each tier has a different member responsibility. This gives you and your doctor the freedom to choose the medication that is right for you. At the same time, this will help you to better budget your health care dollars.

This guide provides an overview of your pharmacy benefit with CCHP. It explains the copayment structure, the process for getting certain drugs covered, your options for filling prescriptions, important phone numbers, and more.

Contact numbers

Current Chorus Community Health Plans members

- Customer Service: 1-844-201-4672
- Pharmacy Services (for practitioners and pharmacies): 1-844-201-4677
- Hearing-impaired members: TTY: 7-1-1

Prospective Chorus Community Health Plans members

- Sales Team: 1-844-708-3837
- Online information is available at chorushealthplans.org/our-plans/prescription-coverage.

For the latest information on the CCHP drug formulary and other pharmacy benefits, go to chorushealthplans.org/our-plans/prescription-coverage. You may also call Customer Service at the number listed above or on the back of your member ID card.

Read your contract carefully to determine which health care services are covered.

For prospective members

If you are thinking about joining Chorus Community Health Plans (CCHP) and would like information about applicable coinsurance or copayment amounts, go to the Summary of Benefits and Coverage (SBC) on the CCHP website at chorushealthplans.org or call the Sales Support team at 1-844-708-3837.

Understanding coverage and cost sharing

Our formulary is the list of Food and Drug Administration (FDA)-approved drugs that we cover. Our Pharmacy and Therapeutics (P&T) Committee researches and evaluates medications we may cover. Committee members include local doctors and pharmacists who meet regularly during the year to review and update the formulary. Committee members base their decisions on drugs' safety, effectiveness, and cost.

CCHP prescription drugs are organized into four formulary tiers:

Tier 1 is for generic medications, which have the lowest copayment. Generic drugs offer the same level of safety and quality as their brand-name equivalents. They have the same amount of active ingredients as brand-name medications. CCHP requires you to use a generic version of the drug if one is available. This means that if you receive a brand-name drug when a generic is available, you must pay the brand copayment in addition to the retail cost difference between the brand-name and generic forms of the drug.

Tier 2 is for preferred-brand and generic medications. CCHP classifies these drugs as "preferred" because of their value and effectiveness.

Tier 3 is for non-preferred medications (brand and generic).

Tier 4 is for specialty medications (brand and generic), for which you will have the highest level of cost sharing. Specialty medications usually treat complex and rare conditions. These drugs are created because of advancements in drug development. These drugs can be high-cost medications and biologicals regardless of how they are administered (injectable, oral, transdermal, or inhalant). Many specialty drugs require close management by a physician. Physicians need to monitor these drugs due to potential side effects and the need for frequent dosage adjustments.

About generic drugs

Not all drugs have a generic equivalent. Generally, new drugs receive patent protection. Once the patent expires, other pharmaceutical companies can produce the same drug in a generic formulation. Companies that make generic drugs do not have to invest large amounts of money in research, since the company making the brand-name equivalent has already done this. Also, generic companies do not need to advertise their drugs. As a result, generic drug makers can pass these savings on to you.

Generic medications have the same active ingredients as brand-name drugs, but their inactive ingredients can vary. This is why the generic drug might look different from the brand-name drug. Inactive ingredients can be dyes used to color the drug or powders used to shape the tablets. Inactive ingredients do not affect how the generic drug works.

The FDA regulates generic drug manufacturers just as it regulates the makers of brand-name medications. The generic drug must pass strict FDA measurements to ensure that it delivers the same amount of the active ingredient in the same time frame as its brand-name counterpart. The manufacturer of the generic drug must prove that it produces its product under the same strict guidelines as the brand-name drug.

Formulary overview

The most commonly prescribed CCHP drugs are listed in the formulary section of this guide. Please note there are other drugs that CCHP covers in addition to the ones listed in this guide. Formulary changes are made frequently, for the latest information on the complete CCHP formulary and other pharmacy benefits, visit our website at chorushealthplans.org/our-plans/prescription-coverage. You may also call our Customer Service at the number listed on your member ID card or on the first page of this guide. If you are a CCHP member, refer to your Schedule of Benefits for your applicable coinsurance or copayment amounts.

If you did not receive a Schedule of Benefits, contact Customer Service at the number on your member ID card. Your member ID card should also list your applicable coinsurance or copayment amounts.

Understanding this booklet

Affordable Care Act (ACA) – You will see the symbol ACA next to certain drugs in this booklet. ACA stands for Affordable Care Act. Your pharmacy benefit plan may include coverage for some preventive medications at no cost share when you meet certain criteria in accordance with the Patient Protection and Affordable Care Act of 2010 (PPACA). If the criteria is not met, the medication will default to the tier that the medication is listed on and applicable coinsurance or copayment amounts would apply.

Limited Availability (LA) – You will see the symbol LA next to certain drugs in this booklet. LA stands for Limited Availability. Limited availability drugs must be obtained through our designated specialty pharmacy provider.

Prior Authorization (PA) – You will see the symbol PA next to certain drugs in this booklet. PA stands for Prior Authorization. If a drug requires prior authorization, the CCHP Pharmacy Services Department must authorize the use of this drug before it will be covered.

Drugs that require prior authorization are often:

- Newer drugs for which CCHP wants to track usage.
- Drugs not used as a standard first-line option in treating a medical condition.
- Drugs with potential side effects that CCHP wants to monitor for patient safety.
- Drugs categorized as specialty medications.

Compounded medications that contain included ingredients require prior authorization.

Select Generics (SG) - You will see the symbol SG next to certain drugs in this booklet. SG stands for Select Generics. Select generic medications are offered at no additional cost share to you. These medications can help to improve your overall health.

Step Therapy (ST) – You will see the symbol ST next to certain drugs in this booklet. ST stands for Step Therapy. Step therapy is the practice of using specific medications first when beginning drug therapy for a medical condition. The preferred first course of treatment may be generic medications or drugs that are considered as the standard first-line treatment. Preferred first courses of treatment are also standard clinical practice and based on clinical practice guidelines.

Step therapy is built into the electronic system that checks your medication history. A drug with step therapy will be automatically approved if there is a record that you have already tried the preferred first course of treatment. If there is no record that you tried the preferred drug(s) in your medication history, your physician must submit relevant clinical information to the CCHP Pharmacy Services Department before it will be covered.

Quantity Limits (QL) – You will see the symbol QL next to certain drugs in this booklet. QL stands for Quantity Limits. Quantity limits are drug-specific and limit the amount of certain drugs that can be dispensed during a specified period of time. These limits are based on FDA guidelines, clinical literature, and the manufacturer's instructions. Quantity limits promote appropriate use of the drug, prevent waste, and help control costs. Your provider can request an exception to the quantity limit through the CCHP Pharmacy Services Department.

Therapeutic Interchange – The dispensing pharmacist filling your prescription may contact your provider for a verbal order of a therapeutic substitute for the medication they originally prescribed. The verbal order acts as a new active prescription. Therapeutic substitution of a medication may be different from generic substitution. A therapeutic substitute cannot be dispensed without a new prescription from your provider. A new prescription is not required to dispense a generic equivalent drug.

Getting your prescriptions filled

Retail

The CCHP network of retail pharmacies includes hundreds of locations — independent pharmacies as well as multistore chains — throughout the region. You can take your prescription to any pharmacy in the network. You must use 75 percent of your medication before you can get a refill. For specific pharmacy names, locations, and telephone numbers, visit chorushealthplans.org/pharmacy or call our Customer Service Team at 1-844-201-4672.

Mail order

If you take maintenance medications for a chronic condition, you can get them through a mail-order pharmacy. Maintenance medications are generally taken on a regular, long-term basis. This may include drugs to treat high blood pressure, diabetes, asthma, high cholesterol, and more.

With convenient mail-order service:

- You receive a 90-day supply of most drugs, plus refills, as prescribed by your doctor.
- You usually pay a lower out-of-pocket cost for a 90-day supply at a mail-order pharmacy than you would pay at a retail pharmacy.
- You get these drugs delivered right to your door.

Most mail-order prescriptions are written for a 90-day supply. If your doctor writes for a 30-day supply with two refills, the mail order facility may combine the prescription to make a 90-day supply. If you do not want a 90-day supply, you should indicate this on the mail-order form. For a new medication, CCHP recommends that you try a 30-day supply of the drug from a retail pharmacy. That way your doctor has a chance to make sure that it is the right dose for you and that it does not cause any side effects. Once you are confident that the medication is appropriate, ask your doctor to write a prescription for a 90-day supply of each maintenance drug that you need (plus refills if appropriate). Then order the supply through the mail-order pharmacy.

To avoid running out of your mail-order prescription, reorder your medication while you still have an adequate supply remaining, allowing a few weeks for processing and delivery. To request refills, you may order online or over the telephone. You can request a mail-order form by calling Customer Service at 1-844-201-4672 or on our website at chorushealthplans.org.

Specialty pharmacy provider

Specialty medications that require special handling, provider coordination, or patient education that cannot be provided by a retail pharmacy must be obtained through one of our designated specialty pharmacy providers. When you are prescribed a specialty medication and use a specialty pharmacy provider, you get mail-order delivery and improved access to drugs, as many retail pharmacies do not carry these types of medications.

CCHP highly recommends the use of a specialty pharmacy provider. Most specialty medications are required to be filled by a specialty pharmacy provider; however, certain specialty medications can be obtained from a retail pharmacy. You may be assessed an increased cost share for your specialty medication if you continue to obtain it from a retail pharmacy after the first fill.

Specialty pharmacy providers also improve care by providing education for our members and expanded access to health care professionals trained in the proper use of these specialty medications. A specialty pharmacy provider offers cost-effective health care and medication management and compliance programs.

Filling your prescription when traveling

When you travel outside of the CCHP service area, thousands of pharmacies across the country will honor your CCHP member ID card. To locate a participating pharmacy, contact our Customer Service team at the phone number listed on the back of your member ID card or on page 1 of this booklet.

To fill a prescription at a participating out-of-area pharmacy, present your CCHP member ID card. Some pharmacies may ask you to pay the full price of the medication. If that happens and your claim is approved, you will be reimbursed the amount that you paid for the medication, less your member responsibility. Please reference your Schedule of Benefits for specific copayment and coinsurance information.

You can request a "Pharmacy Program Direct Reimbursement Claim Form" by calling the Customer Service team or visiting the member materials online at **chorushealthplans.org**.

If you will be away from home for an extended period of time, or if you will be traveling outside of the country, you may want to use our mail-order service so that you receive a 90-day supply before you leave home.

Filling prescription eye drops

Your pharmacy benefits include coverage of prescription eye drops and refills of prescription eye drops, as long as the following criteria are met:

- You have used 75 percent of your medication at the time a refill is requested. This would include the number of days it would take to reach 75 percent usage based on the dosage of the medication.
- The prescription allows for a refill of the prescription eye drops.
- The requested refill does not exceed the number of refills allowed by the prescription.

Medication supplies not covered

- No authorizations will be provided for medications that are reported by the member, provider, or pharmacy to be lost, misplaced, stolen, destroyed, or damaged.
- Medications received at no charge to the member (workers' compensation, medications purchased with a manufacturer's coupon, etc.) will not be covered.
- Prescriptions that were written more than a year ago will not be covered. Your doctor will need to write a new prescription.

Medications not covered

The following medications are benefit exclusions and will not be covered under the pharmacy benefit:

- Antimalarial agents when used for prevention
- Antiobesity medications, including, but not limited to, appetite suppressants and lipase inhibitors, and other medications being used for a primary indication of weight loss.
- Compounded products containing excluded ingredients (examples are compounded hormone replacement therapies and compounded narcotic analgesics)
- Drugs labeled for investigational use
- Drugs used for cosmetic purposes or hair growth
- Drugs used to treat sexual dysfunction (examples are Cialis, Levitra, Stendra, Viagra, Caverject, Muse, Intrarosa, and Osphena)
- Fertility agents
- Legend vitamins (other than prenatal, fluoride, and certain therapeutic vitamins)
- Most over the counter medications**
- Needles/syringes (other than insulin) *
- Nutrition and dietary supplements*

- Ostomy supplies*
- Therapeutic devices/appliances*
- Urine strips (Because our doctors believe blood glucose strips are more accurate than urine test strips in measuring blood glucose, urine strips are not a covered benefit.)

This is not a complete list and there may be other medications that are not covered. For more information, please contact Customer Service at the phone number on the back of your member ID card or on page 1 of this guide.

Please note that, under certain circumstances, your medical benefits may cover the items marked with an asterisk (). For information on these items, you can contact our Customer Service team at the number listed on the back of your member ID card. If you have not yet received an ID card, call our Customer Service number listed on page 1 of this booklet.

**Additional over the counter medications may be covered in accordance with the Patient Protection and Affordable Care Act. The Preventive Service Guide available at chorushealthplans.org/preventive-guidelines.

Drug exceptions, time frames and enrollee responsibilities

If the medication you take is not on the list of covered drugs for your benefit plan (also called a “formulary”), you can ask us to cover it. This is called a “non-formulary exception.” A request for a non-formulary exception will only be approved if there is documented evidence that the formulary alternatives are not effective in treating your condition; the formulary alternatives would cause adverse side effects; or a contraindication exists such that you cannot safely try the formulary medication.

As a first step, you can contact Customer Service for a list of similar drugs that are covered by your plan or you can go to chorushealthplans.org/formulary for this information. When you have the list, show it to your doctor and see whether he or she is able to prescribe one of the drugs on this list.

If you need to request a non-formulary exception, contact Member Services or access the exception request form which can be found with the member materials online at chorushealthplans.org. When you make this request, we may contact your prescriber or physician for information to support your request.

After CCHP receives your request, we will make our decision within 72 hours. You can request a faster (expedited) decision if you or your doctor believe that waiting up to 72 hours for a decision could seriously harm your health. If your request to expedite is granted, we must give you a decision no later than 24 hours after we received your request.

If we deny your request for a non-formulary exception, you may first request an internal review of that decision by contacting Customer Service. If the denial of the non-formulary exception request is upheld through an internal review, you may then request an external review by an Independent Review Organization (IRO). Requests for an external review can also be made by contacting Customer Service at 1-844-201-4672.

Table of Contents

| | |
|---|----|
| ANTI - INFECTIVES | 3 |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | 11 |
| AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH | 17 |
| CARDIOVASCULAR, HYPERTENSION & LIPIDS | 32 |
| DERMATOLOGICALS/TOPICAL THERAPY | 39 |
| DIAGNOSTICS & MISCELLANEOUS AGENTS | 46 |
| EAR, NOSE & THROAT MEDICATIONS | 49 |
| ENDOCRINE/DIABETES | 50 |
| GASTROENTEROLOGY | 59 |
| IMMUNOLOGY | 65 |
| IMMUNOLOGY, VACCINES & BIOTECHNOLOGY | 65 |
| MUSCULOSKELETAL & RHEUMATOLOGY | 72 |
| OBSTETRICS & GYNECOLOGY | 75 |
| OPHTHALMOLOGY | 83 |
| RESPIRATORY, ALLERGY, COUGH & COLD | 88 |
| UROLOGICALS | 93 |
| VITAMINS, HEMATINICS & ELECTROLYTES | 94 |
| Index | 99 |

List of Abbreviations

1: Preferred Generic Medications

2: Preferred Brand Medications and Generic Medications (Brand and Generic)

3: Non-Preferred Medications (Brand and Generic)

4: Specialty Medications (Brand and Generic)

ACA: Affordable Care Act.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

SG: Select Generics.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| BREXAFEMME ORAL TABLET | 3 | PA; QL |
| <i>clotrimazole mucous membrane troche</i> | 1 | |
| CRESEMBA ORAL CAPSULE | 4 | QL |
| <i>fluconazole oral suspension for reconstitution</i> | 2 | |
| <i>fluconazole oral tablet</i> | 1 | |
| <i>flucytosine oral capsule</i> | 4 | |
| <i>griseofulvin microsize oral suspension</i> | 3 | |
| <i>griseofulvin microsize oral tablet</i> | 3 | |
| <i>griseofulvin ultramicrosize oral tablet</i> | 3 | |
| <i>itraconazole oral capsule</i> | 3 | PA; QL |
| <i>itraconazole oral solution</i> | 3 | PA |
| <i>ketoconazole oral tablet</i> | 1 | |
| NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON | 4 | PA; QL |
| <i>nystatin oral suspension</i> | 1 | |
| <i>nystatin oral tablet</i> | 3 | |
| <i>posaconazole oral suspension</i> | 4 | PA; QL |
| <i>posaconazole oral tablet, delayed release (dr/ec)</i> | 4 | PA; QL |
| <i>terbinafine hcl oral tablet</i> | 1 | QL |
| VIVJOA ORAL CAPSULE | 3 | PA; QL |
| <i>voriconazole oral suspension for reconstitution</i> | 4 | QL |
| <i>voriconazole oral tablet</i> | 3 | QL |
| ANTIVIRALS | | |
| <i>abacavir oral solution</i> | 1 | QL |
| <i>abacavir oral tablet</i> | 1 | QL |
| <i>abacavir-lamivudine oral tablet</i> | 1 | QL |
| <i>acyclovir oral capsule</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 3 | |
| <i>acyclovir oral tablet</i> | 1 | |
| <i>adefovir oral tablet</i> | 3 | QL |
| <i>amantadine hcl oral capsule</i> | 1 | |
| <i>amantadine hcl oral solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>amantadine hcl oral tablet</i> | 1 | |
| APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE | 4 | QL |
| APTIVUS ORAL CAPSULE | 4 | QL |
| <i>atazanavir oral capsule</i> | 1 | QL |
| BARACLUDE ORAL SOLUTION | 4 | PA; QL |
| BEYFORTUS INTRAMUSCULAR SYRINGE | 3 | ACA |
| BIKTARVY ORAL TABLET | 4 | QL |
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE | 4 | QL |
| CIMDUO ORAL TABLET | 2 | QL |
| COMPLERA ORAL TABLET | 4 | QL |
| <i>darunavir oral tablet</i> | 1 | QL |
| DELSTRIGO ORAL TABLET | 4 | QL |
| DESCOVY ORAL TABLET | 4 | QL |
| DOVATO ORAL TABLET | 4 | QL |
| EDURANT ORAL TABLET | 4 | QL |
| <i>efavirenz oral tablet</i> | 1 | QL |
| <i>efavirenz-emtricitabin-tenofof oral tablet</i> | 1 | QL |
| <i>efavirenz-lamivu-tenofof disop oral tablet</i> | 1 | QL |
| <i>emtricitabine oral capsule</i> | 1 | QL |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> | 1 | QL |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> | 1 | ACA; QL |
| EMTRIVA ORAL SOLUTION | 2 | QL |
| <i>entecavir oral tablet</i> | 2 | QL |
| EPCLUSA ORAL PELLETS IN PACKET | 4 | PA; LA; QL |
| EPCLUSA ORAL TABLET 200-50 MG | 4 | PA; LA; QL |
| <i>etravirine oral tablet</i> | 1 | QL |
| EVOTAZ ORAL TABLET | 4 | QL |
| <i>famciclovir oral tablet</i> | 3 | QL |
| <i>fosamprenavir oral tablet</i> | 1 | QL |
| FUZEON SUBCUTANEOUS RECON SOLN | 4 | QL |
| GENVOYA ORAL TABLET | 4 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| HARVONI ORAL PELLETS IN PACKET | 4 | PA; LA; QL |
| HARVONI ORAL TABLET 45-200 MG | 4 | PA; LA; QL |
| INTELENCE ORAL TABLET 25 MG | 4 | QL |
| ISENTRESS HD ORAL TABLET | 4 | QL |
| ISENTRESS ORAL POWDER IN PACKET | 4 | QL |
| ISENTRESS ORAL TABLET | 4 | QL |
| ISENTRESS ORAL TABLET,CHEWABLE | 4 | QL |
| JULUCA ORAL TABLET | 4 | QL |
| LAGEVRIO (EUA) ORAL CAPSULE | 2 | QL |
| <i>lamivudine oral solution</i> | 1 | QL |
| <i>lamivudine oral tablet</i> | 1 | QL |
| <i>lamivudine-zidovudine oral tablet</i> | 1 | QL |
| LEDIPASVIR-SOFOSBUVIR ORAL TABLET | 4 | PA; LA; QL |
| LIVTENCITY ORAL TABLET | 4 | PA; QL |
| <i>lopinavir-ritonavir oral solution</i> | 1 | QL |
| <i>lopinavir-ritonavir oral tablet</i> | 1 | QL |
| <i>maraviroc oral tablet</i> | 1 | QL |
| MAVYRET ORAL PELLETS IN PACKET | 4 | PA; LA; QL |
| MAVYRET ORAL TABLET | 4 | PA; LA; QL |
| <i>nevirapine oral suspension</i> | 1 | QL |
| <i>nevirapine oral tablet</i> | 1 | QL |
| <i>nevirapine oral tablet extended release 24 hr</i> | 1 | QL |
| NORVIR ORAL POWDER IN PACKET | 4 | QL |
| ODEFSEY ORAL TABLET | 4 | QL |
| <i>oseltamivir oral capsule</i> | 2 | QL |
| <i>oseltamivir oral suspension for reconstitution</i> | 2 | QL |
| PAXLOVID ORAL TABLETS,DOSE PACK | 2 | QL |
| PIFELTRO ORAL TABLET | 4 | QL |
| PREVYMIS ORAL TABLET | 4 | PA; QL |
| PREZCOBIX ORAL TABLET | 4 | QL |
| PREZISTA ORAL SUSPENSION | 4 | QL |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 4 | QL |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| REYATAZ ORAL POWDER IN PACKET | 4 | QL |
| <i>rimantadine oral tablet</i> | 3 | |
| <i>ritonavir oral tablet</i> | 1 | QL |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR | 4 | PA; QL |
| SELZENTRY ORAL SOLUTION | 4 | QL |
| SOFOSBUVIR-VELPATASVIR ORAL TABLET | 4 | PA; LA; QL |
| SOVALDI ORAL PELLETS IN PACKET | 4 | PA; LA; QL |
| SOVALDI ORAL TABLET | 4 | PA; LA; QL |
| STRIBILD ORAL TABLET | 4 | QL |
| SUNLENCA ORAL TABLET | 4 | PA; QL |
| SUNLENCA SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| SYMTUZA ORAL TABLET | 4 | QL |
| TEMBEXA ORAL SUSPENSION | 3 | |
| TEMBEXA ORAL TABLET | 3 | |
| <i>tenofovir disoproxil fumarate oral tablet</i> | 1 | QL |
| TIVICAY ORAL TABLET 50 MG | 4 | QL |
| TIVICAY PD ORAL TABLET FOR SUSPENSION | 4 | QL |
| TRIUMEQ ORAL TABLET | 4 | QL |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION | 4 | QL |
| TYBOST ORAL TABLET | 2 | QL |
| <i>valacyclovir oral tablet</i> | 2 | QL |
| <i>valganciclovir oral recon soln</i> | 3 | QL |
| <i>valganciclovir oral tablet</i> | 3 | QL |
| VEMLIDY ORAL TABLET | 4 | PA; QL |
| VIRACEPT ORAL TABLET | 4 | QL |
| VIREAD ORAL POWDER | 4 | QL |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 4 | QL |
| VOSEVI ORAL TABLET | 4 | PA; LA; QL |
| ZEPATIER ORAL TABLET | 4 | PA; LA; QL |
| <i>zidovudine oral capsule</i> | 1 | QL |
| <i>zidovudine oral syrup</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>zidovudine oral tablet</i> | 1 | QL |
| CEPHALOSPORINS | | |
| <i>cefaclor oral capsule</i> | 2 | |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2 | |
| <i>cefaclor oral tablet extended release 12 hr</i> | 3 | |
| <i>cefadroxil oral capsule</i> | 1 | |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 3 | |
| <i>cefadroxil oral tablet</i> | 3 | |
| <i>cefdinir oral capsule</i> | 1 | |
| <i>cefdinir oral suspension for reconstitution</i> | 2 | |
| <i>cefixime oral capsule</i> | 3 | |
| <i>cefixime oral suspension for reconstitution</i> | 3 | |
| <i>cefpodoxime oral suspension for reconstitution</i> | 3 | |
| <i>cefpodoxime oral tablet</i> | 3 | |
| <i>cefprozil oral suspension for reconstitution</i> | 2 | |
| <i>cefprozil oral tablet</i> | 2 | |
| <i>cefuroxime axetil oral tablet</i> | 1 | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cephalexin oral capsule 750 mg</i> | 3 | |
| <i>cephalexin oral suspension for reconstitution</i> | 2 | |
| <i>cephalexin oral tablet</i> | 3 | |
| ERYTHROMYCINS & OTHER MACROLIDES | | |
| <i>azithromycin oral packet</i> | 2 | |
| <i>azithromycin oral suspension for reconstitution</i> | 2 | |
| <i>azithromycin oral tablet</i> | 1 | |
| <i>clarithromycin oral suspension for reconstitution</i> | 3 | |
| <i>clarithromycin oral tablet</i> | 2 | |
| <i>clarithromycin oral tablet extended release 24 hr</i> | 3 | |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION | 4 | ST; QL |
| DIFICID ORAL TABLET | 4 | ST; QL |
| <i>e.e.s. 400 oral tablet</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 3 | |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 3 | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution</i> | 3 | |
| <i>erythromycin ethylsuccinate oral tablet</i> | 3 | |
| <i>erythromycin oral capsule, delayed release (dr/ec)</i> | 3 | |
| <i>erythromycin oral tablet</i> | 3 | |
| <i>erythromycin oral tablet, delayed release (dr/ec)</i> | 3 | |
| MISCELLANEOUS ANTIINFECTIVES | | |
| AEMCOLO ORAL TABLET, DELAYED RELEASE (DR/EC) | 3 | QL |
| <i>albendazole oral tablet</i> | 3 | |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION | 3 | |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION | 4 | PA; LA |
| <i>atovaquone oral suspension</i> | 4 | |
| <i>atovaquone-proguanil oral tablet</i> | 3 | PA |
| BENZNIDAZOLE ORAL TABLET | 3 | QL |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION | 4 | LA; QL |
| <i>chloroquine phosphate oral tablet</i> | 3 | PA |
| <i>clindamycin hcl oral capsule</i> | 1 | |
| <i>clindamycin pediatric oral recon soln</i> | 3 | |
| COARTEM ORAL TABLET | 3 | |
| <i>cycloserine oral capsule</i> | 3 | |
| <i>dapsone oral tablet</i> | 1 | |
| EMVERM ORAL TABLET, CHEWABLE | 4 | |
| <i>ethambutol oral tablet</i> | 2 | |
| <i>hydroxychloroquine oral tablet 200 mg</i> | 1 | |
| <i>isoniazid oral solution</i> | 1 | |
| <i>isoniazid oral tablet</i> | 1 | |
| <i>ivermectin oral tablet</i> | 3 | PA |
| KRINTAFEL ORAL TABLET | 3 | |
| LAMPIT ORAL TABLET | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>linezolid oral suspension for reconstitution</i> | 4 | QL |
| <i>linezolid oral tablet</i> | 3 | QL |
| <i>mefloquine oral tablet</i> | 3 | PA |
| <i>metronidazole oral capsule</i> | 3 | |
| <i>metronidazole oral tablet</i> | 1 | |
| <i>neomycin oral tablet</i> | 1 | |
| <i>nitazoxanide oral tablet</i> | 4 | |
| <i>paromomycin oral capsule</i> | 1 | |
| PASER ORAL GRANULES DR FOR SUSP IN PACKET | 3 | |
| <i>pentamidine inhalation recon soln</i> | 1 | |
| <i>praziquantel oral tablet</i> | 3 | |
| PRETOMANID ORAL TABLET | 3 | PA |
| PRIFTIN ORAL TABLET | 3 | |
| <i>primaquine oral tablet</i> | 3 | PA |
| <i>pyrazinamide oral tablet</i> | 1 | |
| <i>pyrimethamine oral tablet</i> | 4 | PA; QL |
| <i>quinine sulfate oral capsule</i> | 3 | PA |
| <i>rifabutin oral capsule</i> | 1 | |
| <i>rifampin oral capsule</i> | 1 | |
| SIRTURO ORAL TABLET | 4 | PA; LA |
| SIVEXTRO ORAL TABLET | 4 | QL |
| <i>tinidazole oral tablet</i> | 1 | |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE | 4 | LA; QL |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i> | 4 | LA; QL |
| <i>tobramycin inhalation solution for nebulization</i> | 4 | LA; QL |
| TRECTOR ORAL TABLET | 3 | |
| XIFAXAN ORAL TABLET 200 MG | 3 | QL |
| XIFAXAN ORAL TABLET 550 MG | 4 | PA; QL |
| PENICILLINS | | |
| <i>amoxicillin oral capsule</i> | 1 | |
| <i>amoxicillin oral suspension for reconstitution</i> | 1 | |
| <i>amoxicillin oral tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> | 3 | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i> | 3 | |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> | 3 | |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i> | 3 | |
| <i>ampicillin oral capsule 500 mg</i> | 2 | |
| <i>dicloxacillin oral capsule</i> | 3 | |
| <i>penicillin v potassium oral recon soln</i> | 1 | |
| <i>penicillin v potassium oral tablet</i> | 1 | |
| QUINOLONES | | |
| <i>ciprofloxacin hcl oral tablet 100 mg</i> | 3 | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>ciprofloxacin oral suspension, microcapsule recon</i> | 3 | |
| FACTIVE ORAL TABLET | 3 | QL |
| <i>levofloxacin oral solution</i> | 3 | |
| <i>levofloxacin oral tablet</i> | 1 | |
| <i>moxifloxacin oral tablet</i> | 3 | |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i> | 3 | |
| SULFA'S & RELATED AGENTS | | |
| <i>sulfadiazine oral tablet</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim oral suspension</i> | 2 | |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | 1 | |
| <i>sulfatrim oral suspension</i> | 2 | |
| TETRACYCLINES | | |
| <i>avidoxy oral tablet</i> | 1 | |
| <i>demeclocycline oral tablet</i> | 3 | |
| <i>doxycycline hyclate oral capsule</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 1 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>doxycycline monohydrate oral suspension for reconstitution</i> | 2 | |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline oral capsule</i> | 2 | |
| <i>mondoxyne nl oral capsule 100 mg</i> | 1 | |
| <i>tetracycline oral capsule</i> | 3 | |
| URINARY TRACT AGENTS | | |
| <i>fosfomycin tromethamine oral packet</i> | 3 | QL |
| <i>methenamine hippurate oral tablet</i> | 1 | |
| <i>methenamine mandelate oral tablet</i> | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 25 mg</i> | 3 | |
| <i>nitrofurantoin monohyd/m-cryst oral capsule</i> | 1 | |
| <i>trimethoprim oral tablet</i> | 2 | |
| VANCOMYCIN | | |
| FIRVANQ ORAL RECON SOLN 25 MG/ML | 3 | |
| <i>vancomycin oral capsule</i> | 3 | |
| <i>vancomycin oral recon soln</i> | 3 | |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | | |
| ADJUNCTIVE AGENTS | | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg</i> | 3 | |
| <i>leucovorin calcium oral tablet 5 mg</i> | 1 | |
| MESNEX ORAL TABLET | 3 | |
| XGEVA SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | | |
| <i>abiraterone oral tablet</i> | 1 | PA; LA; QL |
| AKEEGA ORAL TABLET | 4 | PA; QL |
| ALECENSA ORAL CAPSULE | 4 | PA; LA; QL |
| ALUNBRIG ORAL TABLET | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| ALUNBRIG ORAL TABLETS,DOSE PACK | 4 | PA; QL |
| <i>anastrozole oral tablet</i> | 1 | ACA |
| AUGTYRO ORAL CAPSULE 40 MG | 4 | PA; LA; QL |
| AYVAKIT ORAL TABLET | 4 | PA; LA; QL |
| <i>azathioprine oral tablet 50 mg</i> | 1 | |
| BALVERSA ORAL TABLET | 4 | PA; LA; QL |
| <i>bexarotene oral capsule</i> | 1 | PA |
| <i>bexarotene topical gel</i> | 4 | PA |
| <i>bicalutamide oral tablet</i> | 1 | |
| BOSULIF ORAL CAPSULE | 4 | PA; LA; QL |
| BOSULIF ORAL TABLET | 4 | PA; LA; QL |
| BRAFTOVI ORAL CAPSULE | 4 | PA; LA; QL |
| BRUKINSA ORAL CAPSULE | 4 | PA; LA; QL |
| CABOMETYX ORAL TABLET | 4 | PA; LA; QL |
| CALQUENCE ORAL TABLET | 4 | PA; LA; QL |
| <i>capecitabine oral tablet</i> | 1 | PA |
| CAPRELSA ORAL TABLET | 4 | PA; LA; QL |
| COMETRIQ ORAL CAPSULE | 4 | PA; LA; QL |
| COPIKTRA ORAL CAPSULE | 4 | PA; LA; QL |
| COTELLIC ORAL TABLET | 4 | PA; LA; QL |
| <i>cyclophosphamide oral capsule</i> | 1 | |
| <i>cyclosporine modified oral capsule</i> | 1 | |
| <i>cyclosporine modified oral solution</i> | 1 | |
| <i>cyclosporine oral capsule</i> | 1 | |
| <i>dasatinib oral tablet</i> | 4 | PA; LA; QL |
| DAURISMO ORAL TABLET | 4 | PA; LA; QL |
| ENSPRYNG SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| ERIVEDGE ORAL CAPSULE | 4 | PA; LA; QL |
| ERLEADA ORAL TABLET | 4 | PA; LA; QL |
| <i>erlotinib oral tablet</i> | 1 | PA; LA; QL |
| <i>etoposide oral capsule</i> | 1 | PA |
| <i>everolimus (antineoplastic) oral tablet</i> | 1 | PA; QL |
| <i>everolimus (antineoplastic) oral tablet for suspension</i> | 1 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>everolimus (immunosuppressive) oral tablet</i> | 4 | |
| <i>exemestane oral tablet</i> | 1 | ACA |
| FOTIVDA ORAL CAPSULE | 4 | PA; QL |
| FRUZAQLA ORAL CAPSULE | 4 | PA; QL |
| GAVRETO ORAL CAPSULE | 4 | PA; LA; QL |
| <i>gefitinib oral tablet</i> | 1 | PA; LA; QL |
| <i>gengraf oral capsule</i> | 1 | |
| <i>gengraf oral solution</i> | 1 | |
| GILOTRIF ORAL TABLET | 4 | PA; LA; QL |
| GLEOSTINE ORAL CAPSULE | 4 | PA |
| HYCAMTIN ORAL CAPSULE | 4 | PA |
| <i>hydroxyurea oral capsule</i> | 1 | |
| IBRANCE ORAL CAPSULE | 4 | PA; LA; QL |
| IBRANCE ORAL TABLET | 4 | PA; LA; QL |
| ICLUSIG ORAL TABLET | 4 | PA; QL |
| IDHIFA ORAL TABLET | 4 | PA; LA; QL |
| <i>imatinib oral tablet</i> | 1 | PA; QL |
| IMBRUVICA ORAL CAPSULE | 4 | PA; QL |
| IMBRUVICA ORAL SUSPENSION | 4 | PA; QL |
| IMBRUVICA ORAL TABLET 280 MG, 420 MG | 4 | PA; QL |
| INLYTA ORAL TABLET | 4 | PA; LA; QL |
| INQOVI ORAL TABLET | 4 | PA; LA; QL |
| INREBIC ORAL CAPSULE | 4 | PA; LA; QL |
| IWILFIN ORAL TABLET | 4 | PA; LA; QL |
| JAKAFI ORAL TABLET | 4 | PA; LA; QL |
| JAYPIRCA ORAL TABLET | 4 | PA; LA; QL |
| KISQALI ORAL TABLET | 4 | PA; QL |
| KOSELUGO ORAL CAPSULE | 4 | PA; QL |
| KRAZATI ORAL TABLET | 4 | PA; QL |
| <i>lapatinib oral tablet</i> | 1 | PA; LA; QL |
| <i>lenalidomide oral capsule</i> | 4 | PA; LA; QL |
| LENVIMA ORAL CAPSULE | 4 | PA; LA; QL |
| <i>letrozole oral tablet</i> | 1 | ACA; QL |
| LEUKERAN ORAL TABLET | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| LONSURF ORAL TABLET | 4 | PA; LA; QL |
| LORBRENA ORAL TABLET | 4 | PA; LA; QL |
| LUMAKRAS ORAL TABLET 120 MG, 320 MG | 4 | PA; LA; QL |
| LUPKYNIS ORAL CAPSULE | 4 | PA; QL |
| LYNPARZA ORAL TABLET | 4 | PA; LA; QL |
| LYSODREN ORAL TABLET | 4 | PA |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 4 | PA; LA; QL |
| MATULANE ORAL CAPSULE | 4 | |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 1 | |
| <i>megestrol oral tablet</i> | 1 | |
| MEKINIST ORAL RECON SOLN | 4 | PA; LA; QL |
| MEKINIST ORAL TABLET | 4 | PA; LA; QL |
| MEKTOVI ORAL TABLET | 4 | PA; LA; QL |
| <i>mercaptopurine oral tablet</i> | 1 | |
| <i>methotrexate sodium (pf) injection solution</i> | 1 | |
| <i>methotrexate sodium injection solution</i> | 1 | |
| <i>methotrexate sodium oral tablet</i> | 1 | |
| MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) | 4 | PA; LA; QL |
| <i>mycophenolate mofetil oral capsule</i> | 1 | |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 4 | |
| <i>mycophenolate mofetil oral tablet</i> | 1 | |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec)</i> | 1 | |
| MYHIBBIN ORAL SUSPENSION | 4 | |
| MYLERAN ORAL TABLET | 4 | |
| NEMLUVIO SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| NERLYNX ORAL TABLET | 4 | PA; LA; QL |
| <i>nilutamide oral tablet</i> | 4 | PA |
| NINLARO ORAL CAPSULE | 4 | PA; LA; QL |
| NUBEQA ORAL TABLET | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>octreotide acetate injection solution</i> | 1 | LA |
| <i>octreotide acetate injection syringe</i> | 1 | LA |
| ODOMZO ORAL CAPSULE | 4 | PA; LA; QL |
| OGSIVEO ORAL TABLET | 4 | PA; QL |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION | 4 | PA; QL |
| OJEMDA ORAL TABLET | 4 | PA; QL |
| OJJAARA ORAL TABLET | 4 | PA; QL |
| ONUREG ORAL TABLET | 4 | PA; LA; QL |
| ORGOVYX ORAL TABLET | 4 | PA; LA; QL |
| ORSERDU ORAL TABLET | 4 | PA; QL |
| <i>pazopanib oral tablet</i> | 1 | PA; LA; QL |
| PEMAZYRE ORAL TABLET | 4 | PA; LA; QL |
| PIQRAY ORAL TABLET | 4 | PA; LA; QL |
| POMALYST ORAL CAPSULE | 4 | PA; LA; QL |
| QINLOCK ORAL TABLET | 4 | PA; LA; QL |
| RETEVMO ORAL TABLET | 4 | PA; LA; QL |
| REVLIMID ORAL CAPSULE | 4 | PA; LA; QL |
| REZLIDHIA ORAL CAPSULE | 4 | PA; QL |
| REZUROCK ORAL TABLET | 4 | PA; QL |
| RIABNI INTRAVENOUS SOLUTION | 4 | PA; LA |
| RITUXAN INTRAVENOUS CONCENTRATE | 4 | PA; LA |
| ROZLYTREK ORAL CAPSULE | 4 | PA; LA; QL |
| ROZLYTREK ORAL PELLETS IN PACKET | 4 | PA; LA; QL |
| RUBRACA ORAL TABLET 250 MG, 300 MG | 4 | PA; LA; QL |
| RUXIENCE INTRAVENOUS SOLUTION | 4 | PA; LA |
| RYDAPT ORAL CAPSULE | 4 | PA; LA; QL |
| SCEMBLIX ORAL TABLET | 4 | PA; QL |
| SIGNIFOR SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| <i>sirolimus oral solution</i> | 4 | PA |
| <i>sirolimus oral tablet</i> | 1 | |
| <i>sorafenib oral tablet</i> | 1 | PA; LA; QL |
| SPRYCEL ORAL TABLET | 4 | PA; LA; QL |
| STIVARGA ORAL TABLET | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>sunitinib malate oral capsule</i> | 1 | PA; LA; QL |
| TABLOID ORAL TABLET | 4 | PA |
| TABRECTA ORAL TABLET | 4 | PA; LA; QL |
| <i>tacrolimus oral capsule</i> | 1 | |
| TAFINLAR ORAL CAPSULE | 4 | PA; LA; QL |
| TAFINLAR ORAL TABLET FOR SUSPENSION | 4 | PA; LA; QL |
| TAGRISSO ORAL TABLET | 4 | PA; LA; QL |
| TALZENNA ORAL CAPSULE | 4 | PA; LA; QL |
| <i>tamoxifen oral tablet</i> | 1 | ACA |
| TASIGNA ORAL CAPSULE | 4 | PA; QL |
| TAZVERIK ORAL TABLET | 4 | PA; LA; QL |
| <i>temozolomide oral capsule</i> | 1 | PA |
| TEPMETKO ORAL TABLET | 4 | PA; QL |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 4 | PA; LA; QL |
| TIBSOVO ORAL TABLET | 4 | PA; QL |
| <i>toremifene oral tablet</i> | 1 | QL |
| <i>torpenz oral tablet</i> | 1 | PA; QL |
| <i>tretinoin (antineoplastic) oral capsule</i> | 1 | |
| TRUQAP ORAL TABLET | 4 | PA; QL |
| TRUXIMA INTRAVENOUS SOLUTION | 4 | PA; LA |
| TUKYSA ORAL TABLET | 4 | PA; LA; QL |
| TURALIO ORAL CAPSULE 125 MG | 4 | PA; LA; QL |
| UPLIZNA INTRAVENOUS SOLUTION | 4 | PA; LA |
| VANFLYTA ORAL TABLET | 4 | PA; QL |
| VENCLEXTA ORAL TABLET | 4 | PA; LA; QL |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK | 4 | PA; QL |
| VERZENIO ORAL TABLET | 4 | PA; LA; QL |
| VIJOICE ORAL GRANULES IN PACKET | 4 | PA; QL |
| VIJOICE ORAL TABLET | 4 | PA; QL |
| VITRAKVI ORAL CAPSULE | 4 | PA; LA; QL |
| VITRAKVI ORAL SOLUTION | 4 | PA; LA; QL |
| VIZIMPRO ORAL TABLET | 4 | PA; LA; QL |
| VONJO ORAL CAPSULE | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|----------------------|------------------|------------------------------|
| VORANIGO ORAL TABLET | 4 | PA; QL |
| WELIREG ORAL TABLET | 4 | PA; LA; QL |
| XALKORI ORAL CAPSULE | 4 | PA; LA; QL |
| XALKORI ORAL PELLETT | 4 | PA; LA; QL |
| XERMELO ORAL TABLET | 4 | PA; LA; QL |
| XOSPATA ORAL TABLET | 4 | PA; LA; QL |
| XPOVIO ORAL TABLET | 4 | PA; LA; QL |
| XTANDI ORAL CAPSULE | 4 | PA; LA; QL |
| XTANDI ORAL TABLET | 4 | PA; LA; QL |
| YONSA ORAL TABLET | 4 | PA; QL |
| ZEJULA ORAL TABLET | 4 | PA; LA; QL |
| ZELBORAF ORAL TABLET | 4 | PA; LA; QL |
| ZOLINZA ORAL CAPSULE | 4 | PA; LA; QL |
| ZYDELIG ORAL TABLET | 4 | PA; LA; QL |
| ZYKADIA ORAL TABLET | 4 | PA; QL |

AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH

ANTICONVULSANTS

| | | |
|--|---|--------|
| APTIOM ORAL TABLET | 4 | PA; QL |
| BRIVIACT ORAL SOLUTION | 4 | PA; QL |
| BRIVIACT ORAL TABLET | 4 | PA; QL |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i> | 3 | |
| <i>carbamazepine oral suspension 100 mg/5 ml, 200 mg/10 ml</i> | 3 | |
| <i>carbamazepine oral tablet</i> | 1 | |
| <i>carbamazepine oral tablet extended release 12 hr</i> | 3 | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 1 | |
| <i>clobazam oral suspension</i> | 3 | PA; QL |
| <i>clobazam oral tablet</i> | 3 | PA; QL |
| <i>clonazepam oral tablet</i> | 1 | QL |
| <i>clonazepam oral tablet, disintegrating</i> | 3 | QL |
| DIACOMIT ORAL CAPSULE | 4 | PA; QL |
| DIACOMIT ORAL POWDER IN PACKET | 4 | PA; QL |
| <i>diazepam rectal kit</i> | 1 | QL |
| DILANTIN ORAL CAPSULE 30 MG | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>divalproex oral capsule, delayed rel sprinkle</i> | 3 | |
| <i>divalproex oral tablet extended release 24 hr</i> | 1 | |
| <i>divalproex oral tablet, delayed release (dr/ec)</i> | 1 | |
| EPIDIOLEX ORAL SOLUTION | 4 | PA; LA |
| <i>epitol oral tablet</i> | 1 | |
| <i>ethosuximide oral capsule</i> | 3 | |
| <i>ethosuximide oral solution</i> | 3 | |
| <i>felbamate oral suspension</i> | 3 | |
| <i>felbamate oral tablet</i> | 3 | |
| FINTEPLA ORAL SOLUTION | 4 | PA; LA; QL |
| FYCOMPA ORAL SUSPENSION | 4 | PA; QL |
| FYCOMPA ORAL TABLET | 4 | PA; QL |
| <i>gabapentin oral capsule</i> | 1 | QL |
| <i>gabapentin oral solution 250 mg/5 ml, 300 mg/6 ml (6 ml)</i> | 3 | QL |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> | 1 | QL |
| <i>gabapentin oral tablet extended release 24 hr</i> | 3 | PA; QL |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 450 MG, 750 MG, 900 MG | 3 | PA; QL |
| <i>lacosamide oral solution</i> | 3 | QL |
| <i>lacosamide oral tablet</i> | 3 | QL |
| <i>lamotrigine oral tablet</i> | 1 | |
| <i>lamotrigine oral tablet extended release 24hr</i> | 3 | ST; QL |
| <i>lamotrigine oral tablet, chewable dispersible</i> | 3 | QL |
| <i>levetiracetam oral solution</i> | 1 | |
| <i>levetiracetam oral tablet</i> | 1 | |
| <i>levetiracetam oral tablet extended release 24 hr</i> | 1 | |
| LIBERVANT BUCCAL FILM | 3 | QL |
| <i>methsuximide oral capsule</i> | 3 | QL |
| NAYZILAM NASAL SPRAY, NON-AEROSOL | 3 | QL |
| <i>oxcarbazepine oral suspension</i> | 3 | |
| <i>oxcarbazepine oral tablet</i> | 1 | |
| <i>phenobarbital oral elixir</i> | 1 | |
| <i>phenobarbital oral tablet</i> | 1 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>phenytoin oral tablet, chewable</i> | 1 | |
| <i>phenytoin sodium extended oral capsule</i> | 1 | |
| <i>pregabalin oral capsule</i> | 2 | QL |
| <i>pregabalin oral solution</i> | 3 | QL |
| PRIMIDONE ORAL TABLET 125 MG | 3 | |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 1 | |
| <i>roweepra oral tablet 500 mg</i> | 1 | |
| <i>rufinamide oral suspension</i> | 4 | PA; QL |
| <i>rufinamide oral tablet</i> | 4 | PA; QL |
| <i>subvenite oral tablet</i> | 1 | |
| <i>tiagabine oral tablet</i> | 3 | |
| <i>topiramate oral capsule, sprinkle</i> | 3 | |
| <i>topiramate oral tablet</i> | 1 | |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml)</i> | 1 | |
| <i>valproic acid oral capsule</i> | 1 | |
| VALTOCO NASAL SPRAY, NON-AEROSOL | 3 | QL |
| <i>vigabatrin oral powder in packet</i> | 4 | PA; LA; QL |
| <i>vigabatrin oral tablet</i> | 4 | PA; LA; QL |
| <i>vigadrone oral powder in packet</i> | 4 | PA; QL |
| <i>vigadrone oral tablet</i> | 4 | PA; QL |
| VIGAFYDE ORAL SOLUTION | 4 | PA; QL |
| <i>vigpoder oral powder in packet</i> | 4 | PA; QL |
| XCOPRI MAINTENANCE PACK ORAL TABLET | 4 | PA; QL |
| XCOPRI ORAL TABLET | 4 | PA; QL |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK | 4 | PA; QL |
| <i>zonisamide oral capsule</i> | 1 | |
| ZTALMY ORAL SUSPENSION | 4 | PA; LA; QL |
| ANTIPARKINSONISM AGENTS | | |
| <i>apomorphine subcutaneous cartridge</i> | 4 | PA; QL |
| <i>benztropine oral tablet</i> | 1 | |
| <i>bromocriptine oral capsule</i> | 3 | |
| <i>bromocriptine oral tablet</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>carbidopa oral tablet</i> | 3 | PA |
| <i>carbidopa-levodopa oral tablet</i> | 1 | |
| <i>carbidopa-levodopa oral tablet extended release</i> | 1 | |
| <i>carbidopa-levodopa oral tablet, disintegrating</i> | 1 | |
| <i>carbidopa-levodopa-entacapone oral tablet</i> | 3 | |
| DUOPA J-TUBE INTESTINAL PUMP SUSPENSION | 4 | PA; LA |
| <i>entacapone oral tablet</i> | 1 | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE | 4 | PA; QL |
| NEUPRO TRANSDERMAL PATCH 24 HOUR | 3 | PA; QL |
| NOURIANZ ORAL TABLET | 4 | PA; LA; QL |
| ONGENTYS ORAL CAPSULE | 3 | PA; QL |
| <i>pramipexole oral tablet</i> | 1 | |
| <i>rasagiline oral tablet</i> | 3 | |
| <i>ropinirole oral tablet</i> | 1 | |
| <i>ropinirole oral tablet extended release 24 hr</i> | 3 | ST |
| <i>selegiline hcl oral capsule</i> | 1 | |
| <i>selegiline hcl oral tablet</i> | 1 | |
| <i>trihexyphenidyl oral elixir</i> | 1 | |
| <i>trihexyphenidyl oral tablet</i> | 1 | |
| MIGRAINE & CLUSTER HEADACHE THERAPY | | |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 2 | PA; QL |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 3 | PA; QL |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE | 3 | PA; QL |
| <i>almotriptan malate oral tablet</i> | 2 | ST; QL |
| <i>dihydroergotamine injection solution</i> | 4 | PA |
| <i>dihydroergotamine nasal spray, non-aerosol</i> | 4 | PA; QL |
| <i>eletriptan oral tablet</i> | 2 | ST; QL |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR | 2 | PA; QL |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE | 2 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>ergotamine-caffeine oral tablet</i> | 3 | PA; QL |
| <i>frovatriptan oral tablet</i> | 2 | ST; QL |
| <i>naratriptan oral tablet</i> | 2 | QL |
| NURTEC ODT ORAL TABLET,DISINTEGRATING | 2 | PA; QL |
| QULIPTA ORAL TABLET | 2 | PA; QL |
| REYVOW ORAL TABLET | 3 | PA; QL |
| <i>rizatriptan oral tablet</i> | 1 | QL |
| <i>rizatriptan oral tablet,disintegrating</i> | 1 | QL |
| <i>sumatriptan nasal spray,non-aerosol</i> | 3 | QL |
| <i>sumatriptan succinate oral tablet</i> | 1 | QL |
| <i>sumatriptan succinate subcutaneous cartridge</i> | 2 | QL |
| <i>sumatriptan succinate subcutaneous pen injector</i> | 2 | QL |
| <i>sumatriptan succinate subcutaneous solution</i> | 2 | QL |
| TRUDHESA NASAL SPRAY,NON-AEROSOL | 4 | PA; QL |
| UBRELVY ORAL TABLET | 3 | PA; QL |
| ZOLMITRIPTAN NASAL SPRAY,NON- AEROSOL 2.5 MG | 3 | ST; QL |
| <i>zolmitriptan nasal spray,non-aerosol 5 mg</i> | 3 | ST; QL |
| <i>zolmitriptan oral tablet</i> | 2 | QL |
| <i>zolmitriptan oral tablet,disintegrating</i> | 2 | QL |
| ZOMIG NASAL SPRAY,NON-AEROSOL 2.5 MG | 3 | ST; QL |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| AUSTEDO ORAL TABLET | 4 | PA; LA; QL |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR | 4 | PA; LA; QL |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18- 24-30 MG | 4 | PA; LA; QL |
| <i>dalfampridine oral tablet extended release 12 hr</i> | 1 | PA; LA; QL |
| DAYBUE ORAL SOLUTION | 4 | PA; QL |
| <i>dichlorphenamide oral tablet</i> | 4 | PA; LA; QL |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | 1 | PA |
| <i>donepezil oral tablet,disintegrating</i> | 1 | PA |
| EVRYSDI ORAL RECON SOLN | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| FIRDAPSE ORAL TABLET | 4 | PA; LA; QL |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i> | 3 | PA |
| <i>galantamine oral solution</i> | 3 | PA |
| <i>galantamine oral tablet</i> | 3 | PA |
| HORIZANT ORAL TABLET EXTENDED RELEASE | 3 | PA; QL |
| INGREZZA ORAL CAPSULE | 4 | PA; LA; QL |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE | 4 | PA; LA; QL |
| <i>memantine oral solution</i> | 3 | PA |
| <i>memantine oral tablet</i> | 3 | PA |
| MEMANTINE ORAL TABLETS, DOSE PACK | 3 | PA; QL |
| NUDEXTA ORAL CAPSULE | 4 | PA; QL |
| RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION | 4 | PA; LA; QL |
| <i>rivastigmine tartrate oral capsule</i> | 3 | PA |
| <i>rivastigmine transdermal patch 24 hour</i> | 3 | PA |
| SKYCLARYS ORAL CAPSULE | 4 | PA; LA; QL |
| <i>tetrabenazine oral tablet</i> | 1 | PA; LA; QL |
| WAINUA SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; QL |
| ZEPOSIA ORAL CAPSULE | 4 | PA; LA; QL |
| ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE, DOSE PACK | 4 | PA; LA; QL |
| ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE, DOSE PACK | 4 | PA; LA; QL |
| MUSCLE RELAXANTS & ANTISPASMODIC THERAPY | | |
| <i>baclofen oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>baclofen oral tablet 5 mg</i> | 3 | |
| <i>carisoprodol oral tablet 350 mg</i> | 1 | QL |
| <i>carisoprodol-aspirin-codeine oral tablet</i> | 3 | PA; QL |
| <i>chlorzoxazone oral tablet 500 mg</i> | 1 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>dantrolene oral capsule</i> | 3 | |
| <i>meprobamate oral tablet</i> | 3 | PA; QL |
| <i>metaxalone oral tablet 800 mg</i> | 3 | PA; QL |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>orphenadrine citrate oral tablet extended release</i> | 1 | |
| <i>pyridostigmine bromide oral syrup</i> | 3 | PA |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 1 | |
| <i>pyridostigmine bromide oral tablet extended release</i> | 3 | QL |
| <i>tizanidine oral tablet</i> | 1 | |
| <i>vanadom oral tablet</i> | 1 | QL |
| ZILBRYSQ SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| NARCOTIC ANALGESICS | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml</i> | 3 | PA; QL |
| <i>acetaminophen-codeine oral tablet</i> | 3 | PA; QL |
| <i>ascomp with codeine oral capsule</i> | 3 | PA; QL |
| BELBUCA BUCCAL FILM | 3 | PA; QL |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE | 4 | PA; QL |
| <i>buprenorphine hcl sublingual tablet</i> | 1 | QL |
| <i>buprenorphine transdermal patch weekly</i> | 3 | PA; QL |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i> | 3 | PA; QL |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i> | 3 | |
| <i>butalbital-acetaminophen-caff oral capsule</i> | 3 | |
| <i>butalbital-acetaminophen-caff oral tablet</i> | 1 | |
| <i>butalbital-aspirin-caffeine oral capsule</i> | 3 | |
| <i>butalbital-aspirin-caffeine oral tablet</i> | 3 | |
| <i>codeine sulfate oral tablet</i> | 3 | PA; QL |
| <i>codeine-butalbital-asa-caff oral capsule</i> | 3 | PA; QL |
| <i>endocet oral tablet</i> | 3 | PA; QL |
| <i>fentanyl citrate buccal lozenge on a handle</i> | 4 | PA; QL |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 2 | PA; QL |
| <i>hydrocodone bitartrate oral capsule, oral only, er 12hr</i> | 3 | PA; QL |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 3 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | PA; QL |
| <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i> | 3 | PA; QL |
| <i>hydromorphone oral tablet</i> | 3 | PA; QL |
| <i>hydromorphone oral tablet extended release 24 hr</i> | 3 | PA; QL |
| <i>levorphanol tartrate oral tablet 2 mg</i> | 4 | PA; QL |
| <i>meperidine oral tablet 50 mg</i> | 3 | PA; QL |
| <i>methadone oral tablet</i> | 3 | PA; QL |
| <i>morphine concentrate oral solution</i> | 3 | PA; QL |
| <i>morphine oral solution</i> | 3 | PA; QL |
| <i>morphine oral tablet</i> | 3 | PA; QL |
| <i>morphine oral tablet extended release</i> | 2 | PA; QL |
| <i>morphine rectal suppository</i> | 3 | PA; QL |
| <i>oxycodone oral capsule</i> | 3 | PA; QL |
| <i>oxycodone oral solution</i> | 3 | PA; QL |
| <i>oxycodone oral tablet</i> | 3 | PA; QL |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | PA; QL |
| <i>oxymorphone oral tablet</i> | 3 | PA; QL |
| <i>oxymorphone oral tablet extended release 12 hr</i> | 3 | PA; QL |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE | 4 | PA; QL |
| <i>tencon oral tablet</i> | 3 | |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) | 2 | PA; QL |
| NON-NARCOTIC ANALGESICS | | |
| <i>adult aspirin regimen oral tablet, delayed release (dr/ec)</i> | 1 | ACA |
| <i>aspirin childrens oral tablet, chewable</i> | 1 | ACA |
| <i>aspirin oral tablet, chewable</i> | 1 | ACA |
| <i>aspirin oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | ACA |
| <i>bayer low dose aspirin oral tablet, delayed release (dr/ec)</i> | 1 | ACA |
| <i>buprenorphine-naloxone sublingual film</i> | 1 | QL |
| <i>buprenorphine-naloxone sublingual tablet</i> | 1 | SG; QL |
| <i>butorphanol nasal spray, non-aerosol</i> | 3 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> | 2 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 3 | |
| <i>diclofenac sodium oral tablet extended release 24 hr</i> | 3 | |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> | 3 | |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg, 75 mg</i> | 2 | |
| <i>diclofenac sodium topical drops</i> | 3 | QL |
| <i>diclofenac sodium topical gel 1 %</i> | 2 | QL |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic</i> | 3 | |
| <i>diflunisal oral tablet</i> | 3 | |
| <i>ecotrin low strength oral tablet, delayed release (dr/ec)</i> | 1 | ACA |
| <i>etodolac oral capsule</i> | 3 | |
| <i>etodolac oral tablet</i> | 3 | |
| <i>etodolac oral tablet extended release 24 hr</i> | 3 | |
| <i>fenoprofen oral tablet</i> | 3 | PA |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | |
| <i>ibu oral tablet</i> | 1 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>indomethacin oral capsule</i> | 1 | |
| <i>indomethacin oral capsule, extended release</i> | 1 | |
| <i>ketoprofen oral capsule 50 mg, 75 mg</i> | 1 | |
| <i>ketorolac oral tablet</i> | 1 | QL |
| KLOXXADO NASAL SPRAY, NON-AEROSOL | 1 | SG |
| <i>lofexidine oral tablet</i> | 3 | PA; QL |
| LUCEMYRA ORAL TABLET | 3 | PA; QL |
| <i>meclofenamate oral capsule 50 mg</i> | 3 | PA |
| <i>meloxicam oral tablet</i> | 1 | |
| <i>nabumetone oral tablet</i> | 2 | |
| <i>naloxone injection solution</i> | 1 | SG |
| <i>naloxone injection syringe</i> | 1 | SG |
| <i>naloxone nasal spray, non-aerosol</i> | 1 | SG |
| <i>naltrexone oral tablet</i> | 1 | SG |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>naproxen oral tablet</i> | 1 | |
| <i>naproxen oral tablet, delayed release (dr/ec)</i> | 3 | |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 3 | |
| OPVEE NASAL SPRAY, NON-AEROSOL | 1 | SG |
| <i>oxaprozin oral tablet</i> | 3 | |
| <i>piroxicam oral capsule</i> | 3 | |
| REXTOVY NASAL SPRAY, NON-AEROSOL | 1 | SG |
| <i>salsalate oral tablet</i> | 3 | |
| <i>st joseph aspirin oral tablet, chewable</i> | 1 | ACA |
| <i>st. joseph aspirin oral tablet, delayed release (dr/ec)</i> | 1 | ACA |
| <i>sulindac oral tablet</i> | 2 | |
| <i>tramadol oral tablet 50 mg</i> | 3 | PA; QL |
| <i>tramadol oral tablet extended release 24 hr (generic Ultram ER)</i> | 2 | PA; QL |
| <i>tramadol-acetaminophen oral tablet</i> | 3 | PA; QL |
| VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON | 4 | QL |
| ZUBSOLV SUBLINGUAL TABLET | 2 | QL |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING | 4 | PA < 12 years of age; QL |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON | 4 | PA < 12 years of age; QL |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING | 4 | PA < 12 years of age; QL |
| <i>alprazolam intensol oral concentrate</i> | 2 | QL |
| <i>alprazolam oral tablet</i> | 1 | QL |
| <i>alprazolam oral tablet extended release 24 hr</i> | 1 | QL |
| <i>alprazolam oral tablet, disintegrating</i> | 3 | QL |
| <i>amitriptyline oral tablet</i> | 1 | |
| <i>amitriptyline-chlordiazepoxide oral tablet</i> | 1 | |
| <i>amoxapine oral tablet</i> | 3 | |
| <i>amphetamine sulfate oral tablet</i> | 2 | QL |
| <i>aripiprazole oral solution</i> | 3 | PA; QL |
| <i>aripiprazole oral tablet</i> | 1 | PA < 12 years of age; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| <i>aripiprazole oral tablet,disintegrating</i> | 3 | PA; QL |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING | 4 | PA < 12 years of age; QL |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING | 4 | PA < 12 years of age; QL |
| <i>armodafinil oral tablet</i> | 3 | PA; QL |
| <i>asenapine maleate sublingual tablet</i> | 3 | PA; QL |
| <i>atomoxetine oral capsule</i> | 2 | QL |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC | 4 | PA; QL |
| AZSTARYS ORAL CAPSULE | 3 | ST; QL |
| <i>bupropion hcl oral tablet</i> | 1 | |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> | 1 | |
| <i>bupropion hcl oral tablet sustained-release 12 hr</i> | 1 | |
| <i>bupropion hcl oral tablet 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>bupropion hcl oral tablet 30 mg, 7.5 mg</i> | 3 | |
| CAPLYTA ORAL CAPSULE | 4 | PA; QL |
| <i>chlordiazepoxide hcl oral capsule</i> | 1 | QL |
| <i>chlorpromazine injection solution</i> | 1 | PA < 12 years of age |
| <i>chlorpromazine oral tablet</i> | 3 | PA < 12 years of age |
| <i>citalopram oral solution</i> | 3 | |
| <i>citalopram oral tablet</i> | 1 | SG |
| <i>clomipramine oral capsule</i> | 3 | PA |
| <i>clonidine hcl oral tablet extended release 12 hr</i> | 1 | QL |
| <i>clorazepate dipotassium oral tablet</i> | 1 | QL |
| <i>clozapine oral tablet</i> | 1 | PA < 12 years of age |
| <i>clozapine oral tablet,disintegrating</i> | 3 | PA < 12 years of age; ST > 12 years of age; QL |
| DAYVIGO ORAL TABLET | 3 | PA; QL |
| <i>desipramine oral tablet</i> | 3 | |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR | 3 | QL |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr</i> | 3 | QL |
| <i>dexmethylphenidate oral capsule,er biphasic 50-50</i> | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>dexmethylphenidate oral tablet</i> | 1 | QL |
| <i>dextroamphetamine sulfate oral capsule, extended release</i> | 2 | QL |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> | 1 | QL |
| <i>dextroamphetamine sulfate oral tablet 2.5 mg, 7.5 mg</i> | 2 | QL |
| <i>dextroamphetamine-amphetamine oral capsule, er triphasic 24 hr</i> | 2 | QL |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> | 1 | QL |
| <i>dextroamphetamine-amphetamine oral tablet</i> | 1 | QL |
| <i>diazepam intensol oral concentrate</i> | 2 | QL |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | QL |
| <i>diazepam oral tablet</i> | 1 | QL |
| <i>doxepin oral capsule</i> | 1 | |
| <i>doxepin oral concentrate</i> | 1 | |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 1 | QL |
| <i>ergoloid oral tablet</i> | 3 | |
| <i>escitalopram oxalate oral solution</i> | 3 | |
| <i>escitalopram oxalate oral tablet</i> | 1 | |
| <i>estazolam oral tablet</i> | 1 | QL |
| <i>eszopiclone oral tablet</i> | 2 | QL |
| FANAPT ORAL TABLET | 4 | PA; QL |
| FANAPT ORAL TABLETS, DOSE PACK | 4 | PA; QL |
| FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 3 | PA; QL |
| FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR | 3 | PA; QL |
| <i>fluoxetine oral capsule</i> | 1 | |
| <i>fluoxetine oral solution</i> | 1 | |
| <i>fluoxetine oral tablet 10 mg, 20 mg</i> | 3 | |
| <i>fluphenazine decanoate injection solution</i> | 1 | PA < 12 years of age |
| <i>fluphenazine hcl injection solution</i> | 1 | PA < 12 years of age |
| <i>fluphenazine hcl oral concentrate</i> | 3 | PA < 12 years of age |
| <i>fluphenazine hcl oral elixir</i> | 3 | PA < 12 years of age |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>fluphenazine hcl oral tablet</i> | 3 | PA < 12 years of age |
| <i>flurazepam oral capsule</i> | 1 | QL |
| <i>fluvoxamine oral tablet</i> | 1 | |
| <i>guanfacine oral tablet extended release 24 hr</i> | 1 | QL |
| <i>haloperidol decanoate intramuscular solution</i> | 1 | PA < 12 years of age |
| <i>haloperidol lactate injection solution</i> | 1 | PA < 12 years of age |
| <i>haloperidol lactate intramuscular syringe</i> | 1 | PA < 12 years of age |
| <i>haloperidol lactate oral concentrate</i> | 1 | PA < 12 years of age |
| <i>haloperidol oral tablet</i> | 1 | PA < 12 years of age |
| HETLIOZ LQ ORAL SUSPENSION | 4 | PA; LA; QL |
| <i>imipramine hcl oral tablet</i> | 1 | |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE | 4 | PA < 12 years of age; QL |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE | 4 | PA < 12 years of age; QL |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE | 4 | PA < 12 years of age; QL |
| <i>lisdexamfetamine oral capsule</i> | 2 | QL |
| <i>lisdexamfetamine oral tablet, chewable</i> | 2 | QL |
| <i>lithium carbonate oral capsule</i> | 1 | |
| <i>lithium carbonate oral tablet</i> | 1 | |
| <i>lithium carbonate oral tablet extended release</i> | 1 | |
| <i>lithium citrate oral solution</i> | 1 | |
| <i>lorazepam intensol oral concentrate</i> | 2 | QL |
| <i>lorazepam oral concentrate</i> | 2 | QL |
| <i>lorazepam oral tablet</i> | 1 | QL |
| <i>loxapine succinate oral capsule</i> | 1 | PA < 12 years of age |
| LUMRYZ ORAL EXTEND RELEASE GRANULES, PACKET | 4 | PA; LA; QL |
| <i>lurasidone oral tablet</i> | 1 | PA < 12 years of age; QL |
| LYBALVI ORAL TABLET | 4 | PA; QL |
| MARPLAN ORAL TABLET | 3 | ST |
| <i>methylphenidate hcl oral cap, er sprinkle, biphasic 40-60</i> | 3 | QL |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 60 mg</i> | 3 | QL |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 20 mg, 30 mg, 40 mg</i> | 1 | QL |
| <i>methylphenidate hcl oral solution</i> | 3 | QL |
| <i>methylphenidate hcl oral tablet</i> | 1 | QL |
| <i>methylphenidate hcl oral tablet extended release</i> | 1 | QL |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i> | 1 | QL |
| <i>methylphenidate hcl oral tablet,chewable</i> | 3 | QL |
| <i>midazolam (pf) injection solution</i> | 1 | |
| <i>midazolam injection solution</i> | 1 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg</i> | 1 | |
| <i>mirtazapine oral tablet 7.5 mg</i> | 3 | |
| <i>mirtazapine oral tablet,disintegrating</i> | 3 | |
| <i>modafinil oral tablet</i> | 3 | PA; QL |
| MYDAYIS ORAL CAPSULE, ER TRIPHASIC 24 HR | 2 | QL |
| <i>nefazodone oral tablet</i> | 3 | |
| <i>nortriptyline oral capsule</i> | 1 | |
| <i>nortriptyline oral solution</i> | 3 | |
| NUPLAZID ORAL CAPSULE | 4 | PA; LA; QL |
| NUPLAZID ORAL TABLET | 4 | PA; LA; QL |
| <i>olanzapine intramuscular recon soln</i> | 1 | PA < 12 years of age |
| <i>olanzapine oral tablet</i> | 1 | PA < 12 years of age; QL |
| <i>olanzapine oral tablet,disintegrating</i> | 3 | PA < 12 years of age; ST > 12 years of age; QL |
| <i>olanzapine-fluoxetine oral capsule</i> | 3 | PA < 12 years of age; ST > 12 years of age; QL |
| <i>oxazepam oral capsule</i> | 1 | QL |
| <i>paliperidone oral tablet extended release 24hr</i> | 3 | PA; QL |
| <i>paroxetine hcl oral tablet</i> | 1 | |
| <i>perphenazine oral tablet</i> | 1 | PA < 12 years of age |
| <i>perphenazine-amitriptyline oral tablet</i> | 1 | |
| PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING | 4 | PA < 12 years of age; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| <i>phenelzine oral tablet</i> | 1 | |
| <i>pimozide oral tablet</i> | 1 | PA < 12 years of age |
| <i>protriptyline oral tablet</i> | 3 | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> | 1 | PA < 12 years of age; QL |
| <i>quetiapine oral tablet extended release 24 hr</i> | 2 | PA < 12 years of age; QL |
| <i>ramelteon oral tablet</i> | 3 | QL |
| REXULTI ORAL TABLET | 4 | PA; QL |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON | 4 | PA < 12 years of age; QL |
| <i>risperidone microspheres intramuscular suspension,extended rel recon</i> | 4 | PA < 12 years of age; QL |
| <i>risperidone oral solution</i> | 1 | PA < 12 years of age; ST > 12 years of age; QL |
| <i>risperidone oral tablet</i> | 1 | PA < 12 years of age; QL |
| <i>risperidone oral tablet,disintegrating</i> | 3 | PA < 12 years of age; ST > 12 years of age; QL |
| RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON | 4 | PA < 12 years of age; QL |
| SECUADO TRANSDERMAL PATCH 24 HOUR | 4 | PA; QL |
| <i>sertraline oral concentrate</i> | 3 | |
| <i>sertraline oral tablet</i> | 1 | |
| SODIUM OXYBATE ORAL SOLUTION | 4 | PA; LA; QL |
| SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | 4 | PA; QL |
| SUNOSI ORAL TABLET | 3 | PA; QL |
| <i>tasimelteon oral capsule</i> | 4 | PA; LA; QL |
| <i>temazepam oral capsule 15 mg, 30 mg</i> | 1 | QL |
| <i>thioridazine oral tablet</i> | 1 | PA < 12 years of age |
| <i>thiothixene oral capsule</i> | 1 | PA < 12 years of age |
| <i>tranylcypromine oral tablet</i> | 3 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | |
| <i>triazolam oral tablet</i> | 1 | QL |
| <i>trifluoperazine oral tablet</i> | 1 | PA < 12 years of age |
| <i>trimipramine oral capsule</i> | 3 | |
| TRINTELLIX ORAL TABLET | 3 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING | 4 | PA < 12 years of age; QL |
| <i>venlafaxine oral capsule,extended release 24hr</i> | 1 | QL |
| <i>venlafaxine oral tablet</i> | 1 | |
| <i>vilazodone oral tablet</i> | 3 | PA; QL |
| VRAYLAR ORAL CAPSULE | 4 | PA; QL |
| VYVANSE ORAL CAPSULE | 2 | QL |
| VYVANSE ORAL TABLET,CHEWABLE | 2 | QL |
| WAKIX ORAL TABLET | 4 | PA; LA; QL |
| XYWAV ORAL SOLUTION | 4 | PA; LA; QL |
| <i>zaleplon oral capsule</i> | 2 | QL |
| <i>zenzedi oral tablet 10 mg, 5 mg</i> | 1 | QL |
| <i>ziprasidone hcl oral capsule</i> | 3 | PA < 12 years of age; QL |
| <i>ziprasidone mesylate intramuscular recon soln</i> | 3 | PA < 12 years of age |
| <i>zolpidem oral tablet</i> | 1 | QL |
| <i>zolpidem oral tablet,ext release multiphase</i> | 2 | QL |
| ZURZUVAE ORAL CAPSULE | 4 | PA; LA; QL |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 4 | PA < 12 years of age; QL |

CARDIOVASCULAR, HYPERTENSION & LIPIDS

ANTIARRHYTHMIC AGENTS

| | | |
|---|---|--|
| <i>amiodarone oral tablet</i> | 1 | |
| <i>disopyramide phosphate oral capsule</i> | 1 | |
| <i>dofetilide oral capsule</i> | 1 | |
| <i>flecainide oral tablet</i> | 1 | |
| <i>mexiletine oral capsule</i> | 1 | |
| MULTAQ ORAL TABLET | 2 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>propafenone oral capsule,extended release 12 hr</i> | 3 | |
| <i>propafenone oral tablet</i> | 1 | |
| <i>quinidine gluconate oral tablet extended release</i> | 3 | |
| <i>quinidine sulfate oral tablet</i> | 1 | |
| <i>sotalol af oral tablet</i> | 1 | |
| <i>sotalol oral tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol oral capsule</i> | 3 | |
| <i>amiloride oral tablet</i> | 1 | |
| <i>amiloride-hydrochlorothiazide oral tablet</i> | 1 | |
| <i>amlodipine oral tablet</i> | 1 | SG |
| <i>amlodipine-benazepril oral capsule</i> | 2 | |
| <i>atenolol oral tablet</i> | 1 | SG |
| <i>atenolol-chlorthalidone oral tablet</i> | 1 | |
| <i>benazepril oral tablet</i> | 1 | SG |
| <i>benazepril-hydrochlorothiazide oral tablet</i> | 3 | |
| <i>betaxolol oral tablet</i> | 2 | |
| <i>bisoprolol fumarate oral tablet</i> | 2 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> | 2 | |
| <i>bumetanide oral tablet</i> | 3 | |
| <i>candesartan oral tablet</i> | 3 | |
| <i>captopril oral tablet</i> | 3 | |
| <i>captopril-hydrochlorothiazide oral tablet</i> | 3 | |
| <i>cartia xt oral capsule,extended release 24hr</i> | 1 | |
| <i>carvedilol oral tablet</i> | 1 | SG |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>clonidine hcl oral tablet</i> | 1 | |
| <i>clonidine transdermal patch weekly</i> | 3 | |
| <i>diltiazem hcl oral capsule,ext.rel 24h degradable</i> | 1 | |
| <i>diltiazem hcl oral capsule,extended release 12 hr</i> | 3 | |
| <i>diltiazem hcl oral capsule,extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 1 | |
| <i>diltiazem hcl oral tablet</i> | 1 | |
| <i>diltiazem hcl oral tablet extended release 24 hr</i> | 3 | |
| <i>dilt-xr oral capsule,ext.rel 24h degradable</i> | 1 | |
| <i>doxazosin oral tablet</i> | 1 | |
| <i>enalapril maleate oral tablet</i> | 1 | |
| <i>enalapril-hydrochlorothiazide oral tablet</i> | 1 | |
| <i>eplerenone oral tablet</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>epoprostenol intravenous recon soln</i> | 4 | PA; LA |
| <i>eprosartan oral tablet</i> | 3 | |
| <i>ethacrynic acid oral tablet</i> | 3 | PA |
| <i>felodipine oral tablet extended release 24 hr</i> | 1 | |
| FLOLAN INTRAVENOUS RECON SOLN | 4 | PA; LA |
| <i>fosinopril oral tablet</i> | 1 | |
| <i>fosinopril-hydrochlorothiazide oral tablet</i> | 3 | |
| FUROSCIX SUBCUTANEOUS KIT | 4 | PA; QL |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>furosemide oral tablet</i> | 1 | SG |
| <i>guanfacine oral tablet</i> | 1 | |
| <i>hydralazine oral tablet</i> | 1 | |
| <i>hydrochlorothiazide oral capsule</i> | 1 | SG |
| <i>hydrochlorothiazide oral tablet 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide oral tablet 25 mg, 50 mg</i> | 1 | SG |
| <i>indapamide oral tablet</i> | 1 | |
| <i>irbesartan oral tablet</i> | 1 | |
| <i>irbesartan-hydrochlorothiazide oral tablet</i> | 1 | |
| <i>isradipine oral capsule</i> | 3 | |
| KERENDIA ORAL TABLET | 3 | PA; QL |
| <i>labetalol oral tablet</i> | 1 | |
| <i>lisinopril oral tablet</i> | 1 | SG |
| <i>lisinopril-hydrochlorothiazide oral tablet</i> | 1 | SG |
| <i>losartan oral tablet</i> | 1 | SG |
| <i>losartan-hydrochlorothiazide oral tablet</i> | 1 | SG |
| <i>matzim la oral tablet extended release 24 hr</i> | 3 | |
| <i>methyldopa oral tablet</i> | 1 | |
| <i>methyldopa-hydrochlorothiazide oral tablet</i> | 3 | |
| <i>metolazone oral tablet</i> | 3 | |
| <i>metoprolol succinate oral tablet extended release 24 hr</i> | 1 | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet</i> | 3 | |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | SG |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>metoprolol tartrate oral tablet 37.5 mg, 75 mg</i> | 2 | |
| <i>metyrosine oral capsule</i> | 4 | PA; LA |
| <i>minoxidil oral tablet</i> | 1 | |
| <i>moexipril oral tablet</i> | 3 | |
| <i>nadolol oral tablet</i> | 3 | |
| <i>nebivolol oral tablet</i> | 2 | |
| <i>nicardipine oral capsule</i> | 3 | |
| <i>nifedipine oral capsule</i> | 3 | |
| <i>nifedipine oral tablet extended release</i> | 1 | |
| <i>nifedipine oral tablet extended release 24hr</i> | 1 | |
| <i>nimodipine oral capsule</i> | 3 | QL |
| <i>olmesartan oral tablet</i> | 1 | |
| <i>olmesartan-hydrochlorothiazide oral tablet</i> | 3 | |
| ORENITRAM MONTH 1 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK | 4 | PA; LA; QL |
| ORENITRAM MONTH 2 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK | 4 | PA; LA; QL |
| ORENITRAM MONTH 3 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK | 4 | PA; LA; QL |
| ORENITRAM ORAL TABLET EXTENDED RELEASE | 4 | PA; LA |
| <i>perindopril erbumine oral tablet</i> | 3 | |
| <i>phenoxybenzamine oral capsule</i> | 4 | PA |
| <i>pindolol oral tablet</i> | 3 | |
| <i>prazosin oral capsule</i> | 2 | |
| <i>propranolol oral capsule,extended release 24 hr</i> | 2 | QL |
| <i>propranolol oral solution</i> | 1 | |
| <i>propranolol oral tablet</i> | 1 | |
| <i>propranolol-hydrochlorothiazid oral tablet</i> | 1 | |
| <i>quinapril oral tablet</i> | 1 | |
| <i>quinapril-hydrochlorothiazide oral tablet</i> | 1 | |
| <i>ramipril oral capsule</i> | 1 | SG |
| <i>spironolactone oral tablet 100 mg, 50 mg</i> | 1 | |
| <i>spironolactone oral tablet 25 mg</i> | 1 | SG |
| <i>spironolacton-hydrochlorothiaz oral tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>telmisartan oral tablet</i> | 3 | |
| <i>terazosin oral capsule</i> | 1 | |
| <i>tiadylt er oral capsule,extended release 24 hr</i> | 1 | |
| <i>timolol maleate oral tablet</i> | 3 | |
| <i>torse mide oral tablet</i> | 1 | |
| <i>trandolapril oral tablet</i> | 1 | |
| <i>treprostinil sodium injection solution</i> | 4 | PA; LA |
| <i>triamterene-hydrochlorothiazid oral capsule</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral tablet</i> | 1 | |
| UPTRAVI ORAL TABLET | 4 | PA; LA; QL |
| UPTRAVI ORAL TABLETS,DOSE PACK | 4 | PA; LA; QL |
| <i>valsartan oral tablet</i> | 1 | |
| <i>valsartan-hydrochlorothiazide oral tablet</i> | 3 | |
| <i>veletri intravenous recon soln</i> | 4 | PA; LA |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> | 3 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 3 | |
| <i>verapamil oral tablet</i> | 1 | |
| <i>verapamil oral tablet extended release</i> | 1 | |
| CARDIAC GLYCOSIDES | | |
| <i>digoxin oral solution</i> | 3 | |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | 1 | |
| COAGULATION THERAPY | | |
| <i>aminocaproic acid oral solution</i> | 4 | |
| <i>aminocaproic acid oral tablet</i> | 4 | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr</i> | 1 | |
| BRILINTA ORAL TABLET | 2 | QL |
| CABLIVI INJECTION KIT | 4 | PA; LA; QL |
| <i>cilostazol oral tablet</i> | 1 | |
| <i>clopidogrel oral tablet</i> | 1 | |
| <i>dabigatran etexilate oral capsule</i> | 1 | QL |
| <i>dipyridamole oral tablet</i> | 1 | |
| DOPTELET (15 TAB PACK) ORAL TABLET | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK | 2 | QL |
| ELIQUIS ORAL TABLET | 2 | QL |
| <i>enoxaparin subcutaneous solution</i> | 3 | QL |
| <i>enoxaparin subcutaneous syringe</i> | 3 | QL |
| <i>fondaparinux subcutaneous syringe</i> | 4 | QL |
| FRAGMIN SUBCUTANEOUS SOLUTION | 4 | QL |
| FRAGMIN SUBCUTANEOUS SYRINGE | 4 | QL |
| <i>heparin (porcine) injection solution</i> | 1 | |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 1 | |
| <i>heparin, porcine (pf) injection solution</i> | 1 | |
| <i>jantoven oral tablet</i> | 1 | |
| MULPLETA ORAL TABLET | 4 | PA; LA; QL |
| <i>pentoxifylline oral tablet extended release</i> | 1 | |
| <i>phytonadione (vitamin k1) oral tablet 5 mg</i> | 3 | |
| PRADAXA ORAL PELLETS IN PACKET | 4 | PA; QL |
| <i>prasugrel oral tablet</i> | 1 | |
| PROMACTA ORAL POWDER IN PACKET | 4 | PA; LA; QL |
| PROMACTA ORAL TABLET | 4 | PA; LA; QL |
| TAVALISSE ORAL TABLET | 4 | PA; LA; QL |
| <i>warfarin oral tablet</i> | 1 | |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK | 2 | QL |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION | 2 | QL |
| XARELTO ORAL TABLET | 2 | QL |
| ZONTIVITY ORAL TABLET | 3 | PA; QL |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| <i>amlodipine-atorvastatin oral tablet</i> | 3 | PA |
| <i>atorvastatin oral tablet 10 mg, 20 mg</i> | 1 | ACA |
| <i>atorvastatin oral tablet 40 mg, 80 mg</i> | 1 | |
| <i>cholestyramine (with sugar) oral powder</i> | 3 | |
| <i>cholestyramine (with sugar) oral powder in packet</i> | 3 | |
| <i>cholestyramine light oral powder</i> | 3 | |
| <i>cholestyramine light oral powder in packet</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>colesevelam oral powder in packet</i> | 3 | |
| <i>colesevelam oral tablet</i> | 3 | |
| <i>colestipol oral granules</i> | 3 | |
| <i>colestipol oral packet</i> | 3 | |
| <i>colestipol oral tablet</i> | 3 | |
| <i>ezetimibe oral tablet</i> | 1 | |
| EZETIMIBE-ROSUVASTATIN ORAL TABLET | 2 | ST |
| <i>ezetimibe-simvastatin oral tablet</i> | 2 | ST |
| <i>fenofibrate micronized oral capsule 134 mg, 67 mg</i> | 1 | |
| <i>fenofibrate micronized oral capsule 200 mg, 43 mg</i> | 2 | |
| <i>fenofibrate nanocrystallized oral tablet</i> | 2 | |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec)</i> | 2 | |
| <i>gemfibrozil oral tablet</i> | 1 | |
| <i>icosapent ethyl oral capsule</i> | 2 | |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 5 MG | 4 | PA; LA; QL |
| <i>lovastatin oral tablet</i> | 1 | ACA |
| NEXLETOL ORAL TABLET | 2 | PA; QL |
| NEXLIZET ORAL TABLET | 2 | PA; QL |
| <i>omega-3 acid ethyl esters oral capsule</i> | 1 | |
| <i>pravastatin oral tablet</i> | 1 | SG; ACA |
| <i>prevalite oral powder</i> | 3 | |
| <i>prevalite oral powder in packet</i> | 3 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR | 2 | ST; QL |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR | 2 | ST; QL |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE | 2 | ST; QL |
| <i>rosuvastatin oral tablet 10 mg, 5 mg</i> | 1 | ACA |
| <i>rosuvastatin oral tablet 20 mg, 40 mg</i> | 1 | |
| ROSZET ORAL TABLET | 2 | ST |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | SG; ACA |
| <i>simvastatin oral tablet 80 mg</i> | 1 | SG |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| VASCEPA ORAL CAPSULE | 2 | |
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | |
| CAMZYOS ORAL CAPSULE | 4 | PA; LA; QL |
| CORLANOR ORAL SOLUTION | 3 | PA; QL |
| ENTRESTO ORAL TABLET | 2 | QL |
| ENTRESTO SPRINKLE ORAL PELLETT | 2 | QL |
| FILSPARI ORAL TABLET | 4 | PA; QL |
| <i>ivabradine oral tablet</i> | 3 | PA; QL |
| LODOCO ORAL TABLET | 3 | PA; QL |
| <i>ranolazine oral tablet extended release 12 hr</i> | 3 | |
| TRYVIO ORAL TABLET | 3 | PA; QL |
| VERQUVO ORAL TABLET | 3 | PA; QL |
| VYNDAMAX ORAL CAPSULE | 4 | PA; LA; QL |
| VYNDAQEL ORAL CAPSULE | 4 | PA; LA; QL |
| NITRATES | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 3 | |
| <i>isosorbide mononitrate oral tablet</i> | 1 | |
| <i>isosorbide mononitrate oral tablet extended release 24 hr</i> | 1 | |
| <i>nitro-bid transdermal ointment</i> | 1 | |
| <i>nitroglycerin sublingual tablet</i> | 1 | |
| <i>nitroglycerin transdermal patch 24 hour</i> | 1 | |
| <i>nitroglycerin translingual spray, non-aerosol</i> | 3 | |
| <i>nitro-time oral capsule, extended release</i> | 1 | |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| <i>acitretin oral capsule</i> | 3 | |
| BIMZELX AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| BIMZELX SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>calcipotriene scalp solution</i> | 3 | QL |
| <i>calcipotriene topical cream</i> | 3 | QL |
| <i>calcipotriene topical ointment</i> | 3 | QL |
| <i>calcitriol topical ointment</i> | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| COSENTYX PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| COSENTYX SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| <i>drithocrema hp topical cream</i> | 3 | QL |
| <i>hydrocortisone-pramoxine topical cream 2.5-1 %</i> | 3 | |
| <i>selenium sulfide topical lotion</i> | 1 | QL |
| <i>selenium sulfide topical shampoo 2.25 %</i> | 1 | QL |
| SILIQ SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | 4 | PA; LA; QL |
| SOTYKTU ORAL TABLET | 4 | PA; QL |
| SPEVIGO SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| STELARA INTRAVENOUS SOLUTION | 4 | PA; LA; QL |
| STELARA SUBCUTANEOUS SOLUTION | 4 | PA; LA; QL |
| STELARA SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>sulfacetamide sodium topical cleanser</i> | 1 | |
| TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; QL |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; QL |
| TREMFYA SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| VTAMA TOPICAL CREAM | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| ZORYVE TOPICAL CREAM | 4 | PA; QL |
| BURN THERAPY | | |
| <i>silver sulfadiazine topical cream</i> | 1 | |
| <i>ssd topical cream</i> | 1 | |
| KERATOLYTICS | | |
| <i>salicylic acid topical cream</i> | 3 | |
| <i>salicylic acid topical cream,extended release</i> | 3 | |
| <i>salicylic acid topical film forming liquid w/appl</i> | 3 | |
| <i>salicylic acid topical lotion</i> | 3 | |
| <i>salicylic acid topical shampoo</i> | 3 | |
| XALIX TOPICAL FILM-FORMING SOLN ER W/ APPL | 3 | |
| MISCELLANEOUS DERMATOLOGICALS | | |
| ADBRY SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| ADBRY SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>ammonium lactate topical cream</i> | 3 | |
| CIBINQO ORAL TABLET | 4 | PA; LA; QL |
| DRYSOL DAB-O-MATIC TOPICAL SOLUTION | 3 | |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML | 4 | PA; LA; QL |
| EUCRISA TOPICAL OINTMENT | 3 | PA; QL |
| <i>fluorouracil topical cream 5 %</i> | 3 | |
| <i>fluorouracil topical solution</i> | 1 | |
| HYFTOR TOPICAL GEL | 4 | PA; QL |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel</i> | 4 | |
| OPZELURA TOPICAL CREAM | 3 | PA; QL |
| PANRETIN TOPICAL GEL | 4 | PA |
| <i>pimecrolimus topical cream</i> | 3 | PA; QL |
| <i>podofilox topical solution</i> | 1 | |
| REGRANEX TOPICAL GEL | 4 | PA; QL |
| <i>silver nitrate applicators topical stick</i> | 3 | |
| <i>silver nitrate topical solution</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>tacrolimus topical ointment</i> | 1 | ST; QL |
| <i>urea topical cream 40 %</i> | 3 | |
| <i>urea topical cream 50 %</i> | 1 | |
| <i>ure-k topical cream</i> | 1 | |
| VALCHLOR TOPICAL GEL | 4 | PA; LA |
| THERAPY FOR ACNE | | |
| <i>accutane oral capsule</i> | 3 | |
| <i>adapalene topical cream</i> | 3 | PA > 35 years of age; QL |
| <i>adapalene topical gel 0.1 %</i> | 3 | PA > 35 years of age; QL |
| <i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> | 3 | QL |
| ALTRENO TOPICAL LOTION | 3 | PA > 35 years of age; QL |
| <i>amnesteem oral capsule</i> | 3 | |
| <i>azelaic acid topical gel</i> | 3 | PA; QL |
| AZELEX TOPICAL CREAM | 3 | PA; QL |
| <i>brimonidine topical gel with pump</i> | 3 | PA; QL |
| <i>claravis oral capsule</i> | 3 | |
| <i>clindacin etz topical swab</i> | 2 | QL |
| <i>clindacin p topical swab</i> | 2 | QL |
| <i>clindamycin phosphate topical gel</i> | 3 | QL |
| <i>clindamycin phosphate topical lotion</i> | 3 | QL |
| <i>clindamycin phosphate topical solution</i> | 2 | QL |
| <i>clindamycin phosphate topical swab</i> | 2 | QL |
| <i>clindamycin-benzoyl peroxide topical gel</i> | 3 | QL |
| <i>clindamycin-benzoyl peroxide topical gel with pump 1-5 %</i> | 3 | QL |
| <i>dapsone topical gel</i> | 3 | PA; QL |
| <i>dapsone topical gel with pump</i> | 3 | PA; QL |
| <i>ery pads topical swab</i> | 3 | QL |
| <i>erygel topical gel</i> | 3 | QL |
| <i>erythromycin with ethanol topical gel</i> | 3 | QL |
| <i>erythromycin with ethanol topical solution</i> | 2 | QL |
| <i>erythromycin-benzoyl peroxide topical gel</i> | 3 | QL |
| FINACEA TOPICAL FOAM | 3 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 3 | |
| <i>metronidazole topical cream</i> | 1 | QL |
| <i>metronidazole topical gel 0.75 %</i> | 1 | QL |
| <i>neuac topical gel</i> | 3 | QL |
| RHOFADE TOPICAL CREAM | 3 | PA; QL |
| <i>rosadan topical cream</i> | 1 | QL |
| <i>rosadan topical gel</i> | 1 | QL |
| <i>sulfacetamide sodium-sulfur topical cleanser 10-5 % (w/w)</i> | 3 | QL |
| <i>tazarotene topical cream</i> | 3 | PA; QL |
| <i>tazarotene topical gel 0.05 %</i> | 3 | PA; QL |
| TAZORAC TOPICAL CREAM 0.05 % | 3 | PA; QL |
| <i>tretinoin topical cream</i> | 2 | PA > 35 years of age; QL |
| <i>tretinoin topical gel 0.01 %, 0.025 %</i> | 2 | PA > 35 years of age; QL |
| <i>zenatane oral capsule</i> | 3 | |
| TOPICAL ANESTHETICS | | |
| <i>dermacinrx lidocan topical adhesive patch,medicated</i> | 3 | PA; QL |
| <i>lidocaine hcl topical cream 3 %</i> | 3 | QL |
| <i>lidocaine hcl-hydrocortison ac topical cream</i> | 1 | QL |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | 3 | PA; QL |
| <i>lidocaine topical ointment</i> | 2 | QL |
| <i>lidocaine viscous mucous membrane solution</i> | 1 | QL |
| <i>lidocaine-prilocaine topical cream</i> | 1 | QL |
| <i>lidocan iii topical adhesive patch,medicated</i> | 3 | PA; QL |
| <i>lidocan iv topical adhesive patch,medicated</i> | 3 | PA; QL |
| <i>lidocan v topical adhesive patch,medicated</i> | 3 | PA; QL |
| <i>lidocort topical cream</i> | 1 | QL |
| <i>lidopin topical cream 3 %</i> | 3 | QL |
| TOPICAL ANTIBACTERIALS | | |
| ALTABAX TOPICAL OINTMENT | 3 | PA; QL |
| <i>gentamicin topical cream</i> | 3 | |
| <i>gentamicin topical ointment</i> | 3 | |
| <i>mupirocin topical ointment</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>sulfacetamide sodium (acne) topical suspension</i> | 3 | |
| SULFAMYLON TOPICAL CREAM | 3 | |
| XEPI TOPICAL CREAM | 3 | QL |
| TOPICAL ANTIFUNGALS | | |
| <i>ciclodan topical cream</i> | 2 | QL |
| <i>ciclodan topical solution</i> | 2 | |
| <i>ciclopirox topical cream</i> | 2 | QL |
| <i>ciclopirox topical solution</i> | 2 | |
| <i>clotrimazole-betamethasone topical cream</i> | 2 | QL |
| <i>clotrimazole-betamethasone topical lotion</i> | 3 | QL |
| <i>econazole topical cream</i> | 3 | QL |
| <i>ketconazole topical cream</i> | 3 | QL |
| <i>ketconazole topical shampoo</i> | 2 | QL |
| <i>klayesta topical powder</i> | 2 | |
| LULICONAZOLE TOPICAL CREAM | 3 | PA; QL |
| <i>naftifine topical cream 1 %</i> | 3 | PA; QL |
| <i>nyamyc topical powder</i> | 2 | |
| <i>nystatin topical cream</i> | 1 | QL |
| <i>nystatin topical ointment</i> | 2 | QL |
| <i>nystatin topical powder</i> | 2 | |
| <i>nystatin-triamcinolone topical cream</i> | 3 | QL |
| <i>nystatin-triamcinolone topical ointment</i> | 3 | QL |
| <i>nystop topical powder</i> | 2 | |
| <i>oxiconazole topical cream</i> | 3 | PA; QL |
| TOPICAL ANTIVIRALS | | |
| <i>acyclovir topical ointment</i> | 3 | QL |
| <i>penciclovir topical cream</i> | 4 | PA; QL |
| TOPICAL CORTICOSTEROIDS | | |
| <i>alclometasone topical cream</i> | 3 | QL |
| <i>alclometasone topical ointment</i> | 3 | QL |
| <i>betamethasone dipropionate topical cream</i> | 3 | QL |
| <i>betamethasone dipropionate topical lotion</i> | 1 | QL |
| <i>betamethasone dipropionate topical ointment</i> | 3 | QL |
| <i>betamethasone valerate topical cream</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>betamethasone valerate topical lotion</i> | 3 | QL |
| <i>betamethasone valerate topical ointment</i> | 1 | QL |
| <i>betamethasone, augmented topical cream</i> | 1 | QL |
| <i>betamethasone, augmented topical gel</i> | 3 | QL |
| <i>betamethasone, augmented topical lotion</i> | 3 | QL |
| <i>betamethasone, augmented topical ointment</i> | 3 | QL |
| <i>clobetasol scalp solution</i> | 1 | QL |
| <i>clobetasol topical cream</i> | 1 | QL |
| <i>clobetasol topical gel</i> | 3 | QL |
| <i>clobetasol topical ointment</i> | 1 | QL |
| <i>clobetasol-emollient topical cream</i> | 3 | QL |
| <i>desonide topical cream</i> | 3 | QL |
| <i>desonide topical ointment</i> | 3 | QL |
| <i>desoximetasone topical cream 0.25 %</i> | 3 | QL |
| <i>desoximetasone topical ointment 0.25 %</i> | 3 | QL |
| <i>fluocinolone and shower cap scalp oil</i> | 3 | QL |
| <i>fluocinolone topical cream</i> | 3 | QL |
| <i>fluocinolone topical oil</i> | 3 | QL |
| <i>fluocinolone topical ointment</i> | 1 | QL |
| <i>fluocinolone topical solution</i> | 3 | QL |
| <i>fluocinonide topical cream 0.05 %</i> | 3 | QL |
| <i>fluocinonide topical gel</i> | 3 | QL |
| <i>fluocinonide topical ointment</i> | 3 | QL |
| <i>fluocinonide topical solution</i> | 3 | QL |
| <i>fluocinonide-e topical cream</i> | 3 | QL |
| <i>fluticasone propionate topical cream</i> | 1 | QL |
| <i>fluticasone propionate topical ointment</i> | 1 | QL |
| <i>halcinonide topical cream</i> | 4 | PA; QL |
| <i>halobetasol propionate topical cream</i> | 3 | QL |
| <i>halobetasol propionate topical ointment</i> | 3 | QL |
| <i>hydrocortisone butyrate topical cream</i> | 3 | QL |
| <i>hydrocortisone butyrate topical ointment</i> | 3 | QL |
| <i>hydrocortisone butyrate topical solution</i> | 3 | QL |
| <i>hydrocortisone topical cream 2.5 %</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>hydrocortisone topical lotion 2.5 %</i> | 1 | QL |
| <i>hydrocortisone topical ointment 2.5 %</i> | 1 | QL |
| <i>hydrocortisone valerate topical cream</i> | 3 | QL |
| <i>hydrocortisone valerate topical ointment</i> | 3 | QL |
| <i>mometasone topical cream</i> | 1 | QL |
| <i>mometasone topical ointment</i> | 1 | QL |
| <i>mometasone topical solution</i> | 1 | QL |
| <i>prednicarbate topical cream</i> | 3 | QL |
| <i>prednicarbate topical ointment</i> | 3 | QL |
| <i>triamcinolone acetonide topical cream</i> | 1 | QL |
| <i>triamcinolone acetonide topical lotion</i> | 1 | QL |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 1 | QL |
| <i>triderm topical cream</i> | 1 | QL |
| TOPICAL ENZYMES | | |
| SANTYL TOPICAL OINTMENT | 3 | PA; QL |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| <i>crotan topical lotion</i> | 3 | |
| <i>malathion topical lotion</i> | 3 | |
| <i>permethrin topical cream</i> | 1 | |
| <i>spinosad topical suspension</i> | 3 | |
| ULESFIA TOPICAL LOTION | 3 | |
| DIAGNOSTICS & MISCELLANEOUS AGENTS | | |
| ANOREXIANTS | | |
| IMCIVREE SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| WEGOVY SUBCUTANEOUS PEN INJECTOR | 3 | PA; QL |
| MISCELLANEOUS AGENTS | | |
| <i>acamprosate oral tablet, delayed release (dr/ec)</i> | 1 | |
| <i>acetic acid irrigation solution</i> | 1 | |
| <i>anagrelide oral capsule</i> | 1 | |
| <i>carglumic acid oral tablet, dispersible</i> | 4 | PA |
| <i>cevimeline oral capsule</i> | 1 | |
| CHEMET ORAL CAPSULE | 4 | PA |
| CUVRIOR ORAL TABLET | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>deferasirox oral granules in packet</i> | 4 | PA |
| <i>deferasirox oral tablet</i> | 4 | PA |
| <i>deferasirox oral tablet, dispersible</i> | 4 | PA |
| <i>deferiprone oral tablet</i> | 4 | PA; LA |
| <i>disulfiram oral tablet</i> | 1 | |
| <i>droxidopa oral capsule</i> | 3 | PA; QL |
| DUVYZAT ORAL SUSPENSION | 4 | PA; QL |
| EMPAVELI SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| ENDARI ORAL POWDER IN PACKET | 4 | PA; LA; QL |
| FABHALTA ORAL CAPSULE | 4 | PA; QL |
| FERRIPROX ORAL SOLUTION | 4 | PA |
| <i>glutamine (sickle cell) oral powder in packet</i> | 4 | PA; LA; QL |
| INCRELEX SUBCUTANEOUS SOLUTION | 4 | PA; LA |
| JOENJA ORAL TABLET | 4 | PA; QL |
| <i>levocarnitine (with sugar) oral solution</i> | 1 | |
| <i>levocarnitine oral solution 100 mg/ml</i> | 1 | |
| <i>levocarnitine oral tablet</i> | 1 | |
| METOPIRONE ORAL CAPSULE | 4 | PA; QL |
| <i>midodrine oral tablet</i> | 1 | |
| <i>nitisinone oral capsule</i> | 4 | PA; LA |
| NITYR ORAL TABLET | 4 | PA; LA |
| OLPRUVA ORAL PELLETS IN PACKET | 4 | PA; QL |
| ORFADIN ORAL SUSPENSION | 4 | PA; LA |
| PHEBURANE ORAL GRANULES | 4 | PA; LA; QL |
| <i>pilocarpine hcl oral tablet 5 mg</i> | 1 | |
| PYRUKYND ORAL TABLET | 4 | PA; LA; QL |
| PYRUKYND ORAL TABLETS,DOSE PACK | 4 | PA; LA; QL |
| RAVICTI ORAL LIQUID | 4 | PA; LA; QL |
| REZDIFFRA ORAL TABLET | 4 | PA; LA; QL |
| <i>riluzole oral tablet</i> | 1 | QL |
| <i>risedronate oral tablet 30 mg</i> | 3 | QL |
| <i>sodium chlor 0.9% bacteriostat injection solution</i> | 1 | |
| <i>sodium chloride 0.9 % injection solution</i> | 1 | |
| <i>sodium chloride irrigation solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>sodium phenylbutyrate oral powder</i> | 1 | PA; QL |
| <i>sodium phenylbutyrate oral tablet</i> | 1 | PA; QL |
| SOHONOS ORAL CAPSULE | 4 | PA; LA; QL |
| TAVNEOS ORAL CAPSULE | 4 | PA; QL |
| THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) | 4 | PA |
| TIGLUTIK ORAL SUSPENSION | 4 | PA; QL |
| <i>tiopronin oral tablet</i> | 4 | PA |
| <i>tiopronin oral tablet, delayed release (dr/ec)</i> | 4 | PA |
| <i>trientine oral capsule 250 mg</i> | 4 | PA |
| TRIENTINE ORAL CAPSULE 500 MG | 4 | PA; QL |
| VOYDEYA ORAL TABLET | 4 | PA; QL |
| <i>water for irrigation, sterile irrigation solution</i> | 1 | |
| XURIDEN ORAL GRANULES IN PACKET | 4 | PA; QL |
| ZOKINVY ORAL CAPSULE | 4 | PA; QL |
| <i>zoledronic acid 5 mg/100 ml single use</i> | 1 | QL |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> | 1 | QL |
| SMOKING DETERRENTS | | |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i> | 1 | ACA; QL |
| <i>nicorette buccal gum 4 mg</i> | 1 | ACA; QL |
| <i>nicotine (polacrilex) buccal gum</i> | 1 | ACA; QL |
| <i>nicotine (polacrilex) buccal lozenge</i> | 1 | ACA; QL |
| <i>nicotine (polacrilex) buccal mini lozenge</i> | 1 | ACA; QL |
| <i>nicotine transdermal patch 24 hour</i> | 1 | ACA; QL |
| <i>nicotine transdermal patch, td daily, sequential</i> | 1 | ACA; QL |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL | 2 | ACA; QL |
| <i>quit 2 buccal gum</i> | 1 | ACA; QL |
| <i>quit 2 buccal lozenge</i> | 1 | ACA; QL |
| <i>quit 4 buccal gum</i> | 1 | ACA; QL |
| <i>quit 4 buccal lozenge</i> | 1 | ACA; QL |
| <i>stop smoking aid buccal lozenge</i> | 1 | ACA; QL |
| <i>varenicline oral tablet</i> | 2 | ACA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>varenicline oral tablets,dose pack</i> | 2 | ACA; QL |
| EAR, NOSE & THROAT MEDICATIONS | | |
| MISCELLANEOUS AGENTS | | |
| <i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i> | 2 | |
| <i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> | 3 | |
| <i>chlorhexidine gluconate mucous membrane mouthwash</i> | 1 | |
| CLINPRO 5000 DENTAL PASTE | 3 | |
| <i>denta 5000 plus dental cream</i> | 1 | |
| <i>denta 5000 plus sensitive dental paste</i> | 1 | |
| <i>dentagel dental gel</i> | 1 | |
| <i>fluoride (sodium) dental cream</i> | 1 | |
| <i>fluoride (sodium) dental gel</i> | 1 | |
| <i>fluoride (sodium) dental paste</i> | 1 | |
| <i>fluoride (sodium) dental solution</i> | 1 | |
| FLUORIDEX DAILY DEFENSE DENTAL PASTE | 3 | |
| FLUORIDEX SENSITIVITY RELIEF DENTAL PASTE | 3 | |
| FLUORIMAX 5000 DENTAL PASTE | 3 | |
| FLUORIMAX 5000 SENSITIVE DENTAL PASTE | 3 | |
| <i>ipratropium bromide nasal spray,non-aerosol</i> | 1 | |
| JUST RIGHT 5000 DENTAL PASTE | 3 | |
| <i>kourzeq dental paste</i> | 1 | |
| <i>olopatadine nasal spray,non-aerosol</i> | 3 | ST |
| <i>oralone dental paste</i> | 1 | |
| ORAMAGICRX MUCOUS MEMBRANE MOUTHWASH | 3 | |
| <i>paroex oral rinse mucous membrane mouthwash</i> | 1 | |
| <i>periogard mucous membrane mouthwash</i> | 1 | |
| <i>pilocarpine hcl oral tablet 7.5 mg</i> | 1 | |
| PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| PREVIDENT 5000 ENAMEL PROTECT DENTAL PASTE | 3 | |
| PREVIDENT 5000 ORTHO DEFENSE DENTAL PASTE | 3 | |
| PREVIDENT 5000 SENSITIVE DENTAL PASTE | 3 | |
| PREVIDENT KIDS DENTAL PASTE | 3 | |
| <i>sf 5000 plus dental cream</i> | 1 | |
| <i>sf dental gel</i> | 1 | |
| <i>sodium fluoride 5000 plus dental cream</i> | 1 | |
| <i>sodium fluoride-pot nitrate dental paste</i> | 1 | |
| <i>triamcinolone acetone dental paste</i> | 1 | |
| MISCELLANEOUS OTIC PREPARATIONS | | |
| <i>acetic acid otic (ear) solution</i> | 1 | |
| <i>ciprofloxacin hcl otic (ear) dropperette</i> | 1 | |
| <i>flac otic oil otic (ear) drops</i> | 2 | |
| <i>fluocinolone acetone oil otic (ear) drops</i> | 2 | |
| <i>hydrocortisone-acetic acid otic (ear) drops</i> | 3 | |
| <i>ofloxacin otic (ear) drops</i> | 2 | |
| OTIC STEROID / ANTIBIOTIC | | |
| CIPRO HC OTIC (EAR) DROPS,SUSPENSION | 3 | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension</i> | 3 | |
| CORTISPORIN-TC OTIC (EAR) DROPS,SUSPENSION | 3 | |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension</i> | 2 | |
| <i>neomycin-polymyxin-hc otic (ear) solution</i> | 2 | |
| ENDOCRINE/DIABETES | | |
| ADRENAL HORMONES | | |
| ACTHAR INJECTION GEL | 4 | PA; LA; QL |
| AGAMREE ORAL SUSPENSION | 4 | PA; QL |
| <i>cortisone oral tablet</i> | 2 | |
| CORTROPHIN GEL INJECTION GEL | 4 | PA; LA; QL |
| <i>deflazacort oral suspension</i> | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>deflazacort oral tablet</i> | 4 | PA; LA |
| DEPO-MEDROL INJECTION SUSPENSION | 3 | |
| <i>dexamethasone intensol oral drops</i> | 2 | |
| <i>dexamethasone oral elixir</i> | 2 | |
| <i>dexamethasone oral solution</i> | 2 | |
| <i>dexamethasone oral tablet</i> | 1 | |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 1 | |
| <i>dexamethasone sodium phosphate injection solution</i> | 1 | |
| <i>dexamethasone sodium phosphate injection syringe</i> | 1 | |
| EMFLAZA ORAL SUSPENSION | 4 | PA; LA |
| <i>fludrocortisone oral tablet</i> | 1 | |
| <i>hydrocortisone oral tablet</i> | 1 | |
| KENALOG INJECTION SUSPENSION 10 MG/ML | 3 | |
| KENALOG-80 INJECTION SUSPENSION | 3 | |
| <i>methylprednisolone acetate injection suspension</i> | 1 | |
| <i>methylprednisolone oral tablet</i> | 1 | |
| <i>methylprednisolone oral tablets,dose pack</i> | 1 | |
| <i>prednisolone oral solution</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml)</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2 | |
| <i>prednisone oral solution</i> | 2 | |
| <i>prednisone oral tablet</i> | 1 | |
| <i>prednisone oral tablets,dose pack</i> | 1 | |
| TARPEYO ORAL CAPSULE,DELAYED RELEASE(DR/EC) | 4 | PA; QL |
| <i>triamcinolone acetanide injection suspension</i> | 1 | |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>potassium iodide oral solution</i> | 3 | |
| <i>propylthiouracil oral tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| BLOOD GLUCOSE MONITORING DEVICES & SUPPLIES | | |
| ONETOUCH ULTRA TEST STRIP | 2 | QL |
| ONETOUCH VERIO TEST STRIPS STRIP | 2 | QL |
| DIABETES, SUPPLIES, & DURABLE MEDICAL EQUIPMENT | | |
| ACE AEROSOL CLOUD ENHANCER SPACER | 3 | QL |
| AEROCHAMBER MECHANICAL VENT SPACER | 3 | QL |
| AEROCHAMBER MINI SPACER | 3 | QL |
| AEROCHAMBER PLUS FLOW-VU SPACER | 3 | QL |
| AEROCHAMBER PLUS Z STAT SPACER | 3 | QL |
| AEROTRACH PLUS SPACER | 3 | QL |
| AEROVENT PLUS SPACER | 3 | QL |
| BREATHERITE MDI SPACER SPACER | 3 | QL |
| COMPACT SPACE CHAMBER SPACER | 3 | QL |
| EASIVENT HOLDING CHAMBER SPACER | 3 | QL |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.5 ML 29 GAUGE X 1/2" | 2 | |
| LITEAIRE MDI CHAMBER SPACER | 3 | QL |
| MICROCHAMBER SPACER | 3 | QL |
| MICROSPACER SPACER | 3 | QL |
| OPTICHAMBER DIAMOND VHC SPACER | 3 | QL |
| PRIMEAIRE SPACER | 3 | QL |
| PROCHAMBER SPACER | 3 | QL |
| RITEFLO AEROCHAMBER SPACER | 3 | QL |
| SPACE CHAMBER SPACER | 3 | QL |
| VORTEX HOLDING CHAMBER SPACER | 3 | QL |
| GLUCOSE ELEVATING AGENTS | | |
| BAQSIMI NASAL SPRAY, NON-AEROSOL | 2 | QL |
| <i>diazoxide oral suspension</i> | 4 | |
| GLUCAGON (HCL) EMERGENCY KIT INJECTION RECON SOLN | 2 | QL |
| <i>glucagon emergency kit (human) injection recon soln</i> | 1 | QL |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 2 | QL |
| GVOKE SUBCUTANEOUS SOLUTION | 2 | QL |
| INSULIN SYRINGES/MISCELLANEOUS DURABLE MEDICAL EQU | | |
| BD INTEGRA NEEDLE NEEDLE | 2 | |
| BD MICROTAINER LANCET 30 GAUGE | 2 | QL |
| BD SPECIALTY USE NEEDLES NEEDLE 30 GAUGE X 1/2" | 2 | |
| BD ULTRA-FINE NANO PEN NEEDLE NEEDLE | 2 | |
| CEQR SIMPLICITY DEVICE | 2 | QL |
| DEXCOM G6 RECEIVER | 2 | PA; QL |
| DEXCOM G6 SENSOR DEVICE | 2 | PA; QL |
| DEXCOM G6 TRANSMITTER DEVICE | 2 | PA; QL |
| DEXCOM G7 RECEIVER | 2 | PA; QL |
| DEXCOM G7 SENSOR DEVICE | 2 | PA; QL |
| FREESTYLE LIBRE 14 DAY READER | 2 | PA; QL |
| FREESTYLE LIBRE 14 DAY SENSOR KIT | 2 | PA; QL |
| FREESTYLE LIBRE 2 READER | 2 | PA; QL |
| FREESTYLE LIBRE 2 SENSOR KIT | 2 | PA; QL |
| FREESTYLE LIBRE 3 PLUS SENSOR DEVICE | 2 | PA; QL |
| FREESTYLE LIBRE 3 READER | 2 | PA; QL |
| FREESTYLE LIBRE 3 SENSOR DEVICE | 2 | PA; QL |
| INPEN (FOR HUMALOG) PINK SUBCUTANEOUS INSULIN PEN | 3 | QL |
| LANCETS 33 GAUGE | 2 | QL |
| LANCING DEVICE | 2 | |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE | 2 | QL |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE | 2 | QL |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 2 | QL |
| OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE | 2 | QL |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 2 | QL |
| OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL |
| ONETOUCH ULTRA2 METER | 2 | QL |
| ONETOUCH VERIO FLEX METER | 2 | QL |
| ONETOUCH VERIO REFLECT METER | 2 | QL |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | 2 | |
| V-GO 20 DEVICE | 2 | QL |
| V-GO 30 DEVICE | 2 | QL |
| V-GO 40 DEVICE | 2 | QL |
| INSULIN THERAPY | | |
| AFREZZA INHALATION CARTRIDGE WITH INHALER | 3 | PA |
| APIDRA SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN | 3 | ST; QL |
| APIDRA U-100 INSULIN SUBCUTANEOUS SOLUTION | 3 | ST; QL |
| HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT | 1 | SG; QL |
| HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION | 1 | SG; QL |
| HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE | 1 | SG; QL |
| HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION | 1 | SG; QL |
| HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION | 1 | SG; QL |
| HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION | 1 | SG; QL |
| HUMULIN R REGULAR U-100 INSULIN INJECTION SOLUTION | 1 | SG; QL |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION | 1 | SG; QL |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS INSULIN PEN | 3 | PA; QL |
| INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS SOLUTION | 3 | PA; QL |
| INSULIN GLARGINE U-300 CONC SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION | 1 | SG; QL |
| LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION | 1 | SG; QL |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN | 1 | SG; QL |
| MISCELLANEOUS HORMONES | | |
| <i>cabergoline oral tablet</i> | 1 | |
| <i>calcitonin (salmon) nasal spray,non-aerosol</i> | 3 | |
| <i>calcitriol oral capsule</i> | 1 | |
| <i>calcitriol oral solution</i> | 3 | |
| CERDELGA ORAL CAPSULE | 4 | PA; LA; QL |
| <i>cinacalcet oral tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>clomid oral tablet</i> | 3 | PA |
| <i>clomiphene citrate oral tablet</i> | 3 | PA |
| <i>danazol oral capsule</i> | 1 | |
| <i>desmopressin injection solution</i> | 3 | |
| <i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i> | 3 | |
| DESMOPRESSIN NASAL SPRAY,NON-AEROSOL 150 MCG/SPRAY (0.1 ML) | 3 | |
| <i>desmopressin oral tablet</i> | 1 | |
| <i>doxercalciferol oral capsule</i> | 3 | |
| GALAFOLD ORAL CAPSULE | 4 | PA; LA; QL |
| ISTURISA ORAL TABLET 1 MG, 5 MG | 4 | PA; LA; QL |
| <i>javygtor oral powder in packet</i> | 4 | PA; LA |
| <i>javygtor oral tablet,soluble</i> | 4 | PA; LA |
| JYNARQUE ORAL TABLET | 4 | PA; LA; QL |
| JYNARQUE ORAL TABLETS, SEQUENTIAL | 4 | PA; LA; QL |
| KYZATREX ORAL CAPSULE | 3 | PA; QL |
| METHITEST ORAL TABLET | 4 | PA |
| <i>methyltestosterone oral capsule</i> | 4 | PA |
| <i>mifepristone oral tablet 300 mg</i> | 4 | PA; QL |
| <i>miglustat oral capsule</i> | 4 | PA; LA; QL |
| MYALEPT SUBCUTANEOUS RECON SOLN | 4 | PA; LA; QL |
| NOCDURNA SUBLINGUAL TABLET,DISINTEGRATING | 3 | PA; QL |
| OPFOLDA ORAL CAPSULE | 4 | PA; LA; QL |
| ORILISSA ORAL TABLET | 4 | PA; QL |
| PALYNZIQ SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>paricalcitol oral capsule</i> | 3 | |
| RECORLEV ORAL TABLET | 4 | PA; QL |
| <i>sapropterin oral powder in packet</i> | 4 | PA; LA |
| <i>sapropterin oral tablet,soluble</i> | 4 | PA; LA |
| SOMAVERT SUBCUTANEOUS RECON SOLN | 4 | PA; LA; QL |
| STRENSIQ SUBCUTANEOUS SOLUTION | 4 | PA; LA |
| SYNAREL NASAL SPRAY,NON-AEROSOL | 4 | PA; QL |
| <i>testosterone cypionate intramuscular oil</i> | 1 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>testosterone enanthate intramuscular oil</i> | 1 | PA |
| <i>testosterone transdermal gel</i> | 2 | PA |
| <i>testosterone transdermal gel in metered-dose pump</i> | 2 | PA |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> | 2 | PA |
| <i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i> | 3 | PA |
| <i>testosterone transdermal solution in metered pump w/app</i> | 3 | PA |
| <i>tolvaptan oral tablet</i> | 4 | PA; LA; QL |
| VOXZOGO SUBCUTANEOUS RECON SOLN | 4 | PA; LA; QL |
| NON-INSULIN HYPOGLYCEMIC AGENTS | | |
| <i>acarbose oral tablet</i> | 1 | QL |
| CYCLOSET ORAL TABLET | 3 | QL |
| FARXIGA ORAL TABLET | 2 | QL |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | QL |
| <i>glipizide oral tablet 10 mg, 5 mg</i> | 1 | QL |
| GLIPIZIDE ORAL TABLET 2.5 MG | 3 | QL |
| <i>glipizide oral tablet extended release 24hr</i> | 1 | QL |
| <i>glipizide-metformin oral tablet</i> | 3 | QL |
| <i>glyburide micronized oral tablet</i> | 1 | QL |
| <i>glyburide oral tablet</i> | 1 | QL |
| <i>glyburide-metformin oral tablet</i> | 1 | QL |
| GLYXAMBI ORAL TABLET | 2 | QL |
| JARDIANCE ORAL TABLET | 2 | QL |
| JENTADUETO ORAL TABLET | 2 | QL |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR | 2 | QL |
| <i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i> | 1 | SG; QL |
| <i>metformin oral tablet extended release 24 hr (generic Glucophage XR)</i> | 1 | QL |
| <i>miglitol oral tablet</i> | 3 | QL |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR | 2 | PA; QL |
| <i>nateglinide oral tablet</i> | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 2 | PA; QL |
| <i>pioglitazone oral tablet</i> | 1 | QL |
| <i>repaglinide oral tablet</i> | 1 | QL |
| RYBELSUS ORAL TABLET | 2 | PA; QL |
| <i>saxagliptin oral tablet</i> | 1 | QL |
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr</i> | 1 | QL |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR | 2 | ST; QL |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR | 2 | ST; QL |
| SYNJARDY ORAL TABLET | 2 | QL |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR | 2 | QL |
| TRADJENTA ORAL TABLET | 2 | QL |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR | 2 | QL |
| TRULICITY SUBCUTANEOUS PEN INJECTOR | 2 | PA; QL |
| VICTOZA 2-PAK SUBCUTANEOUS PEN INJECTOR | 2 | PA; QL |
| VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR | 2 | PA; QL |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR | 2 | QL |
| THYROID HORMONES | | |
| <i>adthyza oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i> | 3 | |
| ADTHYZA ORAL TABLET 130 MG, 16.25 MG, 32.5 MG, 65 MG, 97.5 MG | 3 | |
| ARMOUR THYROID ORAL TABLET | 3 | |
| <i>euthyrox oral tablet</i> | 1 | |
| <i>levo-t oral tablet</i> | 1 | |
| <i>levothyroxine oral tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 3 | |
| <i>liothyronine oral tablet</i> | 1 | |
| <i>niva thyroid oral tablet</i> | 2 | |
| <i>np thyroid oral tablet</i> | 2 | |
| <i>thyroid (pork) oral tablet</i> | 2 | |
| <i>unithroid oral tablet</i> | 1 | |
| GASTROENTEROLOGY | | |
| ANTIDIARRHEALS & ANTISPASMODICS | | |
| <i>anaspaz oral tablet,disintegrating</i> | 1 | |
| <i>chlordiazepoxide-clidinium oral capsule</i> | 3 | |
| <i>dicyclomine oral capsule</i> | 1 | |
| <i>dicyclomine oral solution</i> | 3 | |
| <i>dicyclomine oral tablet</i> | 1 | |
| <i>diphenoxylate-atropine oral liquid</i> | 1 | |
| <i>diphenoxylate-atropine oral tablet</i> | 1 | |
| <i>ed-spaz oral tablet,disintegrating</i> | 1 | |
| <i>glycopyrrolate oral solution</i> | 3 | PA > 16 years of age |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>hyoscyamine sulfate oral drops</i> | 3 | |
| <i>hyoscyamine sulfate oral elixir</i> | 1 | |
| <i>hyoscyamine sulfate oral tablet</i> | 1 | |
| <i>hyoscyamine sulfate oral tablet extended release 12 hr</i> | 1 | |
| <i>hyoscyamine sulfate oral tablet,disintegrating</i> | 1 | |
| <i>hyoscyamine sulfate sublingual tablet</i> | 1 | |
| <i>hyosyne oral drops</i> | 3 | |
| <i>hyosyne oral elixir</i> | 1 | |
| <i>loperamide oral capsule</i> | 3 | |
| <i>methscopolamine oral tablet</i> | 3 | |
| MYTESI ORAL TABLET,DELAYED RELEASE (DR/EC) | 4 | PA; QL |
| <i>oscimin oral tablet</i> | 1 | |
| <i>oscimin sl sublingual tablet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>phenobarb-hyoscy-atropine-scop oral elixir</i> | 3 | |
| <i>phenohydro oral elixir 16.2-0.1037 -0.0194 mg/5 ml</i> | 3 | |
| <i>symax fastabs oral tablet,disintegrating</i> | 1 | |
| <i>symax-sl sublingual tablet</i> | 1 | |
| <i>symax-sr oral tablet extended release 12 hr</i> | 1 | |
| MISCELLANEOUS AGENTS | | |
| AURYXIA ORAL TABLET | 4 | PA |
| <i>lanthanum oral tablet,chewable</i> | 4 | ST |
| LOKELMA ORAL POWDER IN PACKET | 2 | QL |
| <i>sevelamer carbonate oral tablet</i> | 2 | |
| <i>sodium polystyrene sulfonate oral powder</i> | 1 | |
| <i>sps (with sorbitol) oral suspension</i> | 1 | |
| <i>sps (with sorbitol) rectal enema</i> | 1 | |
| VELPHORO ORAL TABLET,CHEWABLE | 4 | ST |
| VELTASSA ORAL POWDER IN PACKET | 2 | QL |
| MISCELLANEOUS GASTROINTESTINAL AGENTS | | |
| AKYNZEO ORAL CAPSULE | 4 | ST; QL |
| <i>alosetron oral tablet</i> | 4 | PA |
| <i>anucort-hc rectal suppository</i> | 3 | QL |
| <i>aprepitant oral capsule</i> | 3 | QL |
| <i>aprepitant oral capsule,dose pack</i> | 3 | QL |
| AVSOLA INTRAVENOUS RECON SOLN | 4 | PA; LA |
| <i>balsalazide oral capsule</i> | 1 | |
| <i>betaine oral powder</i> | 4 | PA; LA |
| <i>budesonide oral capsule,delayed,extend.release</i> | 1 | |
| <i>budesonide oral tablet,delayed and ext.release</i> | 4 | PA |
| <i>budesonide rectal foam</i> | 3 | PA |
| BYLVAY ORAL CAPSULE | 4 | PA; LA |
| BYLVAY ORAL PELLETT | 4 | PA; LA |
| CHENODAL ORAL TABLET | 4 | PA; LA; QL |
| CHOLBAM ORAL CAPSULE | 4 | PA; QL |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 4 | PA; LA; QL |
| <i>citrate of magnesia oral solution</i> | 1 | ACA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>citroma oral solution</i> | 1 | ACA; QL |
| <i>clearlax oral powder</i> | 1 | ACA; QL |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/175 ML | 3 | |
| <i>compro rectal suppository</i> | 3 | |
| <i>constulose oral solution</i> | 1 | |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) | 2 | |
| <i>cromolyn oral concentrate</i> | 3 | |
| DIPENTUM ORAL CAPSULE | 4 | PA |
| <i>dronabinol oral capsule</i> | 3 | PA |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION | 3 | QL |
| ENTYVIO INTRAVENOUS RECON SOLN | 4 | PA; LA; QL |
| ENTYVIO PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| <i>enulose oral solution</i> | 1 | |
| EOHILIA ORAL SUSPENSION IN PACKET | 4 | PA; QL |
| GATTEX 30-VIAL SUBCUTANEOUS KIT | 4 | PA; LA; QL |
| <i>gavilax oral powder</i> | 1 | ACA; QL |
| <i>gavilyte-c oral recon soln</i> | 1 | ACA |
| <i>gavilyte-g oral recon soln</i> | 1 | ACA |
| <i>gavilyte-n oral recon soln</i> | 1 | ACA |
| <i>generlac oral solution</i> | 1 | |
| <i>gentle laxative (bisacodyl) oral tablet, delayed release (dr/ec)</i> | 1 | ACA; QL |
| <i>gentle laxative (mag hydrox) oral suspension</i> | 1 | ACA; QL |
| <i>gentlelax oral powder</i> | 1 | ACA; QL |
| <i>granisetron hcl oral tablet</i> | 3 | QL |
| <i>hemmorex-hc rectal suppository 25 mg</i> | 3 | QL |
| <i>hydrocortisone acetate rectal suppository 25 mg</i> | 3 | QL |
| <i>hydrocortisone rectal enema</i> | 1 | QL |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> | 1 | |
| <i>hydrocortisone-pramoxine rectal cream 2.5-1 %</i> | 3 | |
| IBSRELA ORAL TABLET | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| INFLECTRA INTRAVENOUS RECON SOLN | 4 | PA; LA |
| INFLIXIMAB INTRAVENOUS RECON SOLN | 4 | PA |
| IQIRVO ORAL TABLET | 4 | PA; QL |
| <i>lactulose oral solution 10 gram/15 ml, 20 gram/30 ml</i> | 1 | |
| <i>laxative (bisacodyl) oral tablet, delayed release (dr/ec)</i> | 1 | ACA; QL |
| <i>laxative peg 3350 oral powder</i> | 1 | ACA; QL |
| <i>lidocaine hcl-hydrocortison ac rectal cream</i> | 1 | |
| LINZESS ORAL CAPSULE | 2 | QL |
| LIVDELZI ORAL CAPSULE | 4 | PA; QL |
| LIVMARLI ORAL SOLUTION | 4 | PA; QL |
| <i>lubiprostone oral capsule</i> | 2 | QL |
| <i>magnesium citrate oral solution</i> | 1 | ACA; QL |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | 1 | |
| <i>mesalamine oral capsule (with del rel tablets)</i> | 1 | |
| <i>mesalamine oral capsule, extended release</i> | 3 | PA |
| <i>mesalamine oral capsule, extended release 24hr</i> | 1 | |
| <i>mesalamine oral tablet, delayed release (dr/ec)</i> | 1 | |
| <i>mesalamine rectal enema</i> | 1 | |
| <i>mesalamine rectal suppository</i> | 3 | |
| <i>metoclopramide hcl oral solution</i> | 1 | |
| <i>metoclopramide hcl oral tablet</i> | 1 | |
| <i>milk of magnesia concentrated oral suspension</i> | 1 | ACA; QL |
| <i>milk of magnesia oral suspension</i> | 1 | ACA; QL |
| MOTEGRITY ORAL TABLET | 3 | PA; QL |
| MOVANTIK ORAL TABLET | 2 | QL |
| <i>natura-lax oral powder</i> | 1 | ACA; QL |
| <i>nitroglycerin rectal ointment</i> | 3 | PA |
| OICALIVA ORAL TABLET | 4 | PA; LA; QL |
| OMVOH PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| OMVOH SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>ondansetron hcl oral solution</i> | 3 | QL |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i> | 1 | QL |
| <i>onelax magnesium citrate oral solution</i> | 1 | ACA; QL |
| <i>oral saline laxative oral liquid</i> | 1 | ACA; QL |
| <i>peg 3350-electrolytes oral recon soln</i> | 1 | ACA |
| <i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet</i> | 1 | ACA |
| <i>peg-electrolyte soln oral recon soln</i> | 1 | ACA |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG | 3 | PA |
| <i>phosphate laxative oral liquid</i> | 1 | ACA; QL |
| PLENVU ORAL POWDER IN PACKET, SEQUENTIAL | 3 | |
| <i>polyethylene glycol 3350 oral powder</i> | 1 | ACA; QL |
| <i>powderlax oral powder</i> | 1 | ACA; QL |
| <i>prochlorperazine maleate oral tablet</i> | 1 | |
| <i>prochlorperazine rectal suppository</i> | 3 | |
| <i>procto-med hc topical cream with perineal applicator</i> | 1 | |
| <i>proctosol hc topical cream with perineal applicator</i> | 1 | |
| <i>proctozone-hc topical cream with perineal applicator</i> | 1 | |
| <i>purelax oral powder</i> | 1 | ACA; QL |
| RELISTOR ORAL TABLET | 4 | PA; QL |
| RELISTOR SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| RELISTOR SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| REMICADE INTRAVENOUS RECON SOLN | 4 | PA; LA |
| RENFLEXIS INTRAVENOUS RECON SOLN | 4 | PA; LA |
| SANCUSO TRANSDERMAL PATCH WEEKLY | 4 | ST; QL |
| <i>scopolamine base transdermal patch 3 day</i> | 3 | QL |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR | 4 | PA; LA; QL |
| <i>smoothlax oral powder</i> | 1 | ACA; QL |
| <i>sodium,potassium,mag sulfates oral recon soln</i> | 2 | ACA |
| SUCRAID ORAL SOLUTION | 4 | PA |
| SUFLAVE ORAL RECON SOLN | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>sulfasalazine oral tablet</i> | 1 | |
| <i>sulfasalazine oral tablet, delayed release (dr/ec)</i> | 1 | |
| SUTAB ORAL TABLET | 2 | |
| SYMPROIC ORAL TABLET | 3 | PA; QL |
| <i>trimethobenzamide oral capsule</i> | 3 | |
| TRULANCE ORAL TABLET | 2 | QL |
| <i>ursodiol oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral tablet</i> | 1 | |
| VELSIPITY ORAL TABLET | 4 | PA; QL |
| VIBERZI ORAL TABLET | 4 | PA; QL |
| VOWST ORAL CAPSULE | 4 | PA; QL |
| <i>women's gentle laxative(bisac) oral tablet, delayed release (dr/ec)</i> | 1 | ACA; QL |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 3 | ST |
| ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; LA; QL |
| ZYMFENTRA SUBCUTANEOUS SYRINGE KIT | 4 | PA; LA; QL |
| ULCER THERAPY | | |
| <i>amoxicil-clarithromy-lansopraz oral combo pack</i> | 3 | QL |
| <i>cimetidine hcl oral solution</i> | 3 | |
| <i>cimetidine oral tablet</i> | 3 | |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> | 3 | QL |
| <i>esomeprazole magnesium oral granules dr for susp in packet</i> | 3 | ST; QL |
| <i>famotidine oral suspension for reconstitution</i> | 3 | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | |
| <i>lansoprazole oral capsule, delayed release(dr/ec)</i> | 3 | QL |
| <i>misoprostol oral tablet</i> | 1 | |
| <i>nizatidine oral capsule</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>omeprazole oral capsule, delayed release(dr/ec)</i> | 1 | |
| <i>pantoprazole oral tablet, delayed release (dr/ec)</i> | 1 | |
| <i>rabeprazole oral tablet, delayed release (dr/ec)</i> | 3 | QL |
| <i>sucralfate oral suspension</i> | 3 | |
| <i>sucralfate oral tablet</i> | 1 | |
| IMMUNOLOGY | | |
| INTERLEUKINS | | |
| <i>imiquimod topical cream in packet 5 %</i> | 1 | |
| IMMUNOLOGY, VACCINES & BIOTECHNOLOGY | | |
| ANTIVIRALS | | |
| <i>ribavirin oral capsule</i> | 2 | QL |
| <i>ribavirin oral tablet 200 mg</i> | 2 | QL |
| BIOTECHNOLOGY DRUGS | | |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML | 4 | PA |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE | 4 | PA |
| ARCALYST SUBCUTANEOUS RECON SOLN | 4 | PA; QL |
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 4 | PA |
| FULPHILA SUBCUTANEOUS SYRINGE | 4 | PA |
| FYLNTRA SUBCUTANEOUS SYRINGE | 4 | PA |
| GRANIX SUBCUTANEOUS SOLUTION | 4 | PA |
| GRANIX SUBCUTANEOUS SYRINGE | 4 | PA |
| LEUKINE INJECTION RECON SOLN | 4 | PA |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR | 4 | PA |
| NEULASTA SUBCUTANEOUS SYRINGE | 4 | PA |
| NEUPOGEN INJECTION SOLUTION | 4 | PA |
| NEUPOGEN INJECTION SYRINGE | 4 | PA |
| NIVESTYM INJECTION SOLUTION | 4 | PA |
| NIVESTYM SUBCUTANEOUS SYRINGE | 4 | PA |
| NYVEPRIA SUBCUTANEOUS SYRINGE | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| PROCRIT INJECTION SOLUTION | 4 | PA |
| RELEUKO SUBCUTANEOUS SYRINGE | 4 | PA; LA |
| RETACRIT INJECTION SOLUTION | 4 | PA |
| STIMUFEND SUBCUTANEOUS SYRINGE | 4 | PA |
| UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 4 | PA |
| UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR | 4 | PA |
| UDENYCA SUBCUTANEOUS SYRINGE | 4 | PA |
| XOLREMDI ORAL CAPSULE | 4 | PA; QL |
| ZARXIO INJECTION SYRINGE | 4 | PA |
| ZIEXTENZO SUBCUTANEOUS SYRINGE | 4 | PA |
| GROWTH HORMONES | | |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN | 4 | PA; LA; QL |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE | 4 | PA; LA |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE | 4 | PA; LA |
| NORDITROPIN FLEXPLO SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 4 | PA; LA; QL |
| INTERFERONS | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION | 4 | PA; LA |
| BESREMI SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| PEGASYS SUBCUTANEOUS SOLUTION | 4 | LA; QL |
| PEGASYS SUBCUTANEOUS SYRINGE | 4 | LA; QL |
| MULTIPLE SCLEROSIS AGENTS | | |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 4 | PA; LA; QL |
| AVONEX INTRAMUSCULAR SYRINGE KIT | 4 | PA; LA; QL |
| BAFIERTAM ORAL CAPSULE, DELAYED RELEASE(DR/EC) | 4 | PA; LA; QL |
| BETASERON SUBCUTANEOUS KIT | 4 | PA; LA; QL |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> | 1 | QL |
| <i>fingolimod oral capsule</i> | 1 | LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| GILENYA ORAL CAPSULE 0.25 MG | 4 | PA; QL |
| <i>glatiramer subcutaneous syringe</i> | 1 | LA; QL |
| <i>glatopa subcutaneous syringe</i> | 1 | LA; QL |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET | 4 | PA; LA; QL |
| MAYZENT ORAL TABLET | 4 | PA; LA; QL |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK | 4 | PA; LA; QL |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK | 4 | PA; LA; QL |
| OCREVUS INTRAVENOUS SOLUTION | 4 | PA; LA |
| PLEGRIDY INTRAMUSCULAR SYRINGE | 4 | PA; LA; QL |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| PLEGRIDY SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| PONVORY 14-DAY STARTER PACK ORAL TABLETS,DOSE PACK | 4 | PA; LA; QL |
| PONVORY ORAL TABLET | 4 | PA; LA; QL |
| REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| REBIF TITRATION PACK SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| TASCENSO ODT ORAL TABLET,DISINTEGRATING | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>teriflunomide oral tablet</i> | 1 | LA; QL |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) | 4 | PA; LA; QL |
| VACCINES & MISCELLANEOUS IMMUNOLOGICALS | | |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN | 3 | ACA |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN | 3 | ACA |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| AFLURIA TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| AFLURIA TRIV 2024-2025 INTRAMUSCULAR SUSPENSION | 3 | ACA |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 3 | ACA |
| BEXSERO INTRAMUSCULAR SYRINGE | 3 | ACA |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE | 3 | ACA |
| CAPVAXIVE INTRAMUSCULAR SYRINGE | 3 | ACA |
| COMIRNATY 2024-25 (12Y UP)(PF) INTRAMUSCULAR SYRINGE | 2 | ACA |
| CUVITRU SUBCUTANEOUS SOLUTION | 4 | PA; LA |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUAD TRIV 2024-25(65Y UP)(PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUARIX TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUBLOK TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| FLUCELVAX TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUCELVAX TRIV 2024-2025 INTRAMUSCULAR SUSPENSION | 3 | ACA |
| FLULAVAL TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUMIST TRIVALENT 2024-2025 NASAL NASAL SPRAY SYRINGE | 3 | ACA |
| FLUZONE HIGH-DOSE TRIV 24-25 INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUZONE TRIV 2024-2025 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| FLUZONE TRIV 2024-2025 INTRAMUSCULAR SUSPENSION | 3 | ACA |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| GRASTEK SUBLINGUAL TABLET | 3 | PA; QL |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN | 3 | ACA |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| IPOL INJECTION SUSPENSION | 3 | ACA |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION | 3 | ACA |
| KINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION | 3 | ACA |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT | 3 | ACA |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR SOLUTION | 3 | ACA |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN | 3 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| MODERNA COVID 24-25(6M-11Y)PF INTRAMUSCULAR SYRINGE | 2 | ACA |
| MRESVIA (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| NOVAVAX COVID 2024-25(PF)(EUA) INTRAMUSCULAR SYRINGE | 2 | ACA |
| ODACTRA SUBLINGUAL TABLET | 3 | PA; QL |
| ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY | 3 | PA; QL |
| PALFORZIA (LEVEL 1) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 2) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 3) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 4) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 5) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 6) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 7) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 8) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 9) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA (LEVEL 10) ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA INITIAL DOSE ORAL CAPSULE, SPRINKLE | 4 | PA; LA |
| PALFORZIA LEVEL 11 MAINTENANCE ORAL POWDER IN PACKET | 4 | PA; LA |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION | 3 | ACA |
| PENBRAYA (PF) INTRAMUSCULAR KIT | 3 | ACA |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML | 3 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| PFIZER COVID 2024-25(5Y-11Y)PF INTRAMUSCULAR SUSPENSION | 2 | ACA |
| PFIZER COVID 2024-25(6MO-4Y)PF INTRAMUSCULAR SUSPENSION | 2 | ACA |
| PNEUMOVAX-23 INJECTION SYRINGE | 3 | ACA |
| PREVNAR 20 (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | ACA |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | ACA |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| RAGWITEK SUBLINGUAL TABLET | 3 | PA; QL |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| ROTARIX ORAL SUSPENSION | 3 | ACA |
| ROTATEQ VACCINE ORAL SOLUTION | 3 | ACA |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 3 | ACA; QL |
| SPIKEVAX 2024-2025(12Y UP)(PF) INTRAMUSCULAR SYRINGE | 2 | ACA |
| TDVAX INTRAMUSCULAR SUSPENSION | 3 | ACA |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| TRUMENBA INTRAMUSCULAR SYRINGE | 3 | ACA |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |
| VAQTA (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | ACA |
| VAXELIS (PF) INTRAMUSCULAR SUSPENSION | 3 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| VAXELIS (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| VAXNEUVANCE (PF) INTRAMUSCULAR SYRINGE | 3 | ACA |
| MUSCULOSKELETAL & RHEUMATOLOGY | | |
| GOUT THERAPY | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>colchicine oral tablet</i> | 2 | |
| <i>febuxostat oral tablet</i> | 3 | PA; QL |
| KRYSTEXXA INTRAVENOUS SOLUTION | 4 | PA; LA; QL |
| <i>probenecid oral tablet</i> | 2 | |
| <i>probenecid-colchicine oral tablet</i> | 2 | |
| OSTEOPOROSIS THERAPY | | |
| <i>alendronate oral solution</i> | 3 | QL |
| <i>alendronate oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i> | 1 | |
| EVENITY SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>ibandronate intravenous syringe</i> | 1 | QL |
| <i>ibandronate oral tablet</i> | 1 | QL |
| PROLIA SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>raloxifene oral tablet</i> | 1 | ACA |
| <i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> | 3 | QL |
| <i>risedronate oral tablet, delayed release (dr/ec)</i> | 3 | ST; QL |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (600mcg/2.4ml)</i> | 4 | PA; QL |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML) | 4 | PA; QL |
| TYMLOS SUBCUTANEOUS PEN INJECTOR | 4 | PA; QL |
| OTHER RHEUMATOLOGICALS | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| ACTEMRA INTRAVENOUS SOLUTION | 4 | PA; LA; QL |
| ACTEMRA SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| ADALIMUMAB-ADAZ SUBCUTANEOUS PEN INJECTOR (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| ADALIMUMAB-ADAZ SUBCUTANEOUS SYRINGE (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |
| ADALIMUMAB-ADBM SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; QL |
| ADALIMUMAB-ADBM SUBCUTANEOUS SYRINGE KIT | 4 | PA; QL |
| ADALIMUMAB-ADBM(CF) PEN CROHNS SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; QL |
| ADALIMUMAB-ADBM(CF) PEN PS-UV SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; QL |
| ADALIMUMAB-RYVK SUBCUTANEOUS AUTO-INJECTOR, KIT | 4 | PA; QL |
| ADALIMUMAB-RYVK SUBCUTANEOUS SYRINGE KIT | 4 | PA; QL |
| BENLYSTA INTRAVENOUS RECON SOLN | 4 | PA; LA |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| BENLYSTA SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; QL |
| CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; QL |
| CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT | 4 | PA; QL |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT | 4 | PA; QL |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE | 4 | PA; QL |
| ENBREL SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| ENBREL SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR | 4 | PA; QL |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |
| HUMIRA(CF) PEN PEDIATRIC UCS SUBCUTANEOUS PEN INJECTOR KIT (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS) SUBCUTANEOUS PEN INJECTOR KIT (ONLY NDCS STARTING WITH 00074) | 4 | PA; QL |
| HYRIMOZ PEN CROHN'S-UC STARTER SUBCUTANEOUS PEN INJECTOR (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |
| HYRIMOZ PEN PSORIASIS STARTER SUBCUTANEOUS PEN INJECTOR (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |
| HYRIMOZ(CF) SUBCUTANEOUS SYRINGE (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |
| HYRIMOZ(CF) PEDIATRIC CROHN'S STARTER SUBCUTANEOUS SYRINGE (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |
| HYRIMOZ(CF) PEN SUBCUTANEOUS PEN INJECTOR (ONLY NDCS STARTING WITH 61314) | 4 | PA; QL |
| KEVZARA SUBCUTANEOUS PEN INJECTOR | 4 | PA; QL |
| KEVZARA SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| KINERET SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| <i>leflunomide oral tablet</i> | 1 | |
| OLUMIANT ORAL TABLET 1 MG, 2 MG | 4 | PA; LA; QL |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN | 4 | PA; LA |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| ORENCIA SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| OTEZLA ORAL TABLET | 4 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) | 4 | PA; QL |
| OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR | 3 | PA; QL |
| <i>penicillamine oral capsule</i> | 4 | PA |
| <i>penicillamine oral tablet</i> | 4 | PA |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR | 2 | ST; QL |
| RIDAURA ORAL CAPSULE | 4 | |
| RINVOQ LQ ORAL SOLUTION | 4 | PA; LA; QL |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR | 4 | PA; LA; QL |
| SAVELLA ORAL TABLET | 3 | PA; QL |
| SAVELLA ORAL TABLETS,DOSE PACK | 3 | PA; QL |
| SIMPONI ARIA INTRAVENOUS SOLUTION | 4 | PA; LA |
| SIMPONI SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| SIMPONI SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR | 4 | PA; QL |
| TYENNE INTRAVENOUS SOLUTION | 4 | PA; QL |
| TYENNE SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| XELJANZ ORAL SOLUTION | 4 | PA; QL |
| XELJANZ ORAL TABLET | 4 | PA; QL |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR | 4 | PA; QL |

OBSTETRICS & GYNECOLOGY

DIAPHRAGMS AND OTHER NON-ORAL CONTRACEPTIVES

| | | |
|------------------------------------|---|---------|
| CAYA CONTOURED VAGINAL DIAPHRAGM | 3 | ACA; QL |
| DUREX AVANTI BARE REAL FEEL | 3 | ACA; QL |
| DUREX TROPICAL CONDOM DEVICE | 3 | ACA; QL |
| FC2 FEMALE CONDOM | 3 | ACA; QL |
| FEMCAP VAGINAL DEVICE 22 MM | 3 | ACA; QL |
| TRUSTEX-RIA NON-LUB CONDOMS DEVICE | 3 | ACA; QL |
| WIDE-SEAL DIAPHRAGM | 3 | ACA; QL |

ESTROGENS & PROGESTINS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>camila oral tablet</i> | 1 | ACA |
| <i>covaryx h.s. oral tablet</i> | 3 | |
| <i>covaryx oral tablet</i> | 3 | |
| CRINONE VAGINAL GEL 4 % | 3 | |
| <i>deblitane oral tablet</i> | 1 | ACA |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL | 3 | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE | 3 | ACA; QL |
| <i>dotti transdermal patch semiweekly</i> | 1 | QL |
| DUAVEE ORAL TABLET | 3 | |
| <i>eemt hs oral tablet</i> | 3 | |
| <i>eemt oral tablet</i> | 3 | |
| <i>emzahh oral tablet</i> | 1 | ACA |
| <i>errin oral tablet</i> | 1 | ACA |
| <i>estradiol oral tablet</i> | 1 | |
| <i>estradiol transdermal gel in metered-dose pump</i> | 3 | QL |
| <i>estradiol transdermal gel in packet</i> | 3 | QL |
| <i>estradiol transdermal patch semiweekly</i> | 1 | QL |
| <i>estradiol transdermal patch weekly</i> | 1 | QL |
| <i>estradiol vaginal cream</i> | 1 | |
| <i>estradiol vaginal tablet</i> | 2 | |
| <i>estradiol valerate intramuscular oil 10 mg/ml</i> | 3 | |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | 1 | |
| <i>estradiol-norethindrone acet oral tablet</i> | 2 | |
| ESTRING VAGINAL RING | 2 | QL |
| ESTROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP | 3 | QL |
| <i>estrogens-methyltestosterone oral tablet</i> | 3 | |
| EVAMIST TRANSDERMAL SPRAY, NON- AEROSOL | 3 | QL |
| <i>fyavolv oral tablet</i> | 2 | |
| <i>gallifrey oral tablet</i> | 1 | |
| <i>heather oral tablet</i> | 1 | ACA |
| <i>incassia oral tablet</i> | 1 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>jencycla oral tablet</i> | 1 | ACA |
| <i>jinteli oral tablet</i> | 2 | |
| <i>lyleq oral tablet</i> | 1 | ACA |
| <i>lyllana transdermal patch semiweekly</i> | 1 | QL |
| <i>lyza oral tablet</i> | 1 | ACA |
| <i>medroxyprogesterone intramuscular suspension</i> | 1 | ACA; QL |
| <i>medroxyprogesterone intramuscular syringe</i> | 1 | ACA; QL |
| <i>medroxyprogesterone oral tablet</i> | 1 | |
| MENEST ORAL TABLET | 3 | |
| <i>mimvey oral tablet</i> | 2 | |
| <i>nora-be oral tablet</i> | 1 | ACA |
| <i>norethindrone (contraceptive) oral tablet</i> | 1 | ACA |
| <i>norethindrone acetate oral tablet</i> | 1 | |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 2 | |
| OPILL ORAL TABLET | 1 | ACA |
| PREMARIN ORAL TABLET | 2 | |
| PREMARIN VAGINAL CREAM | 2 | |
| PREMPHASE ORAL TABLET | 2 | |
| PREMPRO ORAL TABLET | 2 | |
| <i>progesterone intramuscular oil</i> | 1 | |
| <i>progesterone micronized oral capsule</i> | 1 | |
| <i>sharobel oral tablet</i> | 1 | ACA |
| <i>tulana oral tablet</i> | 1 | ACA |
| <i>yuvafem vaginal tablet</i> | 2 | |
| MISCELLANEOUS OB/GYN | | |
| ANNOVERA VAGINAL RING | 2 | ACA; QL |
| <i>clindamycin phosphate vaginal cream</i> | 1 | |
| <i>eluryng vaginal ring</i> | 1 | ACA; QL |
| <i>enilloring vaginal ring</i> | 1 | ACA; QL |
| <i>etonogestrel-ethinyl estradiol vaginal ring</i> | 1 | ACA; QL |
| GYNAZOLE-1 VAGINAL CREAM | 3 | |
| <i>haloette vaginal ring</i> | 1 | ACA; QL |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| MYFEMBREE ORAL TABLET | 4 | PA; QL |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly</i> | 1 | ACA; QL |
| ORIAHNN ORAL CAPSULE, SEQUENTIAL | 4 | PA; QL |
| PHEXXI VAGINAL GEL | 3 | ACA; QL |
| <i>terconazole vaginal cream</i> | 1 | |
| <i>terconazole vaginal suppository</i> | 3 | |
| <i>tranexamic acid oral tablet</i> | 1 | QL |
| TWIRLA TRANSDERMAL PATCH WEEKLY | 2 | ACA; QL |
| <i>vandazole vaginal gel</i> | 2 | |
| VCF CONTRACEPTIVE FILM VAGINAL FILM | 3 | ACA; QL |
| VCF CONTRACEPTIVE GEL VAGINAL GEL | 3 | ACA; QL |
| <i>xulane transdermal patch weekly</i> | 1 | ACA; QL |
| <i>zafemy transdermal patch weekly</i> | 1 | ACA; QL |
| ORAL CONTRACEPTIVES & RELATED AGENTS | | |
| <i>afirmelle oral tablet</i> | 1 | ACA |
| <i>after pill oral tablet</i> | 1 | ACA |
| <i>altavera (28) oral tablet</i> | 1 | ACA |
| <i>alyacen 1/35 (28) oral tablet</i> | 1 | ACA |
| <i>alyacen 7/7/7 (28) oral tablet</i> | 1 | ACA |
| <i>amethia oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>amethyst (28) oral tablet</i> | 1 | ACA |
| <i>apri oral tablet</i> | 1 | ACA |
| <i>aranelle (28) oral tablet</i> | 1 | ACA |
| <i>ashlyna oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>aubra eq oral tablet</i> | 1 | ACA |
| <i>aubra oral tablet</i> | 1 | ACA |
| <i>aurovela 1.5/30 (21) oral tablet</i> | 1 | ACA |
| <i>aurovela 1/20 (21) oral tablet</i> | 1 | ACA |
| <i>aurovela 24 fe oral tablet</i> | 1 | ACA |
| <i>aurovela fe 1.5/30 (28) oral tablet</i> | 1 | ACA |
| <i>aurovela fe 1-20 (28) oral tablet</i> | 1 | ACA |
| <i>aviane oral tablet</i> | 1 | ACA |
| <i>ayuna oral tablet</i> | 1 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>azurette (28) oral tablet</i> | 1 | ACA |
| BALCOLTRA ORAL TABLET | 2 | ACA |
| <i>balziva (28) oral tablet</i> | 1 | ACA |
| <i>blisovi 24 fe oral tablet</i> | 1 | ACA |
| <i>blisovi fe 1.5/30 (28) oral tablet</i> | 1 | ACA |
| <i>blisovi fe 1/20 (28) oral tablet</i> | 1 | ACA |
| <i>briellyn oral tablet</i> | 1 | ACA |
| <i>camrese lo oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>camrese oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>caziant (28) oral tablet</i> | 1 | ACA |
| <i>charlotte 24 fe oral tablet,chewable</i> | 1 | ACA |
| <i>chateal (28) oral tablet</i> | 1 | ACA |
| <i>chateal eq (28) oral tablet</i> | 1 | ACA |
| <i>cryselle (28) oral tablet</i> | 1 | ACA |
| <i>curae oral tablet</i> | 1 | ACA |
| <i>cyred eq oral tablet</i> | 1 | ACA |
| <i>cyred oral tablet</i> | 1 | ACA |
| <i>dasetta 1/35 (28) oral tablet</i> | 1 | ACA |
| <i>dasetta 7/7/7 (28) oral tablet</i> | 1 | ACA |
| <i>daysee oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>desog-e.estradiol/e.estradiol oral tablet</i> | 1 | ACA |
| <i>dolishale oral tablet</i> | 1 | ACA |
| <i>drospirenone-e.estradiol-lm,fa oral tablet</i> | 1 | ACA |
| <i>drospirenone-ethinyl estradiol oral tablet</i> | 1 | ACA |
| <i>econtra ez oral tablet</i> | 1 | ACA |
| <i>econtra one-step oral tablet</i> | 1 | ACA |
| <i>elinest oral tablet</i> | 1 | ACA |
| ELLA ORAL TABLET | 3 | ACA |
| <i>enpresse oral tablet</i> | 1 | ACA |
| <i>enskyce oral tablet</i> | 1 | ACA |
| <i>estarylla oral tablet</i> | 1 | ACA |
| <i>ethynodiol diac-eth estradiol oral tablet</i> | 1 | ACA |
| <i>falmina (28) oral tablet</i> | 1 | ACA |
| FEMLYV ORAL TABLET,DISINTEGRATING | 3 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>finzala oral tablet,chewable</i> | 1 | ACA |
| <i>gemmily oral capsule</i> | 1 | ACA |
| <i>hailey 24 fe oral tablet</i> | 1 | ACA |
| <i>hailey fe 1.5/30 (28) oral tablet</i> | 1 | ACA |
| <i>hailey fe 1/20 (28) oral tablet</i> | 1 | ACA |
| <i>hailey oral tablet</i> | 1 | ACA |
| <i>her style oral tablet</i> | 1 | ACA |
| <i>iclevia oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>isibloom oral tablet</i> | 1 | ACA |
| <i>jaimiess oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>jasmiel (28) oral tablet</i> | 1 | ACA |
| <i>jolessa oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>joyeaux oral tablet</i> | 1 | ACA |
| <i>juleber oral tablet</i> | 1 | ACA |
| <i>junel 1.5/30 (21) oral tablet</i> | 1 | ACA |
| <i>junel 1/20 (21) oral tablet</i> | 1 | ACA |
| <i>junel fe 1.5/30 (28) oral tablet</i> | 1 | ACA |
| <i>junel fe 1/20 (28) oral tablet</i> | 1 | ACA |
| <i>junel fe 24 oral tablet</i> | 1 | ACA |
| <i>kaitlib fe oral tablet,chewable</i> | 1 | ACA |
| <i>kalliga oral tablet</i> | 1 | ACA |
| <i>kariva (28) oral tablet</i> | 1 | ACA |
| <i>kelnor 1/35 (28) oral tablet</i> | 1 | ACA |
| <i>kelnor 1/50 (28) oral tablet</i> | 1 | ACA |
| <i>kurvelo (28) oral tablet</i> | 1 | ACA |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>larin 1.5/30 (21) oral tablet</i> | 1 | ACA |
| <i>larin 1/20 (21) oral tablet</i> | 1 | ACA |
| <i>larin 24 fe oral tablet</i> | 1 | ACA |
| <i>larin fe 1.5/30 (28) oral tablet</i> | 1 | ACA |
| <i>larin fe 1/20 (28) oral tablet</i> | 1 | ACA |
| <i>layolis fe oral tablet,chewable</i> | 1 | ACA |
| <i>leena 28 oral tablet</i> | 1 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>lessina oral tablet</i> | 1 | ACA |
| <i>levonest (28) oral tablet</i> | 1 | ACA |
| <i>levonorgest-eth.estradiol-iron oral tablet</i> | 1 | ACA |
| <i>levonorgestrel oral tablet</i> | 1 | ACA |
| <i>levonorgestrel-ethinyl estrad oral tablet</i> | 1 | ACA |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>levonorg-eth estrad triphasic oral tablet</i> | 1 | ACA |
| <i>levora-28 oral tablet</i> | 1 | ACA |
| LO LOESTRIN FE ORAL TABLET | 2 | ACA |
| <i>lojaimiess oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>loryna (28) oral tablet</i> | 1 | ACA |
| <i>low-ogestrel (28) oral tablet</i> | 1 | ACA |
| <i>lo-zumandimine (28) oral tablet</i> | 1 | ACA |
| <i>lutra (28) oral tablet</i> | 1 | ACA |
| <i>marlissa (28) oral tablet</i> | 1 | ACA |
| <i>merzee oral capsule</i> | 1 | ACA |
| <i>mibelas 24 fe oral tablet,chewable</i> | 1 | ACA |
| <i>microgestin 1.5/30 (21) oral tablet</i> | 1 | ACA |
| <i>microgestin 1/20 (21) oral tablet</i> | 1 | ACA |
| <i>microgestin fe 1.5/30 (28) oral tablet</i> | 1 | ACA |
| <i>microgestin fe 1/20 (28) oral tablet</i> | 1 | ACA |
| <i>mili oral tablet</i> | 1 | ACA |
| <i>mono-linyah oral tablet</i> | 1 | ACA |
| <i>my choice oral tablet</i> | 1 | ACA |
| <i>my way oral tablet</i> | 1 | ACA |
| NATAZIA ORAL TABLET | 2 | ACA |
| <i>necon 0.5/35 (28) oral tablet</i> | 1 | ACA |
| <i>new day oral tablet</i> | 1 | ACA |
| NEXTSTELLIS ORAL TABLET | 2 | ACA |
| <i>nikki (28) oral tablet</i> | 1 | ACA |
| <i>noreth-ethinyl estradiol-iron oral tablet,chewable</i> | 1 | ACA |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 1 | ACA |
| <i>norethindrone-e.estradiol-iron oral capsule</i> | 1 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>norethindrone-e.estradiol-iron oral tablet</i> | 1 | ACA |
| <i>norethindrone-e.estradiol-iron oral tablet,chewable</i> | 1 | ACA |
| <i>norgestimate-ethinyl estradiol oral tablet</i> | 1 | ACA |
| <i>nortrel 0.5/35 (28) oral tablet</i> | 1 | ACA |
| <i>nortrel 1/35 (21) oral tablet</i> | 1 | ACA |
| <i>nortrel 1/35 (28) oral tablet</i> | 1 | ACA |
| <i>nortrel 7/7/7 (28) oral tablet</i> | 1 | ACA |
| <i>nylia 1/35 (28) oral tablet</i> | 1 | ACA |
| <i>nylia 7/7/7 (28) oral tablet</i> | 1 | ACA |
| <i>ocella oral tablet</i> | 1 | ACA |
| <i>opcicon one-step oral tablet</i> | 1 | ACA |
| <i>option-2 oral tablet</i> | 1 | ACA |
| <i>philith oral tablet</i> | 1 | ACA |
| <i>pimtrea (28) oral tablet</i> | 1 | ACA |
| <i>portia 28 oral tablet</i> | 1 | ACA |
| <i>reclipsen (28) oral tablet</i> | 1 | ACA |
| <i>rivelsa oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>setlakin oral tablets,dose pack,3 month</i> | 1 | ACA |
| <i>simliya (28) oral tablet</i> | 1 | ACA |
| <i>simpesse oral tablets,dose pack,3 month</i> | 1 | ACA |
| SLYND ORAL TABLET | 2 | ACA |
| <i>sprintec (28) oral tablet</i> | 1 | ACA |
| <i>sronyx oral tablet</i> | 1 | ACA |
| <i>syeda oral tablet</i> | 1 | ACA |
| <i>tarina 24 fe oral tablet</i> | 1 | ACA |
| <i>tarina fe 1/20 (28) oral tablet</i> | 1 | ACA |
| <i>tilia fe oral tablet</i> | 1 | ACA |
| <i>tri-estarylla oral tablet</i> | 1 | ACA |
| <i>tri-legest fe oral tablet</i> | 1 | ACA |
| <i>tri-linyah oral tablet</i> | 1 | ACA |
| <i>tri-lo-estarylla oral tablet</i> | 1 | ACA |
| <i>tri-lo-marzia oral tablet</i> | 1 | ACA |
| <i>tri-lo-mili oral tablet</i> | 1 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>tri-lo-sprintec oral tablet</i> | 1 | ACA |
| <i>tri-mili oral tablet</i> | 1 | ACA |
| <i>tri-sprintec (28) oral tablet</i> | 1 | ACA |
| <i>trivora (28) oral tablet</i> | 1 | ACA |
| <i>tri-vylibra lo oral tablet</i> | 1 | ACA |
| <i>tri-vylibra oral tablet</i> | 1 | ACA |
| <i>turqoz (28) oral tablet</i> | 1 | ACA |
| TYBLUME ORAL TABLET,CHEWABLE | 3 | ACA |
| <i>tydemy oral tablet</i> | 1 | ACA |
| <i>velivet triphasic regimen (28) oral tablet</i> | 1 | ACA |
| <i>vestura (28) oral tablet</i> | 1 | ACA |
| <i>vienva oral tablet</i> | 1 | ACA |
| <i>viorele (28) oral tablet</i> | 1 | ACA |
| <i>volnea (28) oral tablet</i> | 1 | ACA |
| <i>vyfemla (28) oral tablet</i> | 1 | ACA |
| <i>vylibra oral tablet</i> | 1 | ACA |
| <i>wera (28) oral tablet</i> | 1 | ACA |
| <i>wymzya fe oral tablet,chewable</i> | 1 | ACA |
| <i>zarah oral tablet</i> | 1 | ACA |
| <i>zovia 1-35 (28) oral tablet</i> | 1 | ACA |
| <i>zumandimine (28) oral tablet</i> | 1 | ACA |
| OXYTOCICS | | |
| <i>methylergonovine oral tablet</i> | 4 | |
| OPHTHALMOLOGY | | |
| ANTIBIOTICS | | |
| AZASITE OPHTHALMIC (EYE) DROPS | 3 | |
| <i>bacitracin ophthalmic (eye) ointment</i> | 3 | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment</i> | 1 | |
| BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | PA |
| CILOXAN OPHTHALMIC (EYE) OINTMENT | 3 | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops</i> | 1 | |
| <i>erythromycin ophthalmic (eye) ointment</i> | 1 | |
| <i>gatifloxacin ophthalmic (eye) drops</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>gentamicin ophthalmic (eye) drops</i> | 1 | |
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i> | 3 | |
| <i>moxifloxacin ophthalmic (eye) drops</i> | 2 | |
| <i>moxifloxacin ophthalmic (eye) drops, viscous</i> | 3 | |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment</i> | 2 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops</i> | 3 | |
| <i>neo-polycin ophthalmic (eye) ointment</i> | 2 | |
| <i>ofloxacin ophthalmic (eye) drops</i> | 1 | |
| <i>polycin ophthalmic (eye) ointment</i> | 1 | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops</i> | 1 | |
| <i>tobramycin ophthalmic (eye) drops</i> | 1 | |
| TOBREX OPHTHALMIC (EYE) OINTMENT | 3 | |
| ANTIVIRALS | | |
| <i>trifluridine ophthalmic (eye) drops</i> | 1 | |
| ZIRGAN OPHTHALMIC (EYE) GEL | 2 | |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye) drops</i> | 3 | |
| BETIMOL OPHTHALMIC (EYE) DROPS | 3 | |
| <i>carteolol ophthalmic (eye) drops</i> | 1 | |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>timolol maleate (pf) ophthalmic (eye) dropperette</i> | 3 | |
| <i>timolol maleate ophthalmic (eye) drops</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 3 | |
| CHOLINESTERASE INHIBITOR MIOTICS | | |
| PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS | 3 | |
| CYCLOPLEGIC MYDRIATICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>atropine ophthalmic (eye) ointment</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| ATROPINE SULFATE (PF) OPHTHALMIC (EYE) DROPPERETTE | 3 | |
| <i>cyclopentolate ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>homatropaire ophthalmic (eye) drops</i> | 1 | |
| <i>tropicamide ophthalmic (eye) drops</i> | 1 | |
| DIRECT ACTING MIOTICS | | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 1 | |
| VUITY OPHTHALMIC (EYE) DROPS | 3 | PA; QL |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| ALOCRILOPHTHALMIC (EYE) DROPS | 3 | ST |
| ALOMIDOPHTHALMIC (EYE) DROPS | 3 | ST |
| <i>azelastine ophthalmic (eye) drops</i> | 2 | |
| <i>bepotastine besilate ophthalmic (eye) drops</i> | 3 | ST |
| CEQUA OPHTHALMIC (EYE) DROPPERETTE | 3 | QL |
| <i>cromolyn ophthalmic (eye) drops</i> | 1 | |
| <i>cyclosporine ophthalmic (eye) dropperette</i> | 1 | QL |
| CYSTADROPS OPHTHALMIC (EYE) DROPS | 4 | PA; QL |
| CYSTARAN OPHTHALMIC (EYE) DROPS | 4 | PA; QL |
| <i>epinastine ophthalmic (eye) drops</i> | 3 | |
| <i>olopatadine ophthalmic (eye) drops</i> | 2 | |
| OXERVATE OPHTHALMIC (EYE) DROPS | 4 | PA; LA; QL |
| TYRVAYA NASAL SPRAY, METERED, NON-AEROSOL | 3 | ST; QL |
| VERKAZIA OPHTHALMIC (EYE) DROPPERETTE | 4 | PA; QL |
| XDEMVIY OPHTHALMIC (EYE) DROPS | 4 | PA; QL |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE | 2 | QL |
| ZERVIAE OPHTHALMIC (EYE) DROPPERETTE | 3 | ST |
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE | 3 | QL |
| <i>bromfenac ophthalmic (eye) drops 0.07 %, 0.09 %</i> | 3 | |
| <i>diclofenac sodium ophthalmic (eye) drops</i> | 1 | |
| <i>flurbiprofen sodium ophthalmic (eye) drops</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| <i>ketorolac ophthalmic (eye) drops 0.4 %</i> | 3 | |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> | 1 | |
| NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| ORAL DRUGS FOR GLAUCOMA | | |
| <i>acetazolamide oral capsule, extended release</i> | 1 | |
| <i>acetazolamide oral tablet</i> | 1 | |
| <i>methazolamide oral tablet</i> | 3 | |
| OTHER GLAUCOMA DRUGS | | |
| <i>bimatoprost ophthalmic (eye) drops</i> | 2 | |
| <i>brimonidine-timolol ophthalmic (eye) drops</i> | 2 | |
| <i>dorzolamide ophthalmic (eye) drops</i> | 1 | |
| <i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette</i> | 3 | |
| <i>dorzolamide-timolol ophthalmic (eye) drops</i> | 1 | |
| <i>latanoprost ophthalmic (eye) drops</i> | 1 | |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 2 | |
| RHOPRESSA OPHTHALMIC (EYE) DROPS | 2 | ST |
| ROCKLATAN OPHTHALMIC (EYE) DROPS | 2 | ST |
| <i>tafluprost (pf) ophthalmic (eye) dropperette</i> | 3 | ST |
| <i>travoprost ophthalmic (eye) drops</i> | 2 | |
| VYZULTA OPHTHALMIC (EYE) DROPS | 3 | ST |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment</i> | 1 | |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension</i> | 3 | |
| <i>neo-polycin hc ophthalmic (eye) ointment</i> | 1 | |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i> | 3 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| STEROIDS | | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> | 2 | |
| <i>difluprednate ophthalmic (eye) drops</i> | 3 | |
| FLAREX OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| <i>fluorometholone ophthalmic (eye) drops,suspension</i> | 1 | |
| FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT | 3 | |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel</i> | 3 | |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension</i> | 3 | |
| MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension</i> | 1 | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops</i> | 1 | |
| STEROID-SULFONAMIDE COMBINATIONS | | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops</i> | 1 | |
| SULFONAMIDES | | |
| <i>sulfacetamide sodium ophthalmic (eye) drops</i> | 2 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| SYMPATHOMIMETICS | | |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 % | 2 | |
| <i>apraclonidine ophthalmic (eye) drops</i> | 3 | |
| <i>brimonidine ophthalmic (eye) drops 0.1 %</i> | 2 | |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i> | 3 | |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 1 | |
| VASOCONSTRICTOR DECONGESTANTS | | |
| <i>phenylephrine hcl ophthalmic (eye) drops</i> | 1 | |
| UPNEEQ (PF) OPHTHALMIC (EYE) DROPPERETTE | 3 | PA; QL |
| RESPIRATORY, ALLERGY, COUGH & COLD | | |
| ANTI-HISTAMINE & ANTI-ALLERGENIC AGENTS | | |
| AUVI-Q INJECTION AUTO-INJECTOR | 3 | QL |
| <i>carbinoxamine maleate oral liquid</i> | 3 | |
| <i>carbinoxamine maleate oral tablet 4 mg</i> | 3 | |
| <i>clemastine oral tablet</i> | 3 | |
| <i>cyproheptadine oral syrup</i> | 3 | |
| <i>cyproheptadine oral tablet</i> | 1 | |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 1 | |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i> | 1 | QL |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 3 | |
| <i>hydroxyzine hcl oral tablet</i> | 1 | |
| <i>hydroxyzine pamoate oral capsule</i> | 1 | |
| <i>levocetirizine oral solution</i> | 3 | |
| <i>levocetirizine oral tablet</i> | 2 | |
| <i>promethazine oral syrup</i> | 1 | |
| <i>promethazine oral tablet</i> | 1 | |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i> | 3 | |
| <i>promethegan rectal suppository</i> | 3 | |
| COUGH & COLD THERAPY | | |
| <i>benzonatate oral capsule 100 mg, 200 mg</i> | 1 | |
| <i>brompheniramine-pseudoeph-dm oral syrup</i> | 1 | |
| <i>codeine-guaifenesin oral liquid</i> | 2 | PA < 18 years of age; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>g tussin ac oral liquid</i> | 2 | PA < 18 years of age; QL |
| <i>hydrocodone-chlorpheniramine oral suspension,extended rel 12 hr</i> | 3 | PA < 18 years of age; QL |
| <i>hydrocodone-homatropine oral syrup 5-1.5 mg/5 ml</i> | 2 | PA < 18 years of age; QL |
| <i>hydrocodone-homatropine oral tablet</i> | 2 | PA < 18 years of age; QL |
| <i>hydromet oral syrup</i> | 2 | PA < 18 years of age; QL |
| <i>maxi-tuss ac oral liquid</i> | 2 | PA < 18 years of age; QL |
| <i>promethazine-codeine oral syrup</i> | 3 | PA < 18 years of age; QL |
| <i>promethazine-dm oral syrup</i> | 1 | |
| <i>promethazine-phenylephrine oral syrup</i> | 2 | |
| PULMONARY AGENTS | | |
| <i>acetylcysteine solution</i> | 1 | |
| ADEMPAS ORAL TABLET | 4 | PA; LA; QL |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER | 2 | QL |
| AIRSUPRA INHALATION HFA AEROSOL INHALER | 2 | ST; QL |
| <i>albuterol sulfate inhalation hfa aerosol inhaler</i> | 1 | QL |
| <i>albuterol sulfate inhalation solution for nebulization</i> | 1 | |
| <i>albuterol sulfate oral syrup</i> | 1 | |
| <i>albuterol sulfate oral tablet</i> | 3 | |
| <i>albuterol sulfate oral tablet extended release 12 hr</i> | 3 | |
| ALVESCO INHALATION HFA AEROSOL INHALER | 3 | ST; QL |
| <i>alyq oral tablet</i> | 1 | PA; QL |
| <i>ambrisentan oral tablet</i> | 4 | PA; LA; QL |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE | 2 | QL |
| <i>arformoterol inhalation solution for nebulization</i> | 3 | |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE | 2 | QL |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 2 | QL |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER | 3 | QL |
| BERINERT INTRAVENOUS KIT | 4 | PA; LA |
| <i>bosentan oral tablet</i> | 4 | PA; LA; QL |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE | 2 | QL |
| <i>breyna inhalation hfa aerosol inhaler</i> | 1 | QL |
| <i>budesonide inhalation suspension for nebulization</i> | 3 | |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler</i> | 1 | QL |
| CINRYZE INTRAVENOUS RECON SOLN | 4 | PA; LA; QL |
| COMBIVENT RESPIMAT INHALATION MIST | 2 | QL |
| DULERA INHALATION HFA AEROSOL INHALER | 2 | QL |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| <i>flunisolide nasal spray,non-aerosol</i> | 3 | |
| FLUTICASONE PROPIONATE INHALATION BLISTER WITH DEVICE | 2 | QL |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER | 2 | QL |
| <i>fluticasone propionate nasal spray,suspension</i> | 1 | |
| FLUTICASONE PROPION-SALMETEROL INHALATION AEROSOL POWDR BREATH ACTIVATED (generic AirDuo) | 1 | QL |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> | 1 | QL |
| <i>formoterol fumarate inhalation solution for nebulization</i> | 3 | |
| HAEGARDA SUBCUTANEOUS RECON SOLN | 4 | PA; LA |
| HYPER-SAL INHALATION SOLUTION FOR NEBULIZATION | 2 | |
| <i>icatibant subcutaneous syringe</i> | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE | 2 | QL |
| <i>ipratropium bromide inhalation solution</i> | 1 | |
| <i>ipratropium-albuterol inhalation solution for nebulization</i> | 1 | |
| KALYDECO ORAL GRANULES IN PACKET | 4 | PA; LA; QL |
| KALYDECO ORAL TABLET | 4 | PA; LA; QL |
| <i>levalbuterol hcl inhalation solution for nebulization</i> | 3 | |
| LEVALBUTEROL TARTRATE INHALATION HFA AEROSOL INHALER | 3 | QL |
| LIQREV ORAL SUSPENSION | 4 | PA; QL |
| <i>mometasone nasal spray, non-aerosol</i> | 3 | ST |
| <i>montelukast oral granules in packet</i> | 3 | QL |
| <i>montelukast oral tablet</i> | 1 | QL |
| <i>montelukast oral tablet, chewable</i> | 1 | QL |
| <i>nebusal inhalation solution for nebulization 3 %</i> | 1 | |
| NEBUSAL INHALATION SOLUTION FOR NEBULIZATION 6 % | 2 | |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| NUCALA SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| OFEV ORAL CAPSULE | 4 | PA; LA; QL |
| OHTUVAYRE INHALATION SUSPENSION FOR NEBULIZATION | 4 | PA; QL |
| OPSUMIT ORAL TABLET | 4 | PA; LA; QL |
| OPSYNVI ORAL TABLET | 4 | PA; QL |
| ORKAMBI ORAL GRANULES IN PACKET | 4 | PA; LA; QL |
| ORKAMBI ORAL TABLET | 4 | PA; LA; QL |
| ORLADEYO ORAL CAPSULE | 4 | PA; LA; QL |
| <i>pirfenidone oral capsule</i> | 4 | PA; LA; QL |
| <i>pirfenidone oral tablet 267 mg, 801 mg</i> | 4 | PA; LA; QL |
| PIRFENIDONE ORAL TABLET 534 MG | 4 | PA; QL |
| <i>pulmosal inhalation solution for nebulization</i> | 1 | |
| PULMOZYME INHALATION SOLUTION | 4 | PA; LA; QL |
| <i>roflumilast oral tablet</i> | 2 | QL |
| RUCONEST INTRAVENOUS RECON SOLN | 4 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>sajazir subcutaneous syringe</i> | 4 | PA; LA; QL |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE | 2 | QL |
| <i>sildenafil (pulm.hypertension) oral suspension for reconstitution</i> | 4 | PA; QL |
| <i>sildenafil (pulm.hypertension) oral tablet</i> | 1 | PA; QL |
| <i>sodium chloride inhalation solution for nebulization</i> | 1 | |
| SPIRIVA RESPIMAT INHALATION MIST | 2 | QL |
| STIOLTO RESPIMAT INHALATION MIST | 2 | QL |
| STRIVERDI RESPIMAT INHALATION MIST | 3 | QL |
| SYMDEKO ORAL TABLETS, SEQUENTIAL | 4 | PA; LA; QL |
| <i>tadalafil (pulm. hypertension) oral tablet</i> | 1 | PA; QL |
| TADLIQ ORAL SUSPENSION | 4 | PA; LA; QL |
| TAKHZYRO SUBCUTANEOUS SOLUTION | 4 | PA; LA; QL |
| TAKHZYRO SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>terbutaline oral tablet</i> | 3 | |
| TEZSPIRE SUBCUTANEOUS PEN INJECTOR | 4 | PA; LA; QL |
| <i>theophylline oral tablet extended release 12 hr</i> | 1 | |
| <i>theophylline oral tablet extended release 24 hr</i> | 1 | |
| <i>tiotropium bromide inhalation capsule, w/inhalation device</i> | 1 | QL |
| TRACLEER ORAL TABLET FOR SUSPENSION | 4 | PA; LA; QL |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE | 2 | QL |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL | 4 | PA; LA; QL |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL | 4 | PA; LA; QL |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 16(112)-32(112) - 48(28) MCG, 32 MCG, 48 MCG, 64 MCG | 4 | PA; LA; QL |
| TYVASO INHALATION SOLUTION FOR NEBULIZATION | 4 | PA; LA; QL |
| TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION | 4 | PA; LA; QL |
| TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION | 4 | PA; LA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| VENTAVIS INHALATION SOLUTION FOR NEBULIZATION | 4 | PA; LA |
| VENTOLIN HFA INHALATION HFA AEROSOL INHALER | 2 | QL |
| WINREVAIR SUBCUTANEOUS KIT | 4 | PA; LA; QL |
| <i>wixela inhub inhalation blister with device</i> | 1 | QL |
| XHANCE NASAL AEROSOL BREATH ACTIVATED | 3 | PA; QL |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR | 4 | PA; LA; QL |
| XOLAIR SUBCUTANEOUS SYRINGE | 4 | PA; LA; QL |
| <i>zafirlukast oral tablet</i> | 3 | QL |
| <i>zileuton oral tablet, er multiphase 12 hr</i> | 4 | PA; QL |

UROLOGICALS

ANTICHOLINERGICS & ANTISPASMODICS

| | | |
|--|---|----|
| <i>fesoterodine oral tablet extended release 24 hr</i> | 2 | |
| <i>flavoxate oral tablet</i> | 1 | |
| <i>mirabegron oral tablet extended release 24 hr</i> | 2 | QL |
| MYRBETRIQ ORAL SUSPENSION,EXTENDED REL RECON | 2 | QL |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR | 2 | QL |
| <i>oxybutynin chloride oral syrup</i> | 1 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 1 | |
| <i>oxybutynin chloride oral tablet extended release 24hr</i> | 1 | |
| <i>solifenacin oral tablet</i> | 2 | |
| <i>tolterodine oral capsule,extended release 24hr</i> | 2 | |
| <i>tolterodine oral tablet</i> | 2 | |
| <i>trospium oral capsule,extended release 24hr</i> | 2 | |
| <i>trospium oral tablet</i> | 2 | |

BENIGN PROSTATIC HYPERPLASIA (BPH) THERAPY

| | | |
|---|---|--|
| <i>alfuzosin oral tablet extended release 24 hr</i> | 1 | |
| <i>dutasteride oral capsule</i> | 2 | |
| <i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr</i> | 3 | |
| <i>finasteride oral tablet 5 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>silodosin oral capsule</i> | 3 | ST |
| <i>tadalafil oral tablet 5 mg</i> | 1 | PA; QL |
| <i>tamsulosin oral capsule</i> | 1 | |
| CHOLINERGIC STIMULANTS | | |
| <i>bethanechol chloride oral tablet</i> | 1 | |
| MISCELLANEOUS UROLOGICALS | | |
| CYSTAGON ORAL CAPSULE | 3 | LA |
| <i>cytra-2 oral solution</i> | 2 | |
| <i>cytra-3 oral solution</i> | 2 | |
| <i>cytra-k oral solution</i> | 2 | |
| ELMIRON ORAL CAPSULE | 3 | |
| <i>methen-sod phos-meth blue-hyos oral tablet</i> | 1 | |
| <i>potassium citrate oral tablet extended release</i> | 1 | |
| <i>potassium citrate-citric acid oral solution</i> | 2 | |
| PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE | 4 | PA; LA; QL |
| PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET | 4 | PA; LA; QL |
| RIVFLOZA SUBCUTANEOUS SOLUTION | 4 | PA; QL |
| RIVFLOZA SUBCUTANEOUS SYRINGE | 4 | PA; QL |
| <i>sodium citrate-citric acid oral solution</i> | 2 | |
| <i>tricitrates oral solution</i> | 2 | |
| <i>uretron d-s oral tablet</i> | 1 | |
| <i>urogesic-blue oral tablet</i> | 1 | |
| <i>uro-mp oral capsule</i> | 3 | |
| <i>uro-sp oral capsule</i> | 3 | |
| <i>uryl oral tablet</i> | 1 | |
| URINARY ANESTHETICS | | |
| <i>phenazopyridine oral tablet 100 mg, 200 mg</i> | 1 | |
| VITAMINS, HEMATINICS & ELECTROLYTES | | |
| ELECTROLYTES | | |
| <i>calcium acetate(phosphat bind) oral capsule</i> | 1 | |
| <i>calcium acetate(phosphat bind) oral tablet</i> | 1 | |
| <i>effe-r-k oral tablet, effervescent 25 meq</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| GALZIN ORAL CAPSULE | 3 | PA |
| <i>klor-con 10 oral tablet extended release</i> | 1 | |
| <i>klor-con 8 oral tablet extended release</i> | 1 | |
| <i>klor-con m10 oral tablet,er particles/crystals</i> | 1 | |
| <i>klor-con m15 oral tablet,er particles/crystals</i> | 3 | |
| <i>klor-con m20 oral tablet,er particles/crystals</i> | 1 | |
| <i>klor-con oral packet</i> | 3 | |
| <i>klor-con/ef oral tablet, effervescent</i> | 2 | |
| <i>k-phos-neutral oral tablet</i> | 2 | |
| <i>phospha 250 neutral oral tablet</i> | 2 | |
| <i>phosphorous oral tablet</i> | 2 | |
| <i>potassium chloride oral capsule, extended release</i> | 1 | |
| <i>potassium chloride oral liquid</i> | 3 | |
| <i>potassium chloride oral packet</i> | 3 | |
| <i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> | 1 | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq, 20 meq</i> | 1 | |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> | 3 | |
| MISCELLANEOUS VITAMINS, HEMATINICS, & ELECTROLYTES | | |
| DOJOLVI ORAL LIQUID | 4 | PA; LA |
| VITAMINS & HEMATINICS | | |
| <i>b complex 1 (with folic acid) oral tablet</i> | 1 | ACA |
| <i>b complex-vitamin c-folic acid oral tablet</i> | 1 | ACA |
| <i>balanced b-100 oral tablet</i> | 1 | ACA |
| <i>b-complex with vitamin c oral tablet 400-500 mcg-mg</i> | 1 | ACA |
| <i>classic prenatal oral tablet</i> | 1 | ACA |
| <i>complete natal dha oral combo pack</i> | 1 | |
| <i>cyanocobalamin (vitamin b-12) injection solution</i> | 1 | |
| <i>dialyvite 800 oral tablet</i> | 1 | ACA |
| <i>dodex injection solution</i> | 1 | |
| <i>elite-ob oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> | 1 | QL |
| <i>ferrex 150 forte oral capsule</i> | 1 | |
| <i>fluoride (sodium) oral drops</i> | 1 | ACA |
| <i>fluoride (sodium) oral tablet,chewable</i> | 1 | ACA |
| <i>folbee oral tablet</i> | 1 | |
| <i>folbic oral tablet</i> | 1 | |
| <i>folic acid oral tablet 1 mg</i> | 1 | |
| <i>folic acid oral tablet 400 mcg, 800 mcg</i> | 1 | ACA |
| <i>folivane-f oral capsule</i> | 3 | |
| <i>folivane-ob oral capsule</i> | 2 | |
| <i>folplex 2.2 oral tablet</i> | 1 | |
| <i>foltabs 800 oral tablet</i> | 1 | ACA |
| <i>full spectrum b-vitamin c oral tablet</i> | 1 | ACA |
| <i>hematinic/folic acid oral tablet</i> | 1 | |
| <i>iferex 150 forte oral capsule</i> | 1 | |
| <i>kobee oral tablet</i> | 1 | ACA |
| <i>ludent fluoride oral tablet,chewable</i> | 1 | ACA |
| <i>m-natal plus oral tablet</i> | 1 | |
| <i>multigen plus oral tablet</i> | 3 | |
| <i>multi-vitamin with fluoride oral drops</i> | 1 | ACA |
| <i>multi-vitamin with fluoride oral tablet,chewable</i> | 1 | ACA |
| <i>mvc-fluoride oral tablet,chewable</i> | 1 | ACA |
| <i>myferon 150 forte oral capsule</i> | 1 | |
| <i>mynatal oral capsule</i> | 1 | |
| <i>mynatal plus oral tablet</i> | 1 | |
| <i>mynatal-z oral tablet</i> | 1 | |
| <i>one daily prenatal oral combo pack</i> | 1 | ACA |
| <i>pnv-dha oral capsule</i> | 2 | |
| <i>pnv-omega oral capsule</i> | 2 | |
| <i>poly-iron 150 forte oral capsule</i> | 1 | |
| <i>pr natal 400 ec oral combo pack,tablet and cap,dr</i> | 1 | |
| <i>pr natal 400 oral combo pack</i> | 1 | |
| <i>pr natal 430 ec oral combo pack,tablet and cap,dr</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>pr natal 430 oral combo pack</i> | 1 | |
| <i>prenatabs fa oral tablet</i> | 1 | |
| <i>prenatabs rx oral tablet</i> | 1 | |
| <i>prenatal complete oral tablet</i> | 1 | ACA |
| <i>prenatal multi-dha (algal oil) oral capsule</i> | 1 | ACA |
| <i>prenatal multivitamins oral tablet</i> | 1 | ACA |
| <i>prenatal one daily oral tablet</i> | 1 | ACA |
| <i>prenatal oral tablet 28 mg iron- 800 mcg</i> | 1 | ACA |
| <i>prenatal plus (calcium carb) oral tablet</i> | 1 | |
| <i>prenatal plus oral tablet</i> | 1 | |
| <i>prenatal vit no.179-iron-folic oral tablet</i> | 1 | ACA |
| <i>prenatal vitamin oral tablet 27 mg iron- 0.8 mg</i> | 1 | ACA |
| <i>prenatal vitamin with minerals oral tablet</i> | 1 | ACA |
| <i>prenatal-u oral capsule</i> | 2 | |
| <i>rena-vite oral tablet</i> | 1 | ACA |
| <i>reno caps oral capsule</i> | 1 | |
| <i>se-natal 19 chewable oral tablet,chewable</i> | 1 | |
| <i>se-natal-19 oral tablet</i> | 1 | |
| <i>soluvita a,c,d with fluoride oral drops</i> | 1 | ACA |
| <i>soluvita oral drops</i> | 1 | ACA |
| <i>stress formula with iron oral tablet</i> | 1 | ACA |
| <i>stress formula with iron(sulf) oral tablet</i> | 1 | ACA |
| <i>super b maxi complex oral tablet</i> | 1 | ACA |
| <i>super quints oral tablet</i> | 1 | ACA |
| <i>taron-c dha oral capsule</i> | 2 | |
| <i>tricon oral capsule</i> | 1 | ACA |
| <i>trigels-f forte oral capsule</i> | 3 | |
| <i>trinatal rx 1 oral tablet</i> | 1 | |
| <i>trinate oral tablet</i> | 1 | |
| <i>tri-vitamin with fluoride oral drops</i> | 1 | ACA |
| <i>vitamin b complex-folic acid oral tablet</i> | 1 | ACA |
| <i>vitamins a,c,d and fluoride oral drops</i> | 1 | ACA |
| <i>wescap-c dha oral capsule</i> | 2 | |
| <i>wescap-pn dha oral capsule</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>wesnatal dha complete oral combo pack</i> | 1 | |
| <i>wesnate dha oral capsule</i> | 1 | |
| <i>westab plus oral tablet</i> | 1 | |
| <i>zatean-pn dha oral capsule</i> | 2 | |
| <i>zatean-pn plus oral capsule</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

| | |
|--|--------|
| A | |
| <i>abacavir</i> | 3 |
| <i>abacavir-lamivudine</i> | 3 |
| ABILIFY ASIMTUFII..... | 26 |
| ABILIFY MAINTENA..... | 26 |
| <i>abiraterone</i> | 11 |
| ABRYSVO (PF)..... | 68 |
| <i>acamprosate</i> | 46 |
| <i>acarbose</i> | 57 |
| <i>accutane</i> | 42 |
| ACE AEROSOL CLOUD ENHANCER..... | 52 |
| <i>acebutolol</i> | 33 |
| <i>acetaminophen-codeine</i> | 23 |
| <i>acetazolamide</i> | 86 |
| <i>acetic acid</i> | 46, 50 |
| <i>acetylcysteine</i> | 89 |
| <i>acitretin</i> | 39 |
| ACTEMRA..... | 72 |
| ACTEMRA ACTPEN..... | 72 |
| ACTHAR..... | 50 |
| ACTHIB (PF)..... | 68 |
| ACTIMMUNE..... | 66 |
| ACUVAIL (PF)..... | 85 |
| <i>acyclovir</i> | 3, 44 |
| ADACEL(TDAP ADOLESN/ADULT)(PF)..... | 68 |
| ADALIMUMAB-ADAZ (ONLY NDCS STARTING WITH 61314)..... | 72, 73 |
| ADALIMUMAB-ADBM..... | 73 |
| ADALIMUMAB-ADBM(CF) PEN CROHNS..... | 73 |
| ADALIMUMAB-ADBM(CF) PEN PS-UV..... | 73 |
| ADALIMUMAB-RYVK..... | 73 |
| <i>adapalene</i> | 42 |
| <i>adapalene-benzoyl peroxide</i> | 42 |
| ADBRY..... | 41 |
| <i>adefovir</i> | 3 |
| ADEMPAS..... | 89 |
| <i>adthyza</i> | 58 |
| ADTHYZA..... | 58 |
| <i>adult aspirin regimen</i> | 24 |
| ADVAIR HFA..... | 89 |
| AEMCOLO..... | 8 |
| AEROCHAMBER MECHANICAL VENT.... | 52 |
| AEROCHAMBER MINI..... | 52 |
| AEROCHAMBER PLUS FLOW-VU..... | 52 |
| AEROCHAMBER PLUS Z STAT..... | 52 |
| AEROTRACH PLUS..... | 52 |
| AEROVENT PLUS..... | 52 |
| <i>afirmelle</i> | 78 |
| AFLURIA TRIV 2024-2025..... | 68 |
| AFLURIA TRIV 2024-2025 (PF)..... | 68 |
| AFREZZA..... | 54 |
| <i>after pill</i> | 78 |
| AGAMREE..... | 50 |
| AIMOVIG AUTOINJECTOR | 20 |
| AIRSUPRA..... | 89 |
| AJOVY AUTOINJECTOR..... | 20 |
| AJOVY SYRINGE..... | 20 |
| AKEEGA..... | 11 |
| AKYNZEO..... | 60 |
| <i>albendazole</i> | 8 |
| <i>albuterol sulfate</i> | 89 |
| <i>alclometasone</i> | 44 |
| ALECENSA..... | 11 |
| <i>alendronate</i> | 72 |
| <i>alfuzosin</i> | 93 |
| ALINIA..... | 8 |
| <i>allopurinol</i> | 72 |
| <i>almotriptan malate</i> | 20 |
| ALOCRIAL..... | 85 |
| ALOMIDE..... | 85 |
| <i>alosetron</i> | 60 |
| ALPHAGAN P..... | 88 |
| <i>alprazolam</i> | 26 |
| <i>alprazolam intensol</i> | 26 |
| ALREX..... | 87 |
| ALTABAX..... | 43 |
| <i>altavera (28)</i> | 78 |
| ALTRENO..... | 42 |
| ALUNBRIG..... | 11, 12 |
| ALVESCO..... | 89 |
| <i>alyacen 1/35 (28)</i> | 78 |
| <i>alyacen 7/7/7 (28)</i> | 78 |
| <i>alyq</i> | 89 |
| <i>amantadine hcl</i> | 3, 4 |
| <i>ambrisentan</i> | 89 |
| <i>amethia</i> | 78 |
| <i>amethyst (28)</i> | 78 |
| <i>amiloride</i> | 33 |
| <i>amiloride-hydrochlorothiazide</i> | 33 |
| <i>aminocaproic acid</i> | 36 |
| <i>amiodarone</i> | 32 |
| <i>amitriptyline</i> | 26 |
| <i>amitriptyline-chlordiazepoxide</i> | 26 |
| <i>amlodipine</i> | 33 |
| <i>amlodipine-atorvastatin</i> | 37 |
| <i>amlodipine-benazepril</i> | 33 |
| <i>ammonium lactate</i> | 41 |
| <i>amnesteem</i> | 42 |
| <i>amoxapine</i> | 26 |
| <i>amoxicil-clarithromy-</i> <i>lansopraz</i> | 64 |
| <i>amoxicillin</i> | 9, 10 |
| <i>amoxicillin-pot clavulanate</i> | 10 |
| <i>amphetamine sulfate</i> | 26 |
| <i>ampicillin</i> | 10 |
| <i>anagrelide</i> | 46 |
| <i>anaspaz</i> | 59 |
| <i>anastrozole</i> | 12 |
| ANNOVERA..... | 77 |
| ANORO ELLIPTA..... | 89 |
| <i>anucort-hc</i> | 60 |
| APIDRA SOLOSTAR U-100 INSULIN..... | 54 |
| APIDRA U-100 INSULIN... | 54 |
| <i>apomorphine</i> | 19 |
| <i>apraclonidine</i> | 88 |
| <i>aprepitant</i> | 60 |
| APRETUDE..... | 4 |
| <i>apri</i> | 78 |
| APTIOM..... | 17 |
| APTIVUS..... | 4 |
| <i>aranelle (28)</i> | 78 |
| ARANESP (IN POLYSORBATE)..... | 65 |
| ARCALYST..... | 65 |
| AREXVY (PF)..... | 68 |
| <i>arformoterol</i> | 89 |
| ARIKAYCE..... | 8 |
| <i>aripiprazole</i> | 26, 27 |
| ARISTADA..... | 27 |
| ARISTADA INITIO..... | 27 |
| <i>armodafinil</i> | 27 |
| ARMOUR THYROID..... | 58 |
| ARNUITY ELLIPTA..... | 89 |
| <i>ascomp with codeine</i> | 23 |

| | | | | | |
|---------------------------------------|--------|---------------------------------------|--------|---|--------|
| <i>asenapine maleate</i> | 27 | <i>bacitracin-polymyxin b</i> | 83 | <i>blisovi 24 fe</i> | 79 |
| <i>ashlyna</i> | 78 | <i>baclofen</i> | 22 | <i>blisovi fe 1.5/30 (28)</i> | 79 |
| ASMANEX HFA | 89 | BAFIERTAM..... | 66 | <i>blisovi fe 1/20 (28)</i> | 79 |
| ASMANEX TWISTHALER | 90 | <i>balanced b-100</i> | 95 | BOOSTRIX TDAP..... | 68 |
| <i>aspirin</i> | 24 | BALCOLTRA | 79 | <i>bosentan</i> | 90 |
| <i>aspirin childrens</i> | 24 | <i>balsalazide</i> | 60 | BOSULIF | 12 |
| <i>aspirin-dipyridamole</i> | 36 | BALVERSA..... | 12 | BRAFTOVI | 12 |
| <i>atazanavir</i> | 4 | <i>balziva (28)</i> | 79 | BREATHERITE MDI | |
| <i>atenolol</i> | 33 | BAQSIMI..... | 52 | SPACER..... | 52 |
| <i>atenolol-chlorthalidone</i> | 33 | BARACLUDGE..... | 4 | BREO ELLIPTA | 90 |
| <i>atomoxetine</i> | 27 | <i>bayer low dose aspirin</i> | 24 | BREXAFEMME | 3 |
| <i>atorvastatin</i> | 37 | <i>b-complex with vitamin c</i> | 95 | <i>breynga</i> | 90 |
| <i>atovaquone</i> | 8 | BD INTEGRA NEEDLE | 53 | <i>briellyn</i> | 79 |
| <i>atovaquone-proguanil</i> | 8 | BD MICROTAINER | | BRILINTA | 36 |
| <i>atropine</i> | 84 | LANCET | 53 | <i>brimonidine</i> | 42, 88 |
| ATROPINE SULFATE (PF) | 85 | BD SPECIALTY USE | | <i>brimonidine-timolol</i> | 86 |
| ATROVENT HFA | 90 | NEEDLES | 53 | BRIVIACT | 17 |
| <i>aubra</i> | 78 | BD ULTRA-FINE NANO | | BRIXADI | 23 |
| <i>aubra eq</i> | 78 | PEN NEEDLE..... | 53 | <i>bromfenac</i> | 85 |
| AUGTYRO | 12 | BELBUCA | 23 | <i>bromocriptine</i> | 19 |
| <i>aurovela 1.5/30 (21)</i> | 78 | <i>benazepril</i> | 33 | <i>brompheniramine-pseudoeph-</i> | |
| <i>aurovela 1/20 (21)</i> | 78 | <i>benazepril-hydrochlorothiazide</i> | | <i>dm</i> | 88 |
| <i>aurovela 24 fe</i> | 78 | | 33 | BRUKINSA..... | 12 |
| <i>aurovela fe 1.5/30 (28)</i> | 78 | BENLYSTA..... | 73 | <i>budesonide</i> | 60, 90 |
| <i>aurovela fe 1-20 (28)</i> | 78 | BENZNIDAZOLE | 8 | <i>budesonide-formoterol</i> | 90 |
| AURYXIA | 60 | <i>benzonatate</i> | 88 | <i>bumetanide</i> | 33 |
| AUSTEDO | 21 | <i>benztropine</i> | 19 | <i>buprenorphine</i> | 23 |
| AUSTEDO XR..... | 21 | <i>bepotastine besilate</i> | 85 | <i>buprenorphine hcl</i> | 23 |
| AUSTEDO XR TITRATION | | BERINERT | 90 | <i>buprenorphine-naloxone</i> | 24 |
| KT(WK1-4)..... | 21 | BESIVANCE..... | 83 | <i>bupropion hcl</i> | 27 |
| AUVELITY..... | 27 | BESREMI..... | 66 | <i>bupropion hcl (smoking deter)</i> | |
| AUVI-Q..... | 88 | <i>betaine</i> | 60 | | 48 |
| <i>aviane</i> | 78 | <i>betamethasone dipropionate</i> | 44 | <i>buspirone</i> | 27 |
| <i>avidoxy</i> | 10 | <i>betamethasone valerate</i> .. | 44, 45 | <i>butalbital-acetaminop-caf-cod</i> | |
| AVONEX | 66 | <i>betamethasone, augmented</i> .. | 45 | | 23 |
| AVSOLA..... | 60 | BETASERON | 66 | <i>butalbital-acetaminophen</i> | 23 |
| <i>ayuna</i> | 78 | <i>betaxolol</i> | 33, 84 | <i>butalbital-acetaminophen-caff</i> | |
| AYVAKIT..... | 12 | <i>bethanechol chloride</i> | 94 | | 23 |
| AZASITE | 83 | BETIMOL | 84 | <i>butalbital-aspirin-caffeine</i> | 23 |
| <i>azathioprine</i> | 12 | <i>bexarotene</i> | 12 | <i>butorphanol</i> | 24 |
| <i>azelaic acid</i> | 42 | BEXSERO..... | 68 | BYLVAY | 60 |
| <i>azelastine</i> | 49, 85 | BEYFORTUS..... | 4 | C | |
| AZELEX | 42 | <i>bicalutamide</i> | 12 | CABENUVA..... | 4 |
| <i>azithromycin</i> | 7 | BIKTARVY | 4 | <i>cabergoline</i> | 55 |
| AZSTARYS | 27 | <i>bimatoprost</i> | 86 | CABLIVI..... | 36 |
| <i>azurette (28)</i> | 79 | BIMZELX | 39 | CABOMETYX..... | 12 |
| B | | BIMZELX AUTOINJECTOR | | <i>calcipotriene</i> | 39 |
| <i>b complex 1 (with folic acid)</i> | 95 | | 39 | <i>calcitonin (salmon)</i> | 55 |
| <i>b complex-vitamin c-folic acid</i> | | <i>bisoprolol fumarate</i> | 33 | <i>calcitriol</i> | 39, 55 |
| | 95 | <i>bisoprolol-hydrochlorothiazide</i> | | | 94 |
| <i>bacitracin</i> | 83 | | 33 | | |

| | | | | | |
|---|----|--|------------|---|--------|
| CALQUENCE..... | 12 | <i>chlorpromazine</i> | 27 | <i>clotrimazole-betamethasone</i> | 44 |
| <i>camila</i> | 76 | <i>chlorthalidone</i> | 33 | <i>clozapine</i> | 27 |
| <i>camrese</i> | 79 | <i>chlorzoxazone</i> | 22 | COARTEM..... | 8 |
| <i>camrese lo</i> | 79 | CHOLBAM..... | 60 | <i>codeine sulfate</i> | 23 |
| CAMZYOS..... | 39 | <i>cholestyramine (with sugar)</i> | 37 | <i>codeine-butalbital-asa-caff</i> | 23 |
| <i>candesartan</i> | 33 | <i>cholestyramine light</i> | 37 | <i>codeine-guaifenesin</i> | 88 |
| <i>capecitabine</i> | 12 | CIBINQO..... | 41 | <i>colchicine</i> | 72 |
| CAPLYTA..... | 27 | <i>ciclodan</i> | 44 | <i>colesevelam</i> | 38 |
| CAPRELSA..... | 12 | <i>ciclopirox</i> | 44 | <i>colestipol</i> | 38 |
| <i>captopril</i> | 33 | <i>cilostazol</i> | 36 | COMBIVENT RESPIMAT..... | 90 |
| <i>captopril-hydrochlorothiazide</i> | 33 | CILOXAN..... | 83 | COMETRIQ..... | 12 |
| CAPVAXIVE..... | 68 | CIMDUO..... | 4 | COMIRNATY 2024-25 (12Y UP)(PF)..... | 68 |
| <i>carbamazepine</i> | 17 | <i>cimetidine</i> | 64 | COMPACT SPACE CHAMBER..... | 52 |
| <i>carbidopa</i> | 20 | <i>cimetidine hcl</i> | 64 | COMPLERA..... | 4 |
| <i>carbidopa-levodopa</i> | 20 | CIMZIA..... | 60 | <i>complete natal dha</i> | 95 |
| <i>carbidopa-levodopa-</i> <i>entacapone</i> | 20 | <i>cinacalcet</i> | 55 | <i>compro</i> | 61 |
| <i>carbinoxamine maleate</i> | 88 | CINRYZE..... | 90 | <i>constulose</i> | 61 |
| <i>carglumic acid</i> | 46 | CIPRO HC..... | 50 | COPIKTRA..... | 12 |
| <i>carisoprodol</i> | 22 | <i>ciprofloxacin</i> | 10 | CORLANOR..... | 39 |
| <i>carisoprodol-aspirin-codeine</i> | 22 | <i>ciprofloxacin hcl</i> | 10, 50, 83 | <i>cortisone</i> | 50 |
| <i>carteolol</i> | 84 | <i>ciprofloxacin-dexamethasone</i> | 50 | CORTISPORIN-TC..... | 50 |
| <i>cartia xt</i> | 33 | <i>cialopram</i> | 27 | CORTROPHIN GEL..... | 50 |
| <i>carvedilol</i> | 33 | <i>citrate of magnesia</i> | 60 | COSENTYX..... | 40 |
| CAYA CONTOURED..... | 75 | <i>citroma</i> | 61 | COSENTYX (2 SYRINGES) | 40 |
| CAYSTON..... | 8 | <i>claravis</i> | 42 | COSENTYX PEN..... | 40 |
| <i>caziant (28)</i> | 79 | <i>clarithromycin</i> | 7 | COSENTYX PEN (2 PENS)..... | 40 |
| <i>cefaclor</i> | 7 | <i>classic prenatal</i> | 95 | COSENTYX UNOREADY PEN..... | 40 |
| <i>cefadroxil</i> | 7 | <i>clearlax</i> | 61 | COTELLIC..... | 12 |
| <i>cefdinir</i> | 7 | <i>clemastine</i> | 88 | <i>covaryx</i> | 76 |
| <i>cefixime</i> | 7 | CLENPIQ..... | 61 | <i>covaryx h.s.</i> | 76 |
| <i>cefpodoxime</i> | 7 | <i>clindacin etz</i> | 42 | CREON..... | 61 |
| <i>cefprozil</i> | 7 | <i>clindacin p</i> | 42 | CRESEMBA..... | 3 |
| <i>cefuroxime axetil</i> | 7 | <i>clindamycin hcl</i> | 8 | CRINONE..... | 76 |
| <i>celecoxib</i> | 25 | <i>clindamycin pediatric</i> | 8 | <i>cromolyn</i> | 61, 85 |
| <i>cephalexin</i> | 7 | <i>clindamycin phosphate</i> | 42, 77 | <i>crotan</i> | 46 |
| CEQUA..... | 85 | <i>clindamycin-benzoyl peroxide</i> | 42 | <i>cryselle (28)</i> | 79 |
| CEQR SIMPLICITY..... | 53 | CLINPRO 5000..... | 49 | <i>curae</i> | 79 |
| CERDELGA..... | 55 | <i>clobazam</i> | 17 | CUVITRU..... | 68 |
| <i>cevimeline</i> | 46 | <i>clobetasol</i> | 45 | CUVRIOR..... | 46 |
| <i>charlotte 24 fe</i> | 79 | <i>clobetasol-emollient</i> | 45 | <i>cyanocobalamin (vitamin b-12)</i> | 95 |
| <i>chateal (28)</i> | 79 | <i>clomid</i> | 56 | <i>cyclobenzaprine</i> | 22 |
| <i>chateal eq (28)</i> | 79 | <i>clomiphene citrate</i> | 56 | <i>cyclopentolate</i> | 85 |
| CHEMET..... | 46 | <i>clomipramine</i> | 27 | <i>cyclophosphamide</i> | 12 |
| CHENODAL..... | 60 | <i>clonazepam</i> | 17 | <i>cycloserine</i> | 8 |
| <i>chlordiazepoxide hcl</i> | 27 | <i>clonidine</i> | 33 | CYCLOSET..... | 57 |
| <i>chlordiazepoxide-clidinium</i> | 59 | <i>clonidine hcl</i> | 27, 33 | <i>cyclosporine</i> | 12, 85 |
| <i>chlorhexidine gluconate</i> | 49 | <i>clopidogrel</i> | 36 | | |
| <i>chloroquine phosphate</i> | 8 | <i>clorazepate dipotassium</i> | 27 | | |
| | | <i>clotrimazole</i> | 3 | | |

| | | | | | |
|---|--------|---------------------------------------|--------|---|--------|
| <i>cyclosporine modified</i> | 12 | <i>desonide</i> | 45 | <i>donepezil</i> | 21 |
| CYLTEZO(CF) | 73 | <i>desoximetasone</i> | 45 | DOPTELET (15 TAB PACK) | |
| CYLTEZO(CF) PEN..... | 73 | DESVENLAFAXINE | 27 | | 36 |
| CYLTEZO(CF) PEN | | <i>desvenlafaxine succinate</i> | 27 | <i>dorzolamide</i> | 86 |
| CROHN'S-UC-HS..... | 73 | <i>dexamethasone</i> | 51 | <i>dorzolamide-timolol</i> | 86 |
| CYLTEZO(CF) PEN | | <i>dexamethasone intensol</i> | 51 | <i>dorzolamide-timolol (pf)</i> | 86 |
| PSORIASIS-UV | 73 | <i>dexamethasone sodium phos</i> | | <i>dotti</i> | 76 |
| <i>cyproheptadine</i> | 88 | (pf) | 51 | DOVATO | 4 |
| <i>cyred</i> | 79 | <i>dexamethasone sodium</i> | | <i>doxazosin</i> | 33 |
| <i>cyred eq</i> | 79 | <i>phosphate</i> | 51, 87 | <i>doxepin</i> | 28 |
| CYSTADROPS..... | 85 | DEXCOM G6 RECEIVER .. | 53 | <i>doxercalciferol</i> | 56 |
| CYSTAGON | 94 | DEXCOM G6 SENSOR | 53 | <i>doxycycline hyclate</i> | 10, 11 |
| CYSTARAN | 85 | DEXCOM G6 | | <i>doxycycline monohydrate</i> | 11 |
| <i>cytra-2</i> | 94 | TRANSMITTER..... | 53 | <i>drithocrema hp</i> | 40 |
| <i>cytra-3</i> | 94 | DEXCOM G7 RECEIVER .. | 53 | <i>dronabinol</i> | 61 |
| <i>cytra-k</i> | 94 | DEXCOM G7 SENSOR | 53 | <i>drospirenone-e.estradiol-lm.fa</i> | |
| D | | <i>dexmethylphenidate</i> | 27, 28 | | 79 |
| <i>dabigatran etexilate</i> | 36 | <i>dextroamphetamine sulfate</i> .. | 28 | <i>drospirenone-ethinyl estradiol</i> | |
| <i>dalfampridine</i> | 21 | <i>dextroamphetamine-</i> | | | 79 |
| <i>danazol</i> | 56 | <i>amphetamine</i> | 28 | <i>droxidopa</i> | 47 |
| <i>dantrolene</i> | 22 | DIACOMIT | 17 | DRYSOL DAB-O-MATIC .. | 41 |
| <i>dapsone</i> | 8, 42 | <i>dialyvite 800</i> | 95 | DUAVEE..... | 76 |
| DAPTACEL (DTAP | | <i>diazepam</i> | 17, 28 | DULERA | 90 |
| PEDIATRIC) (PF)..... | 68 | <i>diazepam intensol</i> | 28 | <i>duloxetine</i> | 28 |
| <i>darunavir</i> | 4 | <i>diazoxide</i> | 52 | DUOPA | 20 |
| <i>dasatinib</i> | 12 | <i>dichlorphenamide</i> | 21 | DUPIXENT PEN..... | 41 |
| <i>dasetta 1/35 (28)</i> | 79 | <i>diclofenac potassium</i> | 25 | DUPIXENT SYRINGE..... | 41 |
| <i>dasetta 7/7/7 (28)</i> | 79 | <i>diclofenac sodium</i> | 25, 85 | DUREX AVANTI BARE | |
| DAURISMO..... | 12 | <i>diclofenac-misoprostol</i> | 25 | REAL FEEL | 75 |
| DAYBUE | 21 | <i>dicloxacillin</i> | 10 | DUREX TROPICAL | |
| <i>daysee</i> | 79 | <i>dicyclomine</i> | 59 | CONDOM | 75 |
| DAYVIGO | 27 | DIFICID | 7 | <i>dutasteride</i> | 93 |
| <i>deblitane</i> | 76 | <i>diflunisal</i> | 25 | <i>dutasteride-tamsulosin</i> | 93 |
| <i>deferasirox</i> | 47 | <i>difluprednate</i> | 87 | DUVYZAT | 47 |
| <i>deferiprone</i> | 47 | <i>digoxin</i> | 36 | E | |
| <i>deflazacort</i> | 50, 51 | <i>dihydroergotamine</i> | 20 | <i>e.e.s. 400</i> | 7 |
| DELSTRIGO..... | 4 | DILANTIN..... | 17 | EASIVENT HOLDING | |
| <i>demeclocycline</i> | 10 | <i>diltiazem</i> | 33 | CHAMBER | 52 |
| <i>denta 5000 plus</i> | 49 | <i>dilt-xr</i> | 33 | <i>econazole</i> | 44 |
| <i>denta 5000 plus sensitive</i> | 49 | <i>dimethyl fumarate</i> | 66 | <i>econtra ez</i> | 79 |
| <i>dentagel</i> | 49 | DIPENTUM | 61 | <i>econtra one-step</i> | 79 |
| DEPO-ESTRADIOL..... | 76 | <i>diphenhydramine hcl</i> | 88 | <i>ecotrin low strength</i> | 25 |
| DEPO-MEDROL | 51 | <i>diphenoxylate-atropine</i> | 59 | <i>ed-spaz</i> | 59 |
| DEPO-SUBQ PROVERA 104 | | <i>dipyridamole</i> | 36 | EDURANT | 4 |
| | 76 | <i>disopyramide phosphate</i> | 32 | <i>eemt</i> | 76 |
| <i>dermacinrx lidocan</i> | 43 | <i>disulfiram</i> | 47 | <i>eemt hs</i> | 76 |
| DESCOVY | 4 | <i>divalproex</i> | 18 | <i>efavirenz</i> | 4 |
| <i>desipramine</i> | 27 | <i>dodex</i> | 95 | <i>efavirenz-emtricitabin-tenofov</i> 4 | |
| <i>desmopressin</i> | 56 | <i>dofetilide</i> | 32 | <i>efavirenz-lamivu-tenofov disop</i> | |
| DESMOPRESSIN..... | 56 | DOJOLVI | 95 | | 4 |
| <i>desog-e.estradiol/e.estradiol</i> 79 | | <i>dolishale</i> | 79 | <i>effer-k</i> | 94 |

| | | | | | |
|--|----|--|-------|--|----|
| EGRIFTA SV | 66 | <i>epoprostenol</i> | 34 | <i>ezetimibe-simvastatin</i> | 38 |
| <i>eletriptan</i> | 20 | <i>eprosartan</i> | 34 | F | |
| <i>elimest</i> | 79 | <i>ergocalciferol (vitamin d2)</i> ... | 96 | FABHALTA | 47 |
| ELIQUIS | 37 | <i>ergoloid</i> | 28 | FACTIVE | 10 |
| ELIQUIS DVT-PE TREAT | | <i>ergotamine-caffeine</i> | 21 | <i>falmina (28)</i> | 79 |
| 30D START | 37 | ERIVEDGE | 12 | <i>famciclovir</i> | 4 |
| <i>elite-ob</i> | 95 | ERLEADA | 12 | <i>famotidine</i> | 64 |
| ELLA..... | 79 | <i>erlotinib</i> | 12 | FANAPT..... | 28 |
| ELMIRON..... | 94 | <i>errin</i> | 76 | FARXIGA | 57 |
| <i>eluryng</i> | 77 | <i>ery pads</i> | 42 | FASENRA PEN | 90 |
| EMEND..... | 61 | <i>erygel</i> | 42 | FC2 FEMALE CONDOM .. | 75 |
| EMFLAZA | 51 | <i>ery-tab</i> | 8 | <i>febuxostat</i> | 72 |
| EMGALITY PEN | 20 | <i>erythrocin (as stearate)</i> | 8 | <i>felbamate</i> | 18 |
| EMGALITY SYRINGE..... | 20 | <i>erythromycin</i> | 8, 83 | <i>felodipine</i> | 34 |
| EMPAVELI..... | 47 | <i>erythromycin ethylsuccinate</i> ... | 8 | FEMCAP | 75 |
| <i>emtricitabine</i> | 4 | <i>erythromycin with ethanol</i> | 42 | FEMLYV | 79 |
| <i>emtricitabine-tenofovir (tdf)</i> ... | 4 | <i>erythromycin-benzoyl peroxide</i> | | <i>fenofibrate</i> | 38 |
| EMTRIVA..... | 4 | | 42 | <i>fenofibrate micronized</i> | 38 |
| EMVERM | 8 | <i>escitalopram oxalate</i> | 28 | <i>fenofibrate nanocrystallized</i> . | 38 |
| <i>emzahn</i> | 76 | <i>esomeprazole magnesium</i> | 64 | <i>fenofibric acid (choline)</i> | 38 |
| <i>enalapril maleate</i> | 33 | <i>estarylla</i> | 79 | <i>fenopropfen</i> | 25 |
| <i>enalapril-hydrochlorothiazide</i> | | <i>estazolam</i> | 28 | <i>fentanyl</i> | 23 |
| | 33 | <i>estradiol</i> | 76 | <i>fentanyl citrate</i> | 23 |
| ENBREL | 73 | <i>estradiol valerate</i> | 76 | <i>ferrex 150 forte</i> | 96 |
| ENBREL MINI | 73 | <i>estradiol-norethindrone acet</i> | 76 | FERRIPROX | 47 |
| ENBREL SURECLICK | 73 | ESTRING | 76 | <i>fesoterodine</i> | 93 |
| ENDARI..... | 47 | ESTROGEL..... | 76 | FETZIMA | 28 |
| <i>endocet</i> | 23 | <i>estrogens-methyltestosterone</i> | 76 | FILSPARI..... | 39 |
| ENGERIX-B (PF) | 68 | <i>eszopiclone</i> | 28 | FINACEA | 42 |
| ENGERIX-B PEDIATRIC | | <i>ethacrynic acid</i> | 34 | <i>finasteride</i> | 93 |
| (PF)..... | 68 | <i>ethambutol</i> | 8 | <i>finngolimod</i> | 66 |
| <i>enilloring</i> | 77 | <i>ethosuximide</i> | 18 | FINTEPLA | 18 |
| <i>enoxaparin</i> | 37 | <i>ethynodiol diac-eth estradiol</i> | 79 | <i>finzala</i> | 80 |
| <i>enpresse</i> | 79 | <i>etodolac</i> | 25 | FIRDAPSE | 22 |
| <i>enskyce</i> | 79 | <i>etonogestrel-ethinyl estradiol</i> | | FIRVANQ | 11 |
| ENSPRYNG..... | 12 | | 77 | <i>flac otic oil</i> | 50 |
| <i>entacapone</i> | 20 | <i>etoposide</i> | 12 | FLAREX..... | 87 |
| <i>entecavir</i> | 4 | <i>etravirine</i> | 4 | <i>flavoxate</i> | 93 |
| ENTRESTO | 39 | EUCRISA..... | 41 | <i>flecainide</i> | 32 |
| ENTRESTO SPRINKLE | 39 | <i>euthyrox</i> | 58 | FLOLAN | 34 |
| ENTYVIO | 61 | EVAMIST | 76 | FLUAD TRIV 2024-25(65Y | |
| ENTYVIO PEN..... | 61 | EVENITY..... | 72 | UP)(PF)..... | 68 |
| <i>enulose</i> | 61 | <i>everolimus (antineoplastic)</i> .. | 12 | FLUARIX TRIV 2024-2025 | |
| EOHILIA..... | 61 | <i>everolimus</i> | | (PF)..... | 68 |
| EPCLUSA | 4 | (immunosuppressive)..... | 13 | FLUBLOK TRIV 2024-2025 | |
| EPIDIOLEX | 18 | EVOTAZ..... | 4 | (PF)..... | 68 |
| <i>epinastine</i> | 85 | EVRYSDI..... | 21 | FLUCELVAX TRIV 2024- | |
| <i>epinephrine</i> | 88 | <i>exemestane</i> | 13 | 2025 | 69 |
| <i>epitol</i> | 18 | <i>ezetimibe</i> | 38 | FLUCELVAX TRIV 2024- | |
| <i>eplerenone</i> | 33 | EZETIMIBE- | | 2025 (PF)..... | 69 |
| EPOGEN | 65 | ROSUVASTATIN | 38 | <i>fluconazole</i> | 3 |

| | | | | | |
|--|--------|--|----|---|--------|
| <i>flucytosine</i> | 3 | <i>formoterol fumarate</i> | 90 | <i>gengraf</i> | 13 |
| <i>fludrocortisone</i> | 51 | <i>fosamprenavir</i> | 4 | GENOTROPIN..... | 66 |
| FLULAVAL TRIV 2024-2025 | | <i>fosfomycin tromethamine</i> | 11 | GENOTROPIN MINIQUICK | |
| (PF)..... | 69 | <i>fosinopril</i> | 34 | | 66 |
| FLUMIST TRIVALENT | | <i>fosinopril-hydrochlorothiazide</i> | | <i>gentamicin</i> | 43, 84 |
| 2024-2025..... | 69 | | 34 | <i>gentle laxative (bisacodyl)</i> | 61 |
| <i>flunisolide</i> | 90 | FOTIVDA | 13 | <i>gentle laxative (mag hydrox)</i> | 61 |
| <i>fluocinolone</i> | 45 | FRAGMIN..... | 37 | <i>gentlelax</i> | 61 |
| <i>fluocinolone acetonide oil</i> | 50 | FREESTYLE LIBRE 14 DAY | | GENVOYA | 4 |
| <i>fluocinolone and shower cap</i> | 45 | READER..... | 53 | GILENYA | 67 |
| <i>fluocinonide</i> | 45 | FREESTYLE LIBRE 14 DAY | | GILOTRIF | 13 |
| <i>fluocinonide-e</i> | 45 | SENSOR..... | 53 | <i>glatiramer</i> | 67 |
| <i>fluoride (sodium)</i> | 49, 96 | FREESTYLE LIBRE 2 | | <i>glatopa</i> | 67 |
| FLUORIDEX DAILY | | READER..... | 53 | GLEOSTINE | 13 |
| DEFENSE | 49 | FREESTYLE LIBRE 2 | | <i>glimepiride</i> | 57 |
| FLUORIDEX SENSITIVITY | | SENSOR..... | 53 | <i>glipizide</i> | 57 |
| RELIEF | 49 | FREESTYLE LIBRE 3 PLUS | | GLIPIZIDE..... | 57 |
| FLUORIMAX 5000 | 49 | SENSOR..... | 53 | <i>glipizide-metformin</i> | 57 |
| FLUORIMAX 5000 | | FREESTYLE LIBRE 3 | | GLUCAGON (HCL) | |
| SENSITIVE..... | 49 | READER..... | 53 | EMERGENCY KIT..... | 52 |
| <i>fluorometholone</i> | 87 | FREESTYLE LIBRE 3 | | <i>glucagon emergency kit</i> | |
| <i>fluorouracil</i> | 41 | SENSOR..... | 53 | (human)..... | 52 |
| <i>fluoxetine</i> | 28 | <i>frovatriptan</i> | 21 | <i>glutamine (sickle cell)</i> | 47 |
| <i>fluphenazine decanoate</i> | 28 | FRUZAQLA..... | 13 | <i>glyburide</i> | 57 |
| <i>fluphenazine hcl</i> | 28, 29 | <i>full spectrum b-vitamin c</i> | 96 | <i>glyburide micronized</i> | 57 |
| <i>flurazepam</i> | 29 | FULPHILA..... | 65 | <i>glyburide-metformin</i> | 57 |
| <i>flurbiprofen</i> | 25 | FUROSCIX | 34 | <i>glycopyrrolate</i> | 59 |
| <i>flurbiprofen sodium</i> | 85 | <i>furosemide</i> | 34 | GLYXAMBI..... | 57 |
| <i>fluticasone propionate</i> | 45, 90 | FUZEON | 4 | GRALISE | 18 |
| FLUTICASONE | | <i>fyavolv</i> | 76 | <i>granisetron hcl</i> | 61 |
| PROPIONATE | 90 | FYCOMPA..... | 18 | GRANIX..... | 65 |
| <i>fluticasone propion-salmeterol</i> | | FYLNETRA | 65 | GRASTEK..... | 69 |
| | 90 | G | | <i>griseofulvin microsize</i> | 3 |
| FLUTICASONE PROPION- | | <i>g tussin ac</i> | 89 | <i>griseofulvin ultramicrosize</i> | 3 |
| SALMETEROL | 90 | <i>gabapentin</i> | 18 | <i>guanfacine</i> | 29, 34 |
| <i>fluvoxamine</i> | 29 | GALAFOLD | 56 | GVOKE | 53 |
| FLUZONE HIGH-DOSE | | <i>galantamine</i> | 22 | GVOKE HYPOPEN 2-PACK | |
| TRIV 24-25 | 69 | <i>gallifrey</i> | 76 | | 52 |
| FLUZONE TRIV 2024-2025 | | GALZIN | 95 | GVOKE PFS 2-PACK | |
| | 69 | GARDASIL 9 (PF)..... | 69 | SYRINGE..... | 53 |
| FLUZONE TRIV 2024-2025 | | <i>gatifloxacin</i> | 83 | GYNAZOLE-1 | 77 |
| (PF)..... | 69 | GATTEX 30-VIAL | 61 | H | |
| FML FORTE | 87 | <i>gavilax</i> | 61 | HAEGARDA..... | 90 |
| <i>folbee</i> | 96 | <i>gavilyte-c</i> | 61 | <i>hailey</i> | 80 |
| <i>folbic</i> | 96 | <i>gavilyte-g</i> | 61 | <i>hailey 24 fe</i> | 80 |
| <i>folic acid</i> | 96 | <i>gavilyte-n</i> | 61 | <i>hailey fe 1.5/30 (28)</i> | 80 |
| <i>folivane-f</i> | 96 | GAVRETO..... | 13 | <i>hailey fe 1/20 (28)</i> | 80 |
| <i>folivane-ob</i> | 96 | <i>gefitinib</i> | 13 | <i>halcinonide</i> | 45 |
| <i>folplex 2.2</i> | 96 | <i>gemfibrozil</i> | 38 | <i>halobetasol propionate</i> | 45 |
| <i>foltabs 800</i> | 96 | <i>gemmily</i> | 80 | <i>haloette</i> | 77 |
| <i>fondaparinux</i> | 37 | <i>generlac</i> | 61 | <i>haloperidol</i> | 29 |

| | | | | | |
|------------------------------------|----|---------------------------------------|----------------|-------------------------------|----|
| <i>haloperidol decanoate</i> | 29 | HUMULIN 70/30 U-100 | | HYRIMOZ(CF) (ONLY | |
| <i>haloperidol lactate</i> | 29 | INSULIN | 54 | NDCS STARTING WITH | |
| HARVONI | 5 | HUMULIN 70/30 U-100 | | 61314)..... | 74 |
| HAVRIX (PF) | 69 | KWIKPEN..... | 54 | HYRIMOZ(CF) PEDIATRIC | |
| <i>heather</i> | 76 | HUMULIN N NPH INSULIN | | CROHN'S STARTER | |
| <i>hematinic/folic acid</i> | 96 | KWIKPEN..... | 54 | (ONLY NDCS STARTING | |
| <i>hemmorex-hc</i> | 61 | HUMULIN N NPH U-100 | | WITH 61314) | 74 |
| <i>heparin (porcine)</i> | 37 | INSULIN | 55 | HYRIMOZ(CF) PEN (ONLY | |
| <i>heparin, porcine (pf)</i> | 37 | HUMULIN R REGULAR U- | | NDCS STARTING WITH | |
| HEPLISAV-B (PF) | 69 | 100 INSULN | 55 | 61314)..... | 74 |
| <i>her style</i> | 80 | HUMULIN R U-500 (CONC) | | I | |
| HETLIOZ LQ..... | 29 | INSULIN | 55 | <i>ibandronate</i> | 72 |
| HIBERIX (PF)..... | 69 | HUMULIN R U-500 (CONC) | | IBRANCE..... | 13 |
| <i>homatropaire</i> | 85 | KWIKPEN..... | 55 | IBSRELA | 61 |
| HORIZANT | 22 | HYCAMTIN | 13 | <i>ibu</i> | 25 |
| HUMALOG JUNIOR | | <i>hydralazine</i> | 34 | <i>ibuprofen</i> | 25 |
| KWIKPEN U-100 | 54 | <i>hydrochlorothiazide</i> | 34 | <i>icatibant</i> | 90 |
| HUMALOG KWIKPEN | | <i>hydrocodone bitartrate</i> | 23 | <i>iclevia</i> | 80 |
| INSULIN..... | 54 | <i>hydrocodone-acetaminophen</i> | | ICLUSIG | 13 |
| HUMALOG MIX 50-50 | | | 23, 24 | <i>icosapent ethyl</i> | 38 |
| KWIKPEN | 54 | <i>hydrocodone-</i> | | IDHIFA..... | 13 |
| HUMALOG MIX 75-25 | | <i>chlorpheniramine</i> | 89 | <i>iferex 150 forte</i> | 96 |
| KWIKPEN | 54 | <i>hydrocodone-homatropine</i> .. | 89 | ILEVRO | 86 |
| HUMALOG MIX 75-25(U- | | <i>hydrocodone-ibuprofen</i> | 24 | <i>imatinib</i> | 13 |
| 100)INSULN..... | 54 | <i>hydrocortisone</i> | 45, 46, 51, 61 | IMBRUVICA | 13 |
| HUMALOG U-100 INSULIN | | <i>hydrocortisone acetate</i> | 61 | IMCIVREE..... | 46 |
| | 54 | <i>hydrocortisone butyrate</i> | 45 | <i>imipramine hcl</i> | 29 |
| HUMIRA (ONLY NDCS | | <i>hydrocortisone valerate</i> | 46 | <i>imiquimod</i> | 65 |
| STARTING WITH 00074) | | <i>hydrocortisone-acetic acid</i> ... | 50 | INBRIJA..... | 20 |
| | 73 | <i>hydrocortisone-pramoxine</i> .. | 40, | <i>incassia</i> | 76 |
| HUMIRA PEN (ONLY NDCS | | 61 | | INCRELEX | 47 |
| STARTING WITH 00074) | | <i>hydromet</i> | 89 | INCRUSE ELLIPTA..... | 91 |
| | 73 | <i>hydromorphone</i> | 24 | <i>indapamide</i> | 34 |
| HUMIRA(CF) (ONLY NDCS | | <i>hydroxychloroquine</i> | 8 | <i>indomethacin</i> | 25 |
| STARTING WITH 00074) | | <i>hydroxyurea</i> | 13 | INFANRIX (DTAP) (PF).... | 69 |
| | 74 | <i>hydroxyzine hcl</i> | 88 | INFLECTRA | 62 |
| HUMIRA(CF) PEN (ONLY | | <i>hydroxyzine pamoate</i> | 88 | INFLIXIMAB..... | 62 |
| NDCS STARTING WITH | | HYFTOR | 41 | INGREZZA | 22 |
| 00074)..... | 74 | <i>hyoscyamine sulfate</i> | 59 | INGREZZA SPRINKLE | 22 |
| HUMIRA(CF) PEN | | <i>hyosyne</i> | 59 | INLYTA | 13 |
| CROHN'S-UC-HS (ONLY | | HYPER-SAL | 90 | INPEN (FOR HUMALOG) | |
| NDCS STARTING WITH | | HYRIMOZ PEN CROHN'S- | | PINK..... | 53 |
| 00074)..... | 74 | UC STARTER (ONLY | | INQOVI..... | 13 |
| HUMIRA(CF) PEN | | NDCS STARTING WITH | | INREBIC | 13 |
| PEDIATRIC UCS (ONLY | | 61314)..... | 74 | INSULIN ASP PRT-INSULIN | |
| NDCS STARTING WITH | | HYRIMOZ PEN PSORIASIS | | ASPART..... | 55 |
| 00074)..... | 74 | STARTER (ONLY NDCS | | INSULIN GLARGINE U-300 | |
| HUMIRA(CF) PEN PSOR- | | STARTING WITH 61314) | | CONC | 55 |
| UV-ADOL HS (ONLY | | | 74 | INSULIN SYRINGE- | |
| NDCS STARTING WITH | | | | NEEDLE U-100 | 52 |
| 00074)..... | 74 | | | INTELENCE | 5 |

| | |
|--|--------|
| INVEGA HAFYERA..... | 29 |
| INVEGA SUSTENNA..... | 29 |
| INVEGA TRINZA..... | 29 |
| INVELTYS..... | 87 |
| IPOL..... | 69 |
| <i>ipratropium bromide</i> | 49, 91 |
| <i>ipratropium-albuterol</i> | 91 |
| IQIRVO..... | 62 |
| <i>irbesartan</i> | 34 |
| <i>irbesartan-hydrochlorothiazide</i> | 34 |
| ISENTRESS..... | 5 |
| ISENTRESS HD..... | 5 |
| <i>isibloom</i> | 80 |
| <i>isoniazid</i> | 8 |
| <i>isosorbide dinitrate</i> | 39 |
| <i>isosorbide mononitrate</i> | 39 |
| <i>isotretinoin</i> | 43 |
| <i>isradipine</i> | 34 |
| ISTURISA..... | 56 |
| <i>itraconazole</i> | 3 |
| <i>ivabradine</i> | 39 |
| <i>ivermectin</i> | 8 |
| IWILFIN..... | 13 |
| J | |
| <i>jaimiess</i> | 80 |
| JAKAFI..... | 13 |
| <i>jantoven</i> | 37 |
| JARDIANCE..... | 57 |
| <i>jasmiel (28)</i> | 80 |
| <i>javygtor</i> | 56 |
| JAYPIRCA..... | 13 |
| <i>jencycla</i> | 77 |
| JENTADUETO..... | 57 |
| JENTADUETO XR..... | 57 |
| <i>jinteli</i> | 77 |
| JOENJA..... | 47 |
| <i>jolessa</i> | 80 |
| <i>joyeaux</i> | 80 |
| <i>juleber</i> | 80 |
| JULUCA..... | 5 |
| <i>junel 1.5/30 (21)</i> | 80 |
| <i>junel 1/20 (21)</i> | 80 |
| <i>junel fe 1.5/30 (28)</i> | 80 |
| <i>junel fe 1/20 (28)</i> | 80 |
| <i>junel fe 24</i> | 80 |
| JUST RIGHT 5000..... | 49 |
| JUXTAPID..... | 38 |
| JYNARQUE..... | 56 |
| JYNNEOS (PF)..... | 69 |

| | |
|--|--------|
| K | |
| <i>kaitlib fe</i> | 80 |
| <i>kalliga</i> | 80 |
| KALYDECO..... | 91 |
| <i>kariva (28)</i> | 80 |
| <i>kelnor 1/35 (28)</i> | 80 |
| <i>kelnor 1/50 (28)</i> | 80 |
| KENALOG..... | 51 |
| KENALOG-80..... | 51 |
| KERENDIA..... | 34 |
| KESIMPTA PEN..... | 67 |
| <i>ketoconazole</i> | 3, 44 |
| <i>ketoprofen</i> | 25 |
| <i>ketorolac</i> | 25, 86 |
| KEVZARA..... | 74 |
| KINERET..... | 74 |
| KINRIX (PF)..... | 69 |
| KISQALI..... | 13 |
| <i>klayesta</i> | 44 |
| <i>klor-con</i> | 95 |
| <i>klor-con 10</i> | 95 |
| <i>klor-con 8</i> | 95 |
| <i>klor-con m10</i> | 95 |
| <i>klor-con m15</i> | 95 |
| <i>klor-con m20</i> | 95 |
| <i>klor-con/ef</i> | 95 |
| KLOXXADO..... | 25 |
| <i>kobee</i> | 96 |
| KOSELUGO..... | 13 |
| <i>kourzeq</i> | 49 |
| <i>k-phos-neutral</i> | 95 |
| KRAZATI..... | 13 |
| KRINTAFEL..... | 8 |
| KRYSTEXXA..... | 72 |
| <i>kurvelo (28)</i> | 80 |
| KYZATREX..... | 56 |
| L | |
| <i>l norgest/e.estradiol-e.estradiol</i> | 80 |
| <i>labetalol</i> | 34 |
| <i>lacosamide</i> | 18 |
| <i>lactulose</i> | 62 |
| LAGEVRIO (EUA)..... | 5 |
| <i>lamivudine</i> | 5 |
| <i>lamivudine-zidovudine</i> | 5 |
| <i>lamotrigine</i> | 18 |
| LAMPIT..... | 8 |
| LANCETS..... | 53 |
| LANCING DEVICE..... | 53 |
| <i>lansoprazole</i> | 64 |
| <i>lanthanum</i> | 60 |

| | |
|--|--------|
| LANTUS SOLOSTAR U-100 | |
| INSULIN..... | 55 |
| LANTUS U-100 INSULIN ..55 | |
| <i>lapatinib</i> | 13 |
| <i>larin 1.5/30 (21)</i> | 80 |
| <i>larin 1/20 (21)</i> | 80 |
| <i>larin 24 fe</i> | 80 |
| <i>larin fe 1.5/30 (28)</i> | 80 |
| <i>larin fe 1/20 (28)</i> | 80 |
| <i>latanoprost</i> | 86 |
| <i>laxative (bisacodyl)</i> | 62 |
| <i>laxative peg 3350</i> | 62 |
| <i>layolis fe</i> | 80 |
| LEDIPASVIR-SOFOSBUVIR | |
| | 5 |
| <i>leena 28</i> | 80 |
| <i>leflunomide</i> | 74 |
| <i>lenalidomide</i> | 13 |
| LENVIMA..... | 13 |
| <i>lessina</i> | 81 |
| <i>letrozole</i> | 13 |
| <i>leucovorin calcium</i> | 11 |
| LEUKERAN..... | 13 |
| LEUKINE..... | 65 |
| <i>levalbuterol hcl</i> | 91 |
| LEVALBUTEROL | |
| TARTRATE..... | 91 |
| <i>levetiracetam</i> | 18 |
| <i>levobunolol</i> | 84 |
| <i>levocarnitine</i> | 47 |
| <i>levocarnitine (with sugar)</i> | 47 |
| <i>levocetirizine</i> | 88 |
| <i>levofloxacin</i> | 10, 84 |
| <i>levonest (28)</i> | 81 |
| <i>levonorgest-eth.estradiol-iron</i> | 81 |
| <i>levonorgestrel</i> | 81 |
| <i>levonorgestrel-ethinyl estrad</i> | 81 |
| <i>levonorg-eth estrad triphasic</i> | 81 |
| <i>levora-28</i> | 81 |
| <i>levorphanol tartrate</i> | 24 |
| <i>levo-t</i> | 58 |
| <i>levothyroxine</i> | 58 |
| <i>levoxyl</i> | 59 |
| LIBERVANT..... | 18 |
| <i>lidocaine</i> | 43 |
| <i>lidocaine hcl</i> | 43 |
| <i>lidocaine hcl-hydrocortison ac</i> | 43, 62 |
| <i>lidocaine viscous</i> | 43 |
| <i>lidocaine-prilocaine</i> | 43 |

| | | | | | |
|---------------------------------------|----|----------------------------------|----|---|-----------|
| <i>lidocan iii</i> | 43 | LYBALVI | 29 | <i>memantine</i> | 22 |
| <i>lidocan iv</i> | 43 | <i>lyleq</i> | 77 | MEMANTINE..... | 22 |
| <i>lidocan v</i> | 43 | <i>lyllana</i> | 77 | MENEST | 77 |
| <i>lidocort</i> | 43 | LYNPARZA..... | 14 | MENQUADFI (PF)..... | 69 |
| <i>lidopin</i> | 43 | LYSODREN..... | 14 | MENVEO A-C-Y-W-135-DIP | |
| <i>linezolid</i> | 9 | LYTGOBI | 14 | (PF)..... | 69 |
| LINZESS..... | 62 | LYUMJEV KWIKPEN U-100 | | <i>meperidine</i> | 24 |
| <i>liothyronine</i> | 59 | INSULIN | 55 | <i>meprobamate</i> | 22 |
| LIQREV | 91 | LYUMJEV KWIKPEN U-200 | | <i>mercaptapurine</i> | 14 |
| <i>lisdexamfetamine</i> | 29 | INSULIN | 55 | <i>merzee</i> | 81 |
| <i>lisinopril</i> | 34 | LYUMJEV U-100 INSULIN | | <i>mesalamine</i> | 62 |
| <i>lisinopril-hydrochlorothiazide</i> | | | 55 | MESNEX..... | 11 |
| | 34 | <i>lyza</i> | 77 | <i>metaxalone</i> | 22 |
| LITEAIRE MDI CHAMBER | | M | | <i>metformin</i> | 57 |
| | 52 | <i>magnesium citrate</i> | 62 | <i>methadone</i> | 24 |
| <i>lithium carbonate</i> | 29 | <i>malathion</i> | 46 | <i>methazolamide</i> | 86 |
| <i>lithium citrate</i> | 29 | <i>maraviroc</i> | 5 | <i>methenamine hippurate</i> | 11 |
| LIVDELZI..... | 62 | <i>marlissa (28)</i> | 81 | <i>methenamine mandelate</i> | 11 |
| LIVMARLI | 62 | MARPLAN | 29 | <i>methen-sod phos-meth blue-</i> | |
| LIVTENCITY | 5 | MATULANE..... | 14 | <i>hyos</i> | 94 |
| LO LOESTRIN FE..... | 81 | <i>matzim la</i> | 34 | <i>methimazole</i> | 51 |
| LODOCO | 39 | MAVENCLAD (10 TABLET | | METHITEST | 56 |
| <i>lofexidine</i> | 25 | PACK)..... | 67 | <i>methocarbamol</i> | 22 |
| <i>lojaimiess</i> | 81 | MAVENCLAD (4 TABLET | | <i>methotrexate sodium</i> | 14 |
| LOKELMA | 60 | PACK)..... | 67 | <i>methotrexate sodium (pf)</i> | 14 |
| LONSURF..... | 14 | MAVENCLAD (5 TABLET | | <i>methoxsalen</i> | 41 |
| <i>loperamide</i> | 59 | PACK)..... | 67 | <i>methscopolamine</i> | 59 |
| <i>lopinavir-ritonavir</i> | 5 | MAVENCLAD (6 TABLET | | <i>methsuximide</i> | 18 |
| <i>lorazepam</i> | 29 | PACK)..... | 67 | <i>methyl dopa</i> | 34 |
| <i>lorazepam intensol</i> | 29 | MAVENCLAD (7 TABLET | | <i>methyl dopa-</i> | |
| LORBRENA | 14 | PACK)..... | 67 | <i>hydrochlorothiazide</i> | 34 |
| <i>loryna (28)</i> | 81 | MAVENCLAD (8 TABLET | | <i>methylergonovine</i> | 83 |
| <i>losartan</i> | 34 | PACK)..... | 67 | <i>methylphenidate hcl</i> | 29, 30 |
| <i>losartan-hydrochlorothiazide</i> | | MAVENCLAD (9 TABLET | | <i>methylprednisolone</i> | 51 |
| | 34 | PACK)..... | 67 | <i>methylprednisolone acetate</i> .. | 51 |
| LOTEMAX | 87 | MAVYRET | 5 | <i>methyltestosterone</i> | 56 |
| <i>loteprednol etabonate</i> | 87 | MAXIDEX | 87 | <i>metoclopramide hcl</i> | 62 |
| <i>lovastatin</i> | 38 | <i>maxi-tuss ac</i> | 89 | <i>metolazone</i> | 34 |
| <i>low-ogestrel (28)</i> | 81 | MAYZENT | 67 | METOPIRONONE | 47 |
| <i>loxapine succinate</i> | 29 | MAYZENT STARTER(FOR | | <i>metoprolol succinate</i> | 34 |
| <i>lo-zumandimine (28)</i> | 81 | 1MG MAINT)..... | 67 | <i>metoprolol ta-hydrochlorothiaz</i> | |
| <i>lubiprostone</i> | 62 | MAYZENT STARTER(FOR | | | 34 |
| LUCEMYRA | 25 | 2MG MAINT) | 67 | <i>metoprolol tartrate</i> | 34, 35 |
| <i>ludent fluoride</i> | 96 | <i>meclizine</i> | 62 | <i>metronidazole</i> | 9, 43, 77 |
| LULICONAZOLE | 44 | <i>meclofenamate</i> | 25 | <i>metyrosine</i> | 35 |
| LUMAKRAS | 14 | <i>medroxyprogesterone</i> | 77 | <i>mexiletine</i> | 32 |
| LUMIGAN | 86 | <i>mefloquine</i> | 9 | <i>mibelas 24 fe</i> | 81 |
| LUMRYZ | 29 | <i>megestrol</i> | 14 | MICROCHAMBER | 52 |
| LUPKYNIS | 14 | MEKINIST..... | 14 | <i>microgestin 1.5/30 (21)</i> | 81 |
| <i>lurasidone</i> | 29 | MEKTOVI..... | 14 | <i>microgestin 1/20 (21)</i> | 81 |
| <i>lutera (28)</i> | 81 | <i>meloxicam</i> | 25 | <i>microgestin fe 1.5/30 (28)</i> | 81 |

| | | | | | |
|---------------------------------------|--------|------------------------------------|--------|---------------------------------------|--------|
| <i>microgestin fe 1/20 (28)</i> | 81 | MYLERAN | 14 | <i>nicotine</i> | 48 |
| MICROSPACER..... | 52 | <i>mynatal</i> | 96 | <i>nicotine (polacrilex)</i> | 48 |
| <i>midazolam</i> | 30 | <i>mynatal plus</i> | 96 | NICOTROL NS..... | 48 |
| <i>midazolam (pf)</i> | 30 | <i>mynatal-z</i> | 96 | <i>nifedipine</i> | 35 |
| <i>midodrine</i> | 47 | MYRBETRIQ | 93 | <i>nikki (28)</i> | 81 |
| <i>mifepristone</i> | 56 | MYTESI..... | 59 | <i>nilutamide</i> | 14 |
| <i>miglitol</i> | 57 | N | | <i>nimodipine</i> | 35 |
| <i>miglustat</i> | 56 | <i>nabumetone</i> | 25 | NINLARO | 14 |
| <i>mili</i> | 81 | <i>nadolol</i> | 35 | <i>nitazoxanide</i> | 9 |
| <i>milk of magnesia</i> | 62 | <i>naftifine</i> | 44 | <i>nitisinone</i> | 47 |
| <i>milk of magnesia concentrated</i> | | <i>naloxone</i> | 25 | <i>nitro-bid</i> | 39 |
| | 62 | <i>naltrexone</i> | 25 | <i>nitrofurantoin macrocrystal</i> . | 11 |
| <i>mimvey</i> | 77 | <i>naproxen</i> | 26 | <i>nitrofurantoin monohyd/m-</i> | |
| <i>minocycline</i> | 11 | <i>naproxen sodium</i> | 26 | <i>cryst</i> | 11 |
| <i>minoxidil</i> | 35 | <i>naratriptan</i> | 21 | <i>nitroglycerin</i> | 39, 62 |
| <i>mirabegron</i> | 93 | NATACYN | 84 | <i>nitro-time</i> | 39 |
| <i>mirtazapine</i> | 30 | NATAZIA | 81 | NITYR..... | 47 |
| <i>misoprostol</i> | 64 | <i>nateglinide</i> | 57 | <i>niva thyroid</i> | 59 |
| M-M-R II (PF)..... | 69 | <i>natura-lax</i> | 62 | NIVESTYM | 65 |
| <i>m-natal plus</i> | 96 | NAYZILAM..... | 18 | <i>nizatidine</i> | 64 |
| <i>modafinil</i> | 30 | <i>nebivolol</i> | 35 | NOC DURNA | 56 |
| MODERNA COVID 24- | | <i>nebusal</i> | 91 | <i>nora-be</i> | 77 |
| 25(6M-11Y)PF | 70 | NEBUSAL..... | 91 | NORDITROPIN FLEXPRO | 66 |
| <i>moexipril</i> | 35 | <i>necon 0.5/35 (28)</i> | 81 | <i>norelgestromin-ethin.estradiol</i> | |
| <i>mometasone</i> | 46, 91 | <i>nefazodone</i> | 30 | | 78 |
| <i>mondoxyne nl</i> | 11 | NEMLUVIO..... | 14 | <i>noreth-ethinyl estradiol-iron</i> | 81 |
| <i>mono-lynyah</i> | 81 | <i>neomycin</i> | 9 | <i>norethindrone (contraceptive)</i> | |
| <i>montelukast</i> | 91 | <i>neomycin-bacitracin-poly-hc</i> | 86 | | 77 |
| <i>morphine</i> | 24 | <i>neomycin-bacitracin-</i> | | <i>norethindrone acetate</i> | 77 |
| <i>morphine concentrate</i> | 24 | <i>polymyxin</i> | 84 | <i>norethindrone ac-eth estradiol</i> | |
| MOTEGRITY | 62 | <i>neomycin-polymyxin b-</i> | | | 77, 81 |
| MOUNJARO..... | 57 | <i>dexameth</i> | 86 | <i>norethindrone-e.estradiol-iron</i> | |
| MOVANTIK | 62 | <i>neomycin-polymyxin-</i> | | | 81, 82 |
| <i>moxifloxacin</i> | 10, 84 | <i>gramicidin</i> | 84 | <i>norgestimate-ethinyl estradiol</i> | |
| MRESVIA (PF)..... | 70 | <i>neomycin-polymyxin-hc</i> .. | 50, 86 | | 82 |
| MULPLETA..... | 37 | <i>neo-polycin</i> | 84 | <i>nortrel 0.5/35 (28)</i> | 82 |
| MULTAQ..... | 32 | <i>neo-polycin hc</i> | 86 | <i>nortrel 1/35 (21)</i> | 82 |
| <i>multigen plus</i> | 96 | NERLYNX..... | 14 | <i>nortrel 1/35 (28)</i> | 82 |
| <i>multi-vitamin with fluoride</i> .. | 96 | <i>neuac</i> | 43 | <i>nortrel 7/7/7 (28)</i> | 82 |
| <i>mupirocin</i> | 43 | NEULASTA..... | 65 | <i>nortriptyline</i> | 30 |
| <i>mvc-fluoride</i> | 96 | NEULASTA ONPRO | 65 | NORVIR..... | 5 |
| <i>my choice</i> | 81 | NEUPOGEN | 65 | NOURIANZ | 20 |
| <i>my way</i> | 81 | NEUPRO | 20 | NOVAVAX COVID 2024- | |
| MYALEPT | 56 | NEVANAC | 86 | 25(PF)(EUA) | 70 |
| MYCAPSSA | 14 | <i>nevirapine</i> | 5 | NOXAFIL..... | 3 |
| <i>mycophenolate mofetil</i> | 14 | <i>new day</i> | 81 | <i>np thyroid</i> | 59 |
| <i>mycophenolate sodium</i> | 14 | NEXLETOL | 38 | NUBEQA | 14 |
| MYDAYIS | 30 | NEXLIZET..... | 38 | NUCALA | 91 |
| MYFEMBREE | 78 | NEXTSTELLIS..... | 81 | NUDEXTA | 22 |
| <i>myferon 150 forte</i> | 96 | <i>nicardipine</i> | 35 | NUPLAZID | 30 |
| MYHIBBIN..... | 14 | <i>nicorette</i> | 48 | NURTEC ODT | 21 |

| | | | | | |
|---------------------------------------|------------|---------------------------------------|----|---------------------------------------|----|
| <i>nyamyc</i> | 44 | <i>onelix magnesium citrate</i> | 63 | OTREXUP (PF)..... | 75 |
| <i>nylia 1/35 (28)</i> | 82 | ONETOUCH ULTRA TEST | | <i>oxaprozin</i> | 26 |
| <i>nylia 7/7/7 (28)</i> | 82 | | 52 | <i>oxazepam</i> | 30 |
| <i>nystatin</i> | 3, 44 | ONETOUCH ULTRA2 | | <i>oxcarbazepine</i> | 18 |
| <i>nystatin-triamcinolone</i> | 44 | METER..... | 54 | OXERVATE..... | 85 |
| <i>nystop</i> | 44 | ONETOUCH VERIO FLEX | | <i>oxiconazole</i> | 44 |
| NYVEPRIA..... | 65 | METER..... | 54 | <i>oxybutynin chloride</i> | 93 |
| O | | ONETOUCH VERIO | | <i>oxycodone</i> | 24 |
| OALIVA..... | 62 | REFLECT METER..... | 54 | <i>oxycodone-acetaminophen</i> ...24 | |
| <i>ocella</i> | 82 | ONETOUCH VERIO TEST | | <i>oxymorphone</i> | 24 |
| OCREVUS..... | 67 | STRIPS..... | 52 | OZEMPIC..... | 58 |
| <i>octreotide acetate</i> | 15 | ONGENTYS..... | 20 | P | |
| ODACTRA..... | 70 | ONUREG..... | 15 | <i>pacerone</i> | 32 |
| ODEFSEY..... | 5 | <i>opcicon one-step</i> | 82 | PALFORZIA (LEVEL 1).... | 70 |
| ODOMZO..... | 15 | OPFOLDA..... | 56 | PALFORZIA (LEVEL 2).... | 70 |
| OFEV..... | 91 | OPILL..... | 77 | PALFORZIA (LEVEL 3).... | 70 |
| <i>ofloxacin</i> | 10, 50, 84 | OPSUMIT..... | 91 | PALFORZIA (LEVEL 4).... | 70 |
| OGSIVEO..... | 15 | OPSYNVI..... | 91 | PALFORZIA (LEVEL 5).... | 70 |
| OHTUVAYRE..... | 91 | OPTICHAMBER DIAMOND | | PALFORZIA (LEVEL 6).... | 70 |
| OJEMDA..... | 15 | VHC..... | 52 | PALFORZIA (LEVEL 7).... | 70 |
| OJJAARA..... | 15 | <i>option-2</i> | 82 | PALFORZIA (LEVEL 8).... | 70 |
| <i>olanzapine</i> | 30 | OPVEE..... | 26 | PALFORZIA (LEVEL 9).... | 70 |
| <i>olanzapine-fluoxetine</i> | 30 | OPZELURA..... | 41 | PALFORZIA (LEVEL 10)...70 | |
| <i>olmesartan</i> | 35 | <i>oral saline laxative</i> | 63 | PALFORZIA INITIAL DOSE | |
| <i>olmesartan-</i> | | ORALAIR..... | 70 | | 70 |
| <i>hydrochlorothiazide</i> | 35 | <i>oralone</i> | 49 | PALFORZIA LEVEL 11 | |
| <i>olopatadine</i> | 49, 85 | ORAMAGICRX..... | 49 | MAINTENANCE..... | 70 |
| OLPRUVA..... | 47 | ORENCIA..... | 74 | <i>paliperidone</i> | 30 |
| OLUMIANT..... | 74 | ORENCIA (WITH | | PALYNZIQ..... | 56 |
| <i>omega-3 acid ethyl esters</i> | 38 | MALTOSE)..... | 74 | PANRETIN..... | 41 |
| <i>omeprazole</i> | 65 | ORENCIA CLICKJECT..... | 74 | <i>pantoprazole</i> | 65 |
| OMNIPOD 5 (G6/LIBRE 2 | | ORENITRAM..... | 35 | <i>paricalcitol</i> | 56 |
| PLUS)..... | 53 | ORENITRAM MONTH 1 | | <i>paroex oral rinse</i> | 49 |
| OMNIPOD 5 G6-G7 INTRO | | TITRATION KT..... | 35 | <i>paromomycin</i> | 9 |
| KT(GEN5)..... | 53 | ORENITRAM MONTH 2 | | <i>paroxetine hcl</i> | 30 |
| OMNIPOD 5 G6-G7 PODS | | TITRATION KT..... | 35 | PASER..... | 9 |
| (GEN 5)..... | 53 | ORENITRAM MONTH 3 | | PAXLOVID..... | 5 |
| OMNIPOD 5 | | TITRATION KT..... | 35 | <i>pazopanib</i> | 15 |
| INTRO(G6/LIBRE2PLUS) | | ORFADIN..... | 47 | PEDIARIX (PF)..... | 70 |
| | 53 | ORGOVYX..... | 15 | PEDVAX HIB (PF)..... | 70 |
| OMNIPOD DASH INTRO | | ORIAHNN..... | 78 | <i>peg 3350-electrolytes</i> | 63 |
| KIT (GEN 4)..... | 53 | ORILISSA..... | 56 | <i>peg3350-sod sul-nacl-kcl-asb-c</i> | |
| OMNIPOD DASH PODS | | ORKAMBI..... | 91 | | 63 |
| (GEN 4)..... | 54 | ORLADEYO..... | 91 | PEGASYS..... | 66 |
| OMNIPOD GO PODS 10 | | <i>orphenadrine citrate</i> | 23 | <i>peg-electrolyte soln</i> | 63 |
| UNITS/DAY..... | 54 | ORSERDU..... | 15 | PEMAZYRE..... | 15 |
| OMVOH..... | 62 | <i>oscimin</i> | 59 | PEN NEEDLE, DIABETIC .54 | |
| OMVOH PEN..... | 62 | <i>oscimin sl</i> | 59 | PENBRAYA (PF)..... | 70 |
| <i>ondansetron</i> | 63 | <i>oseltamivir</i> | 5 | <i>penciclovir</i> | 44 |
| <i>ondansetron hcl</i> | 62 | OTEZLA..... | 74 | <i>penicillamine</i> | 75 |
| <i>one daily prenatal</i> | 96 | OTEZLA STARTER..... | 75 | <i>penicillin v potassium</i> | 10 |

| | | | | | |
|---------------------------------------|------------|--|--------|---------------------------------------|----|
| PENTACEL (PF) | 70 | <i>poly-iron 150 forte</i> | 96 | PRETOMANID..... | 9 |
| <i>pentamidine</i> | 9 | <i>polymyxin b sulf-trimethoprim</i> | 84 | <i>prevalite</i> | 38 |
| PENTASA..... | 63 | | 84 | PREVIDENT 5000 BOOSTER | |
| <i>pentoxifylline</i> | 37 | POMALYST | 15 | PLUS | 49 |
| <i>perindopril erbumine</i> | 35 | PONVORY..... | 67 | PREVIDENT 5000 ENAMEL | |
| <i>periogard</i> | 49 | PONVORY 14-DAY | | PROTECT | 50 |
| <i>permethrin</i> | 46 | STARTER PACK..... | 67 | PREVIDENT 5000 ORTHO | |
| <i>perphenazine</i> | 30 | <i>portia 28</i> | 82 | DEFENSE..... | 50 |
| <i>perphenazine-amitriptyline</i> .. | 30 | <i>posaconazole</i> | 3 | PREVIDENT 5000 | |
| PERSERIS..... | 30 | <i>potassium chloride</i> | 95 | SENSITIVE..... | 50 |
| PFIZER COVID 2024-25(5Y- | | <i>potassium citrate</i> | 94 | PREVIDENT KIDS..... | 50 |
| 11Y)PF | 71 | <i>potassium citrate-citric acid</i> | 94 | PREVNAR 20 (PF) | 71 |
| PFIZER COVID 2024- | | <i>potassium iodide</i> | 51 | PREVYMIS..... | 5 |
| 25(6MO-4Y)PF | 71 | <i>powderlax</i> | 63 | PREZCOBIX..... | 5 |
| PHEBURANE..... | 47 | <i>pr natal 400</i> | 96 | PREZISTA | 5 |
| <i>phenazopyridine</i> | 94 | <i>pr natal 400 ec</i> | 96 | PRIFTIN | 9 |
| <i>phenelzine</i> | 31 | <i>pr natal 430</i> | 97 | <i>primaquine</i> | 9 |
| <i>phenobarb-hyoscy-atropine-</i> | | <i>pr natal 430 ec</i> | 96 | PRIMEAIRE..... | 52 |
| <i>scop</i> | 60 | PRADAXA..... | 37 | <i>primidone</i> | 19 |
| <i>phenobarbital</i> | 18 | <i>pramipexole</i> | 20 | PRIMIDONE | 19 |
| <i>phenohydro</i> | 60 | <i>prasugrel</i> | 37 | PRIORIX (PF)..... | 71 |
| <i>phenoxybenzamine</i> | 35 | <i>pravastatin</i> | 38 | <i>probenecid</i> | 72 |
| <i>phenylephrine hcl</i> | 88 | <i>praziquantel</i> | 9 | <i>probenecid-colchicine</i> | 72 |
| <i>phenytoin</i> | 18, 19 | <i>prazosin</i> | 35 | PROCHAMBER..... | 52 |
| <i>phenytoin sodium extended</i> .. | 19 | PRED MILD..... | 87 | <i>prochlorperazine</i> | 63 |
| PHEXXI | 78 | <i>prednicarbate</i> | 46 | <i>prochlorperazine maleate</i> | 63 |
| <i>philitith</i> | 82 | <i>prednisolone</i> | 51 | PROCRIT | 66 |
| <i>phospha 250 neutral</i> | 95 | <i>prednisolone acetate</i> | 87 | <i>procto-med hc</i> | 63 |
| <i>phosphate laxative</i> | 63 | <i>prednisolone sodium</i> | | <i>proctosol hc</i> | 63 |
| PHOSPHOLINE IODIDE... 84 | | <i>phosphate</i> | 51, 87 | <i>proctozone-hc</i> | 63 |
| <i>phosphorous</i> | 95 | <i>prednisone</i> | 51 | PROCYSBI..... | 94 |
| <i>phytonadione (vitamin k1)</i> | 37 | <i>pregabalin</i> | 19 | <i>progesterone</i> | 77 |
| PIFELTRO | 5 | PREMARIN | 77 | <i>progesterone micronized</i> | 77 |
| <i>pilocarpine hcl</i> | 47, 49, 85 | PREMPHASE | 77 | PROLIA..... | 72 |
| <i>pimecrolimus</i> | 41 | PREMPRO | 77 | PROMACTA..... | 37 |
| <i>pimozide</i> | 31 | <i>prenatabs fa</i> | 97 | <i>promethazine</i> | 88 |
| <i>pimtree (28)</i> | 82 | <i>prenatabs rx</i> | 97 | <i>promethazine-codeine</i> | 89 |
| <i>pindolol</i> | 35 | <i>prenatal</i> | 97 | <i>promethazine-dm</i> | 89 |
| <i>pioglitazone</i> | 58 | <i>prenatal complete</i> | 97 | <i>promethazine-phenylephrine</i> | 89 |
| PIQRAY | 15 | <i>prenatal multi-dha (algal oil)</i> | | <i>promethegan</i> | 88 |
| <i>pirfenidone</i> | 91 | | 97 | <i>propafenone</i> | 32 |
| PIRFENIDONE..... | 91 | <i>prenatal multivitamins</i> | 97 | <i>propranolol</i> | 35 |
| <i>piroxicam</i> | 26 | <i>prenatal one daily</i> | 97 | <i>propranolol-</i> | |
| PLEGRIDY | 67 | <i>prenatal plus</i> | 97 | <i>hydrochlorothiazid</i> | 35 |
| PLENVU | 63 | <i>prenatal plus (calcium carb)</i> | 97 | <i>propylthiouracil</i> | 51 |
| PNEUMOVAX-23 | 71 | <i>prenatal vit no. 179-iron-folic</i> | | PROQUAD (PF)..... | 71 |
| <i>pnv-dha</i> | 96 | | 97 | <i>protriptyline</i> | 31 |
| <i>pnv-omega</i> | 96 | <i>prenatal vitamin</i> | 97 | <i>pulmosal</i> | 91 |
| <i>podofilox</i> | 41 | <i>prenatal vitamin with minerals</i> | | PULMOZYME..... | 91 |
| <i>polycin</i> | 84 | | 97 | <i>purelax</i> | 63 |
| <i>polyethylene glycol 3350</i> | 63 | <i>prenatal-u</i> | 97 | <i>pyrazinamide</i> | 9 |

| | | | | | |
|---|----|---------------------------------------|--------|--|--------|
| <i>pyridostigmine bromide</i> | 23 | REYATAZ | 6 | SANCUSO | 63 |
| <i>pyrimethamine</i> | 9 | REYVOW | 21 | SANTYL | 46 |
| PYRUKYND..... | 47 | REZDIFFRA | 47 | <i>sapropterin</i> | 56 |
| Q | | REZLIDHIA..... | 15 | SAVELLA..... | 75 |
| QINLOCK..... | 15 | REZUROCK | 15 | <i>saxagliptin</i> | 58 |
| QUADRACEL (PF)..... | 71 | RHOFADE | 43 | <i>saxagliptin-metformin</i> | 58 |
| <i>quetiapine</i> | 31 | RHOPRESSA..... | 86 | SCSEMBLIX..... | 15 |
| <i>quinapril</i> | 35 | RIABNI | 15 | <i>scopolamine base</i> | 63 |
| <i>quinapril-hydrochlorothiazide</i> | 35 | <i>ribavirin</i> | 65 | SECUADO | 31 |
| <i>quinidine gluconate</i> | 32 | RIDAURA..... | 75 | <i>selegiline hcl</i> | 20 |
| <i>quinidine sulfate</i> | 32 | <i>rifabutin</i> | 9 | <i>selenium sulfide</i> | 40 |
| <i>quinine sulfate</i> | 9 | <i>rifampin</i> | 9 | SELZENTRY | 6 |
| <i>quit 2</i> | 48 | <i>riluzole</i> | 47 | <i>se-natal 19 chewable</i> | 97 |
| <i>quit 4</i> | 48 | <i>rimantadine</i> | 6 | <i>se-natal-19</i> | 97 |
| QULIPTA..... | 21 | RINVOQ | 75 | SEREVENT DISKUS | 92 |
| R | | RINVOQ LQ..... | 75 | SEROSTIM | 66 |
| <i>rabeprazole</i> | 65 | <i>risedronate</i> | 47, 72 | <i>sertraline</i> | 31 |
| RADICAVA ORS STARTER KIT SUSP..... | 22 | RISPERDAL CONSTA | 31 | <i>setlakin</i> | 82 |
| RAGWITEK..... | 71 | <i>risperidone</i> | 31 | <i>sevelamer carbonate</i> | 60 |
| <i>raloxifene</i> | 72 | <i>risperidone microspheres</i> | 31 | <i>sf 50</i> | |
| <i>ramelteon</i> | 31 | RITEFLO AEROCHAMBER | 52 | <i>sf 5000 plus</i> | 50 |
| <i>ramipril</i> | 35 | <i>ritonavir</i> | 6 | <i>sharobel</i> | 77 |
| <i>ranolazine</i> | 39 | RITUXAN | 15 | SHINGRIX (PF)..... | 71 |
| <i>rasagiline</i> | 20 | <i>rivastigmine</i> | 22 | SIGNIFOR..... | 15 |
| RASUVO (PF) | 75 | <i>rivastigmine tartrate</i> | 22 | <i>sildenafil (pulm.hypertension)</i> | 92 |
| RAVICTL..... | 47 | <i>rivelsa</i> | 82 | SILIQ..... | 40 |
| REBIF (WITH ALBUMIN).67 | | RIVFLOZA | 94 | <i>silodosin</i> | 94 |
| REBIF REBIDOSE | 67 | <i>rizatriptan</i> | 21 | <i>silver nitrate</i> | 41 |
| REBIF TITRATION PACK 67 | | ROCKLATAN | 86 | <i>silver nitrate applicators</i> | 41 |
| <i>reclipsen (28)</i> | 82 | <i>roflumilast</i> | 91 | <i>silver sulfadiazine</i> | 41 |
| RECOMBIVAX HB (PF) | 71 | <i>ropinirole</i> | 20 | <i>simliya (28)</i> | 82 |
| RECORLEV | 56 | <i>rosadan</i> | 43 | <i>simpesse</i> | 82 |
| REGANEX | 41 | <i>rosuvastatin</i> | 38 | SIMPONI..... | 75 |
| RELENZA DISKHALER..... | 5 | ROSZET | 38 | SIMPONI ARIA | 75 |
| RELEUKO | 66 | ROTARIX | 71 | <i>simvastatin</i> | 38 |
| RELISTOR..... | 63 | ROTATEQ VACCINE..... | 71 | <i>sirolimus</i> | 15 |
| REMICADE | 63 | <i>roweepira</i> | 19 | SIRTURO | 9 |
| <i>rena-vite</i> | 97 | ROZLYTREK | 15 | SIVEXTRO | 9 |
| RENFLEXIS | 63 | RUBRACA..... | 15 | SKYCLARYS | 22 |
| <i>reno caps</i> | 97 | RUCONEST..... | 91 | SKYRIZI | 40, 63 |
| <i>repaglinide</i> | 58 | <i>rufinamide</i> | 19 | SLYND..... | 82 |
| REPATHA PUSHTRONEX 38 | | RUKOBIA..... | 6 | <i>smoothlax</i> | 63 |
| REPATHA SURECLICK | 38 | RUXIENCE..... | 15 | <i>sodium chlor 0.9% bacteriostat</i> | 47 |
| REPATHA SYRINGE | 38 | RYBELSUS..... | 58 | <i>sodium chloride</i> | 47, 92 |
| RETACRIT | 66 | RYDAPT | 15 | <i>sodium chloride 0.9 %</i> | 47 |
| RETEVMO..... | 15 | RYKINDO..... | 31 | <i>sodium citrate-citric acid</i> | 94 |
| REVLIMID | 15 | S | | <i>sodium fluoride 5000 plus</i> | 50 |
| REXTOVY | 26 | <i>sajazir</i> | 92 | <i>sodium fluoride-pot nitrate</i> ...50 | |
| REXULTI..... | 31 | <i>salicylic acid</i> | 41 | SODIUM OXYBATE | 31 |
| | | <i>salsalate</i> | 26 | | |

| | | | | | |
|---|--------|---------------------------------------|--------|---|--------|
| <i>sodium phenylbutyrate</i> | 48 | <i>sulfacetamide sodium-sulfur</i> .. | 43 | <i>tarina fe 1/20 (28)</i> | 82 |
| <i>sodium polystyrene sulfonate</i> | 60 | <i>sulfacetamide-prednisolone</i> .. | 87 | <i>taron-c dha</i> | 97 |
| <i>sodium,potassium,mag sulfates</i> | 63 | <i>sulfadiazine</i> | 10 | TARPEYO..... | 51 |
| SOFOSBUVIR- | | <i>sulfamethoxazole-trimethoprim</i> | 10 | TASCENSO ODT | 67 |
| VELPATASVIR..... | 6 | | 10 | TASIGNA..... | 16 |
| SOHONOS | 48 | SULFAMYLON..... | 44 | <i>tasimelteon</i> | 31 |
| <i>solifenacin</i> | 93 | <i>sulfasalazine</i> | 64 | TAVALISSE | 37 |
| SOLIQUA 100/33 | 55 | <i>sulfatrim</i> | 10 | TAVNEOS | 48 |
| <i>soluvita</i> | 97 | <i>sulindac</i> | 26 | <i>tazarotene</i> | 43 |
| <i>soluvita a,c,d with fluoride</i> ... | 97 | <i>sumatriptan</i> | 21 | TAZORAC | 43 |
| SOMAVERT..... | 56 | <i>sumatriptan succinate</i> | 21 | TAZVERIK..... | 16 |
| <i>sorafenib</i> | 15 | <i>sunitinib malate</i> | 16 | TDVAX..... | 71 |
| <i>sotalol</i> | 32 | SUNLENCA..... | 6 | <i>telmisartan</i> | 36 |
| <i>sotalol af</i> | 32 | SUNOSI..... | 31 | <i>temazepam</i> | 31 |
| SOTYKTU | 40 | <i>super b maxi complex</i> | 97 | TEMBEXA..... | 6 |
| SOVALDI | 6 | <i>super quintis</i> | 97 | <i>temozolomide</i> | 16 |
| SPACE CHAMBER..... | 52 | SUTAB..... | 64 | <i>tencon</i> | 24 |
| SPEVIGO..... | 40 | <i>syeda</i> | 82 | TENIVAC (PF) | 71 |
| SPIKEVAX 2024-2025(12Y | | <i>symax fastabs</i> | 60 | <i>tenofovir disoproxil fumarate</i> .. | 6 |
| UP)(PF)..... | 71 | <i>symax-sl</i> | 60 | TEPMETKO..... | 16 |
| <i>spinosad</i> | 46 | <i>symax-sr</i> | 60 | <i>terazosin</i> | 36 |
| SPIRIVA RESPIMAT | 92 | SYMDEKO | 92 | <i>terbinafine hcl</i> | 3 |
| <i>spironolactone</i> | 35 | SYMLINPEN 120 | 58 | <i>terbutaline</i> | 92 |
| <i>spironolacton-</i> | | SYMLINPEN 60 | 58 | <i>terconazole</i> | 78 |
| <i>hydrochlorothiaz</i> | 35 | SYMPROIC..... | 64 | <i>teriflunomide</i> | 68 |
| SPRAVATO..... | 31 | SYMTUZA..... | 6 | <i>teriparatide</i> | 72 |
| <i>sprintec (28)</i> | 82 | SYNAREL..... | 56 | TERIPARATIDE | 72 |
| SPRYCEL | 15 | SYNJARDY | 58 | <i>testosterone</i> | 57 |
| <i>sps (with sorbitol)</i> | 60 | SYNJARDY XR..... | 58 | <i>testosterone cypionate</i> | 56 |
| <i>sronyx</i> | 82 | T | | <i>testosterone enanthate</i> | 57 |
| <i>ssd</i> | 41 | TABLOID | 16 | <i>tetrabenazine</i> | 22 |
| <i>st joseph aspirin</i> | 26 | TABRECTA..... | 16 | <i>tetracycline</i> | 11 |
| <i>st. joseph aspirin</i> | 26 | <i>tacrolimus</i> | 16, 42 | TEZSPIRE..... | 92 |
| STELARA..... | 40 | <i>tadalafil</i> | 94 | THALOMID..... | 16 |
| STIMUFEND..... | 66 | <i>tadalafil (pulm. hypertension)</i> | 92 | <i>theophylline</i> | 92 |
| STIOLTO RESPIMAT | 92 | | 92 | THIOLA EC | 48 |
| STIVARGA..... | 15 | TADLIQ..... | 92 | <i>thioridazine</i> | 31 |
| <i>stop smoking aid</i> | 48 | TAFINLAR | 16 | <i>thiothixene</i> | 31 |
| STRENSIQ..... | 56 | <i>tafluprost (pf)</i> | 86 | <i>thyroid (pork)</i> | 59 |
| <i>stress formula with iron</i> | 97 | TAGRISSO | 16 | <i>tiadylt er</i> | 36 |
| <i>stress formula with iron(sulf)</i> | 97 | TAKHZYRO | 92 | <i>tiagabine</i> | 19 |
| STRIBILD..... | 6 | TALTZ AUTOINJECTOR .. | 40 | TIBSOVO..... | 16 |
| STRIVERDI RESPIMAT ... | 92 | TALTZ AUTOINJECTOR (2 | 40 | TIGLUTIK | 48 |
| SUBLOCADE..... | 24 | PACK)..... | 40 | <i>tilia fe</i> | 82 |
| <i>subvenite</i> | 19 | TALTZ AUTOINJECTOR (3 | 40 | <i>timolol maleate</i> | 36, 84 |
| SUCRAID | 63 | PACK)..... | 40 | <i>timolol maleate (pf)</i> | 84 |
| <i>sucralfate</i> | 65 | TALTZ SYRINGE..... | 40 | <i>tinidazole</i> | 9 |
| SUFLAVE..... | 63 | TALZENNA..... | 16 | <i>tiopronin</i> | 48 |
| <i>sulfacetamide sodium</i> | 40, 87 | <i>tamoxifen</i> | 16 | <i>tiotropium bromide</i> | 92 |
| <i>sulfacetamide sodium (acne)</i> | 44 | <i>tamsulosin</i> | 94 | TIVICAY..... | 6 |
| | | <i>tarina 24 fe</i> | 82 | TIVICAY PD..... | 6 |

| | | | | | |
|---|-------|--|----|---------------------------------------|--------|
| <i>tizanidine</i> | 23 | <i>tri-legest fe</i> | 82 | UDENYCA..... | 66 |
| TOBI PODHALER..... | 9 | <i>tri-linyah</i> | 82 | UDENYCA AUTOINJECTOR | 66 |
| TOBRADEX..... | 86 | <i>tri-lo-estarylla</i> | 82 | UDENYCA ONBODY..... | 66 |
| TOBRADEX ST..... | 87 | <i>tri-lo-marzia</i> | 82 | ULESFIA..... | 46 |
| <i>tobramycin</i> | 9, 84 | <i>tri-lo-mili</i> | 82 | <i>unithroid</i> | 59 |
| <i>tobramycin in 0.225 % nacl</i> ...9 | | <i>tri-lo-sprintec</i> | 83 | UPLIZNA..... | 16 |
| <i>tobramycin-dexamethasone</i> ..87 | | <i>trimethobenzamide</i> | 64 | UPNEEQ (PF)..... | 88 |
| TOBREX..... | 84 | <i>trimethoprim</i> | 11 | UPTRAVI..... | 36 |
| <i>tolterodine</i> | 93 | <i>tri-mili</i> | 83 | <i>urea</i> | 42 |
| <i>tolvaptan</i> | 57 | <i>trimipramine</i> | 31 | <i>ure-k</i> | 42 |
| <i>topiramate</i> | 19 | <i>trinatal rx 1</i> | 97 | <i>uretron d-s</i> | 94 |
| <i>toremifene</i> | 16 | <i>trinate</i> | 97 | <i>urogesic-blue</i> | 94 |
| <i>torpenz</i> | 16 | TRINTELLIX..... | 31 | <i>uro-mp</i> | 94 |
| <i>torseamide</i> | 36 | <i>tri-sprintec (28)</i> | 83 | <i>uro-sp</i> | 94 |
| TOUJEO MAX U-300 | | TRIUMEQ..... | 6 | <i>ursodiol</i> | 64 |
| SOLOSTAR..... | 55 | TRIUMEQ PD..... | 6 | <i>uryl</i> | 94 |
| TOUJEO SOLOSTAR U-300 | | <i>tri-vitamin with fluoride</i> | 97 | UZEDY..... | 32 |
| INSULIN..... | 55 | <i>trivora (28)</i> | 83 | V | |
| TRACLEER..... | 92 | <i>tri-vylibra</i> | 83 | <i>valacyclovir</i> | 6 |
| TRADJENTA..... | 58 | <i>tri-vylibra lo</i> | 83 | VALCHLOR..... | 42 |
| <i>tramadol</i> | 26 | <i>tropicamide</i> | 85 | <i>valganciclovir</i> | 6 |
| <i>tramadol-acetaminophen</i> | 26 | <i>tropium</i> | 93 | <i>valproic acid</i> | 19 |
| <i>trandolapril</i> | 36 | TRUDHESA..... | 21 | <i>valproic acid (as sodium salt)</i> | 19 |
| <i>tranexamic acid</i> | 78 | TRULANCE..... | 64 | | 19 |
| <i>tranylcypromine</i> | 31 | TRULICITY..... | 58 | <i>valsartan</i> | 36 |
| <i>travoprost</i> | 86 | TRUMENBA..... | 71 | <i>valsartan-hydrochlorothiazide</i> | 36 |
| <i>trazodone</i> | 31 | TRUQAP..... | 16 | | 36 |
| TRECTOR..... | 9 | TRUSTEX-RIA NON-LUB | | VALTOCO..... | 19 |
| TRELEGY ELLIPTA..... | 92 | CONDOMS..... | 75 | <i>vanadom</i> | 23 |
| TREMFYA..... | 40 | TRUXIMA..... | 16 | <i>vancomycin</i> | 11 |
| TREMFYA PEN..... | 40 | TRYVIO..... | 39 | <i>vandazole</i> | 78 |
| <i>treprostinil sodium</i> | 36 | TUKYSA..... | 16 | VANFLYTA..... | 16 |
| <i>tretinoin</i> | 43 | <i>tulana</i> | 77 | VAQTA (PF)..... | 71 |
| <i>tretinoin (antineoplastic)</i> | 16 | TURALIO..... | 16 | <i>varenicline</i> | 48, 49 |
| <i>triamcinolone acetonide</i> 46, 50, | | <i>turqoz (28)</i> | 83 | VARIVAX (PF)..... | 71 |
| 51 | | TWINRIX (PF)..... | 71 | VASCEPA..... | 39 |
| <i>triamterene-hydrochlorothiazid</i> | | TWIRLA..... | 78 | VAXELIS (PF)..... | 71, 72 |
| | 36 | TYBLUME..... | 83 | VAXNEUVANCE (PF)..... | 72 |
| <i>triazolam</i> | 31 | TYBOST..... | 6 | VCF CONTRACEPTIVE | |
| <i>tricitrates</i> | 94 | <i>tydemy</i> | 83 | FILM..... | 78 |
| <i>tricon</i> | 97 | TYENNE..... | 75 | VCF CONTRACEPTIVE GEL | |
| <i>triderm</i> | 46 | TYENNE AUTOINJECTOR | | | 78 |
| <i>trientine</i> | 48 | | 75 | <i>veletri</i> | 36 |
| TRIENTINE..... | 48 | TYMLOS..... | 72 | <i>velivet triphasic regimen (28)</i> | |
| <i>tri-estarylla</i> | 82 | TYRVAYA..... | 85 | | 83 |
| <i>trifluoperazine</i> | 31 | TYVASO..... | 92 | VELPHORO..... | 60 |
| <i>trifluridine</i> | 84 | TYVASO DPI..... | 92 | VELSIPITY..... | 64 |
| <i>trigels-f forte</i> | 97 | TYVASO REFILL KIT..... | 92 | VELTASSA..... | 60 |
| <i>trihexphenidyl</i> | 20 | TYVASO STARTER KIT...92 | | VEMLIDY..... | 6 |
| TRIJARDY XR..... | 58 | U | | VENCLEXTA..... | 16 |
| TRIKAFTA..... | 92 | UBRELVY..... | 21 | | |

| | | | | | |
|--|----|--|----|--|------|
| VENCLEXTA STARTING PACK | 16 | VYZULTA | 86 | XYWAV | 32 |
| <i>venlafaxine</i> | 32 | W | | Y | |
| VENTAVIS | 93 | WAINUA | 22 | YONSA | 17 |
| VENTOLIN HFA | 93 | WAKIX | 32 | <i>yuvafem</i> | 77 |
| <i>verapamil</i> | 36 | <i>warfarin</i> | 37 | Z | |
| VERKAZIA | 85 | <i>water for irrigation, sterile</i> .. | 48 | <i>zafemy</i> | 78 |
| VERQUVO | 39 | WEGOVY | 46 | <i>zafirlukast</i> | 93 |
| VERZENIO | 16 | WELIREG | 17 | <i>zaleplon</i> | 32 |
| <i>vestura (28)</i> | 83 | <i>wera (28)</i> | 83 | <i>zarah</i> | 83 |
| V-GO 20 | 54 | <i>wescap-c dha</i> | 97 | ZARXIO | 66 |
| V-GO 30 | 54 | <i>wescap-pn dha</i> | 97 | <i>zatean-pn dha</i> | 98 |
| V-GO 40 | 54 | <i>wesnatal dha complete</i> | 98 | <i>zatean-pn plus</i> | 98 |
| VIBERZI | 64 | <i>wesnate dha</i> | 98 | ZEJULA | 17 |
| VICTOZA 2-PAK | 58 | <i>westab plus</i> | 98 | ZELBORAF | 17 |
| VICTOZA 3-PAK | 58 | WIDE-SEAL DIAPHRAGM | 75 | <i>zenatane</i> | 43 |
| <i>vienna</i> | 83 | WINREVAIR | 93 | ZENPEP | 64 |
| <i>vigabatrin</i> | 19 | <i>wixela inhub</i> | 93 | <i>zenzedi</i> | 32 |
| <i>vigadrone</i> | 19 | <i>women's gentle laxative(bisac)</i> | 64 | ZEPATIER | 6 |
| VIGAFYDE | 19 | <i>wymzya fe</i> | 83 | ZEPOSIA | 22 |
| <i>vigpoder</i> | 19 | X | | ZEPOSIA STARTER KIT (28- DAY) | 22 |
| VIJOICE | 16 | XALIX | 41 | ZEPOSIA STARTER PACK (7-DAY) | 22 |
| <i>vilazodone</i> | 32 | XALKORI | 17 | ZERViate | 85 |
| <i>viorele (28)</i> | 83 | XARELTO | 37 | <i>zidovudine</i> | 6, 7 |
| VIRACEPT | 6 | XARELTO DVT-PE TREAT 30D START | 37 | ZIEXTENZO | 66 |
| VIREAD | 6 | XCOPRI | 19 | ZILBRYSQ | 23 |
| <i>vitamin b complex-folic acid</i> .. | 97 | XCOPRI MAINTENANCE PACK | 19 | <i>zileuton</i> | 93 |
| <i>vitamins a,c,d and fluoride</i> .. | 97 | XCOPRI TITRATION PACK | 19 | <i>ziprasidone hcl</i> | 32 |
| VITRAKVI | 16 | XDEMVI | 85 | <i>ziprasidone mesylate</i> | 32 |
| VIVITROL | 26 | XELJANZ | 75 | ZIRGAN | 84 |
| VIVJOA | 3 | XELJANZ XR | 75 | ZOKINVY | 48 |
| VIZIMPRO | 16 | XEPI | 44 | <i>zoledronic acid-mannitol-water</i> | 48 |
| <i>volnea (28)</i> | 83 | XERMELO | 17 | ZOLINZA | 17 |
| VONJO | 16 | XGEVA | 11 | <i>zolmitriptan</i> | 21 |
| VORANIGO | 17 | XHANCE | 93 | ZOLMITRIPTAN | 21 |
| <i>voriconazole</i> | 3 | XIFAXAN | 9 | <i>zolpidem</i> | 32 |
| VORTEX HOLDING CHAMBER | 52 | XIGDUO XR | 58 | ZOMIG | 21 |
| VOSEVI | 6 | XIIDRA | 85 | <i>zonisamide</i> | 19 |
| VOWST | 64 | XOLAIR | 93 | ZONTIVITY | 37 |
| VOXZOGO | 57 | XOLREMDI | 66 | ZORYVE | 41 |
| VOYDEYA | 48 | XOSPATA | 17 | <i>zovia 1-35 (28)</i> | 83 |
| VRAYLAR | 32 | XPOVIO | 17 | ZTALMY | 19 |
| VTAMA | 40 | XTAMPZA ER | 24 | ZUBSOLV | 26 |
| VUITY | 85 | XTANDI | 17 | <i>zumandimine (28)</i> | 83 |
| VUMERITY | 68 | <i>xulane</i> | 78 | ZURZUVAE | 32 |
| <i>vyfemla (28)</i> | 83 | XULTOPHY 100/3.6 | 55 | ZYDELIG | 17 |
| <i>vylibra</i> | 83 | XURIDEN | 48 | ZYKADIA | 17 |
| VYNDAMAX | 39 | | | ZYLET | 87 |
| VYNDAQEL | 39 | | | ZYMFENTRA | 64 |
| VYVANSE | 32 | | | | |

ZYPREXA RELPREVV.....32